Building reproducible analytical pipelines with R

Bruno Rodrigues

2023 - 10 - 03

Table of contents

W	elcom	ne!	1
	How	using a few ideas from software engineering can help data scientists, analysts and researchers	
		write reliable code	1
Pr	eface		3
1.	Intro	oduction	11
	1.1.	Who is this book for?	11
	1.2.	What is the aim of this book?	12
	1.3.	Prerequisites	14
	1.4.	What actually is reproducibility?	15
		1.4.1. Using open-source tools to build a RAP	
		is a hard requirement	16
		1.4.2. There are hidden dependencies that can	
		hinder the reproducibility of a project	18
		1.4.3. The requirements of a RAP	19
	1.5.	Are there different types of reproducibility?	20
١.	Pa	rt 1: Don't Repeat Yourself	29
	Intro	$\mathbf{r}^{\mathbf{r}}$	31
2.	Befo	ore we start	33
	2.1.	Essential knowledge	33

3.	Proj	ect start	39
	3.1.	Housing in Luxembourg	39
	3.2.	Saving trapped data from Excel	44
	3.3.	Analysing the data	59
	3.4.	Your project is not done	60
		3.4.1. How easy would it be for someone else to	
		rerun the analysis?	60
		3.4.2. How easy would it be to update the project?	61
		3.4.3. How easy would it be to reuse this code	
		for another project? \ldots \ldots \ldots	61
		3.4.4. What guarantee do we have that the out-	
		put is stable through time?	62
	3.5.	Conclusion	63
4.	Vers	sion control with Git	65
	4.1.	Installing Git and opening a Github account	69
	4.2.	Git superbasics	72
	4.3.	Git and Github	85
	4.4.	Getting to know Github	97
	4.5.	Conclusion	104
5.	Coll	aborating using Trunk-based development	105
-	5.1.	Collaborating as a team	105
	-	5.1.1. TBD basics	105
		5.1.2. Handling conflicts	121
		5.1.3. Make sure you blame the right person	133
		5.1.4. Simplified trunk-based development	134
		5.1.5. Conclusion \ldots	134
	5.2.	Contributing to public repositories	135
	5.3.	Further reading	141
6.	Fund	ctional programming	143
	6.1.	Introduction	143
		6.1.1. The state of your program	145

		6.1.2. Predictable functions	146
		6.1.3. Referentially transparent and pure func-	
		tions \ldots \ldots \ldots \ldots \ldots \ldots \ldots	152
	6.2.	Writing good functions	154
		6.2.1. Functions are first-class objects	154
		6.2.2. Optional arguments	160
		$6.2.3. Safe functions \ldots \ldots \ldots \ldots \ldots \ldots \ldots$	161
		6.2.4. Recursive functions	163
		6.2.5. Anonymous functions	165
		6.2.6. The Unix philosophy applied to R \ldots	165
	6.3.	Lists: a powerful data-structure	167
		6.3.1. Lists all the way down \ldots \ldots \ldots	167
		6.3.2. Lists can hold many things	168
		6.3.3. Lists as the cure to loops $\ldots \ldots \ldots$	173
		6.3.4. Data frames	179
	6.4.	Functional programming in R	196
		6.4.1. Base capabilities	196
		6.4.2. purrr	203
		6.4.3. withr	205
	6.5.	Conclusion	208
7.	Lite	rate programming	209
	7.1.	A quick history of literate programming	211
	7.2.	{knitr} basics	224
		7.2.1. Set up	224
		7.2.2. Markdown ultrabasics	227
	7.3.	Keeping it DRY	233
		7.3.1. Generating R Markdown code from code .	234
		7.3.2. Tables in R Markdown documents	244
		7.3.3. Parametrized reports	247
	7.4.	Conclusion	252
8.	Con	clusion of part 1	253

II.	Part 2: Write IT down	255
	The reproducibility iceberg	. 257
9.	Rewriting our project	263
	9.1. An Rmd for cleaning the data	. 265
	9.2. An Rmd for analysing the data	. 279
	9.3. Conclusion	. 286
10	.Basic reproducibility: freezing packages	287
	10.1. Recording packages' version with $\{renv\}$. 289
	10.1.1. Daily {renv} usage	. 299
	10.1.2. Collaborating with {renv}	. 302
	10.1.3. $\{\text{renv}\}$'s shortcomings $\ldots \ldots \ldots \ldots$. 302
	10.2. Becoming an R-cheologist	. 304
	10.3. Conclusion	. 308
11	.Packaging your code	309
	11.1. Benefits of packages	. 310
	11.2. {fusen} quickstart	. 311
	11.3. Turning our Rmds into a package	. 321
	11.4. Including datasets	. 333
	11.5. Installing and sharing the package	. 335
	11.5.1. Code is hosted	. 336
	11.5.2. Code cannot be hosted	. 337
	11.5.3. Marketing your work	. 339
	11.6. Conclusion \ldots	. 341
12	. Testing your code	343
	12.1. Unit testing \ldots	. 344
	12.2. Assertive programming	. 356
	12.3. Test-driven development	364
	12.4. Code coverage	365
	12.5. Conclusion \ldots \ldots \ldots \ldots \ldots \ldots	. 367

13. Build automation with targets 369
13.1. Introduction $\ldots \ldots 369$
13.2. {targets} quick-start
13.2.1targets.R's anatomy
13.3. A pipeline is a composition of pure functions 374
13.4. Handling files
13.5. The dependency graph
13.6. Running the pipeline in parallel
13.7. {targets} and RMarkdown (or Quarto)
13.8. Rewriting our project as a pipeline and $\{renv\}$
redux $\ldots \ldots 407$
13.9. Some little tips before concluding
13.9.1. Load every target at once $\ldots \ldots \ldots 418$
13.9.2. Get metadata information on your pipeline 418
13.9.3. Make a target (or the whole pipeline) out-
dated $\ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots 420$
13.9.4. Customize the network's visualisation \therefore 421
13.9.5. Use targets from one pipeline in another
project \ldots \ldots \ldots \ldots \ldots $.221$
13.9.6. Understanding this cryptic error message . 421
13.10Conclusion
14. Reproducible analytical pipelines with Docker 423
14.1. What is Docker?
14.2. A primer on Linux
14.3. First steps with Docker
14.4. The Rocker project $\ldots \ldots \ldots \ldots \ldots \ldots \ldots 445$
14.5. Dockerizing projects
14.6. Dockerizing development environments
14.6.1. Creating a base image for development 461
14.6.2. Sharing images through Docker Hub 465
14.6.3. Sharing a compressed archive of your image 470
14.7. Some issues of relying on Docker
14.7.1. The problems of relying so much on Docker 473

14.7.2. Is Docker enough? \ldots \ldots \ldots	474
14.8. Conclusion \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots	475
15. Continuous integration and continuous deployment 15.1. CI/CD quickstart for R programmers (and others) 15.2. Running a RAP using GitHub Actions 15.3. Craft a dockerized dev env with GA 15.4. Run a RAP using a dockerized dev env on GA 15.5. Conclusion	477 480 486 488 498 502
16. Conclusion of part 2	505
17. The end	509
"So what?"	511
References	515

Welcome!

How using a few ideas from software engineering can help data scientists, analysts and researchers write reliable code

Data scientists, statisticians, analysts, researchers, and many other professionals write $a \ lot \ of \ code$.

Not only do they write a lot of code, but they must also read and review a lot of code as well. They either work in teams and need to review each other's code, or need to be able to reproduce results from past projects, be it for peer review or auditing purposes. And yet, they never, or very rarely, get taught the tools and techniques that would make the process of writing, collaborating, reviewing and reproducing projects possible.

Which is truly unfortunate because software engineers face the same challenges and solved them decades ago.

The aim of this book is to teach you how to use some of the best practices from software engineering and DevOps to make your projects robust, reliable and reproducible. It doesn't matter if you work alone, in a small or in a big team. It doesn't matter if your work gets (peer-)reviewed or audited: the techniques

Welcome!

presented in this book will make your projects more reliable and save you a lot of frustration!

As someone whose primary job is analysing data, you might think that you are not a developer. It seems as if developers are these genius types that write extremely high-quality code and create these super useful packages. The truth is that you are a developer as well. It's just that your focus is on writing code for your purposes to get your analyses going instead of writing code for others. Or at least, that's what you think. Because in *others*, your team-mates are included. Reviewers and auditors are included. Any people that will read your code are included, and there **will** be people that will read your code. At the very least future you will read your code. By learning how to set up projects and write code in a way that future you will understand and not want to murder you, you will actually work towards improving the quality of your work, naturally.

The book can be read for free on https://raps-with-r.dev and you can buy a DRM-free Epub or PDF on Leanpub¹.

You can submit issues, PRs and ask questions on the book's Github repository².

¹https://leanpub.com/raps-with-r/

²https://github.com/b-rodrigues/rap4all

Preface

In the summer of 2022, a former colleague from my first job asked me if I wanted to help him teach a class at the University of Luxembourg. It was a class for the Master's of Data Science, and the class was supposed to be taught by non-academics like us. The idea was to teach the students some "real-world" skills from the industry. It was a 40 hours class, and naturally we split them equally between us; my colleague focused on time series statistics but I really didn't know what I should do. I knew I wanted to teach, I always liked teaching, but I am a public servant in the ministry of higher education and research in Luxembourg. I still code a lot, but I don't do exciting machine learning anymore, or advanced econometrics like my colleague. Before (re)joining the public service I was a senior data scientist and then manager in one of the big four accounting firms. Before that, and this is where my colleague and I met, I was a research assistant in the research department of the national statistical institute of statistics in Luxembourg, and my colleague is still an applied researcher there.

What could I teach these students? What "skills from the industry" could I possibly share with them? I am an expert in nothing in particular. Actually, I don't really know anything very deeply, but know at least a little about many different things. There are many self-help books out there that state that it's better to know a lot about only a few, maybe even only one, topic, than know a lot about many topics. I tend to disagree with this; at least

Preface

in my experience, knowing enough about many different topics always allowed me to communicate effectively with many different people, from researchers focusing on very specific topics that needed my help to assist them in their research, to clients from a wide range of industries that were sharing their problems with me in my consulting years. If I needed to deepen my knowledge on a particular topic before I could intervene, I had the necessary theoretical background to grab a few books and learn the material. Also, I was never afraid of asking questions.

This is reflected in my blogging. As I'm writing these lines (beginning of 2023), I have been blogging for about ten years. Most of my blog posts are me trying to lay out a problem I had at work and how I solved it. Sometimes I do some things for pleasure or curiosity, like the two posts on the video game nethack, or the ones on 19th century newspapers where I learned a lot about NLP. Because I was lucky enough to work with different people from many backgrounds, I always had to solve a very wide range of problems.

But that still didn't really help me to find a topic to teach... but then it dawned on me. Even though in my career I had to help many different people with many different backgrounds and needs, there were two things that everyone always required: traceability and reliability.

Everyone wanted to know how I came to the conclusions that I came to, and most of them even wanted to be able to reproduce my steps as a form of double checking what I did (consultants are expensive, so you better make sure that they're worth their hourly rate!). When I was a manager, I applied the same logic to my teammates. I wanted to be able to understand what they were doing, or at least know that if I needed to review their work deeply, the possibility was there.

So what I had to teach these students of data science was some best practices in software engineering. Most people working with data don't get taught software engineering skills. Courses focus on probability theory, linear algebra, algorithms, and programming but not software engineering. That's because software engineering skills get taught to software engineers. But while statisticians, data scientists, (or whatever we get called these days), are not software engineers, they do write a lot of code. And code that is quite important at that. And yet, most of us do work like pigs (no disrespect to pigs).

For example, how much of the code you write that produces very sensitive and important results, be it in science or in industry, is thoroughly tested? How much of the code you use relies on a single person showing up for work and using some secret knowledge that is undocumented? What if that person ends up under a bus? How much code do you run that no one dares touch anymore because that one person from before did end up under a bus?

How many people do you have to ping when you need to get an update to a quarterly report? How many people do you have to ping to know how Table 3 from that report from 2020 that was quickly put together during the Covid-19 lockdowns was computed? Are all the people involved even working in your company still?

When collaborating with teammates to write a report or scientific paper, do you consider potential risks? (If you're wondering *What risks?* then you're definitely not considering them.)

Are you able to tell anyone, *exactly*, how that number that gets used by the CEO in that one report was made? What if there's an investigation, or some external audit? Would the auditors be able to run the code and understand what is going on with

Preface

as little intervention as possible (ideally none) from you? But I don't work in an industry that gets audited, you may think. Well, maybe not, or maybe one day your work will get audited anyways. Maybe it'll get audited internally for whatever reason. Maybe there's a new law that went into force that requires your work, or parts of your work, to be easily traceable.

And if you're a scientist, your work does get audited, or at least it should be in theory. I don't know any scientist (and I know more scientists than the average person, thanks to my background and current job) that is against the idea of open science, open data, reproducibility, and so on. Not one. But in practice, how many papers are truly reproducible? How many scientific results are auditable and traceable?

Lack of traceability and reproducibility can sometimes lead to serious consequences. If you're in the social sciences, you likely know about the *Reinhart and Rogoff* paper. Reinhard and Rogoff are two American economists that published a paper in 2010 that showed that when countries are too much in debt (over 60% of GDP according to the authors) then annual growth decreases by two percent. These papers provided an empirical justification for austerity measures in the aftermath of the 2009 European debt crisis. But there was a serious problem with the Reinhard and Rogoff paper. It's not that they somehow didn't use the *correct* theoretical framework or modelling procedure in their paper. It's not that their assumptions were disputable or too unrealistic. It's that they performed their calculations inside an Excel spreadsheet and did not, and this is not a joke, they did not select every country's real GDP growth to compute the average real GDP growth for high-debt countries:

Preface

0	B	C		J	K	L	M
Z				Real GD	P growth		
3				Debt	/GDP		
4	Country	Coverage	30 or less	30 to 60	60 to 90	90 or above	30 or less
26			3.7	3.0	3.5	1.7	5.5
27	Minimum		1.6	0.3	1.3	-1.8	0.8
28	Maximum		5.4	4.9	10.2	3.6	13.3
29	1						
30	US	1946-2009	n.a.	3.4	3.3	-2.0	n.a.
31	UK	1946-2009	n.a.	2.4	2.5	2.4	n.a.
32	Sweden	1946-2009	3.6	2.9	2.7	n.a.	6.3
33	Spain	1946-2009	1.5	3.4	4.2	n.a.	9.9
34	Portugal	1952-2009	4.8	2.5	0.3	n.a.	7.9
35	New Zealand	1948-2009	2.5	2.9	3.9	-7.9	2.6
36	Netherlands	1956-2009	4.1	2.7	1.1	n.a.	6.4
37	Norway	1947-2009	3.4	5.1	n.a.	n.a.	5.4
38	Japan	1946-2009	7.0	4.0	1.0	0.7	7.0
39	Italy	1951-2009	5.4	2.1	1.8	1.0	5.6
40	Ireland	1948-2009	4.4	4.5	4.0	2.4	2.9
41	Greece	1970-2009	4.0	0.3	2.7	2.9	13.3
42	Germany	1946-2009	3.9	0.9	n.a.	n.a.	3.2
43	France	1949-2009	4.9	2.7	3.0	n.a.	5.2
44	Finland	1946-2009	3.8	2.4	5.5	n.a.	7.0
45	Denmark	1950-2009	3.5	1.7	2.4	n.a.	5.6
46	Canada	1951-2009	1.9	3.6	4.1	n.a.	2.2
47	Belgium	1947-2009	n.a.	4.2	3.1	2.6	n.a.
48	Austria	1948-2009	5.2	3.3	-3.8	n.a.	5.7
49	Australia	1951-2009	3.2	4.9	4.0	n.a.	5.9
50							
51			4.1	2.8	2.8	=AVERAG	E(L30:L44)

Figure 1.: You can see that not all countries are selected...

(source to image, archived $link^3$)

And this is not the only problem with this paper.

The problem is not that this mistake was made. Reinhard and Rogoff are only human and mistakes can happen. What's problematic is that this was picked up and corrected too late. In an ideal world, Reinhard and Rogoff would not have used tools that make mistakes like this almost impossible to find once they're made. Instead, they would have used tools that would have made such a thing not happen in the first place, or, as a second best, making it easier and faster for someone else to find this mistake. And this is not something that is only useful in research, but also in any industry. Being able to trust results,

³https://archive.is/DTGpC

tracing back calculations and auditing are not only concerns of researchers.

So this is what I decided to teach the students: how they could structure their projects in such a way that they could spot problems like that during development, but also make it easy to reproduce and retrace who did what and when. I wrote my course notes into a freely available bookdown that I used for teaching. When I started compiling my notes, I discovered the concept Reproducible Analytical Pipelines as developed by the Office for National Statistics (henceforth ONS). I found the name "Reproducible Analytical Pipeline" (henceforth RAP) really perfect for what I was aiming at. The ONS team responsible for evangelising RAPs also published a free ebook in 2019 already. Another big source of inspiration is Software Carpentry to which I was exposed during my PhD years, around 2014-ish if memory serves. While working on a project with some German colleagues from the University of Bonn, the principal investigator made us work using these concepts to manage the project. I was really impressed by it, and these ideas and techniques stayed with me since then.

The bottom line is: the ideas I'm presenting here are nothing new. It's just that I took some time to compile them and make them accessible and interesting (at least I hope so) for users of the R programming language.

At least my students found the course interesting. But not just students. I tweeted about this course and shared the notes with a wider audience, and this is when I got very positive feedback from people that were not my students. People wanted to buy this as a book and go deeper into the topics laid out. This is when I realised that, as far as I know, there is not a practical book available discussing these topics. So I decided to write one, but I took my time getting started. What finally, really, got me working on it was when Dmytro Perepolkin reached out to me and suggested I contact several persons to get their inputs and ideas and get started. I followed his advice, and this led to very fruitful discussions with Sébastien Rochette, Miles McBain and Dmytro. Their ideas and inputs definitely improved the quality of this book, so many thanks to them. Also thanks to David Solito, Matan Hakim, Stas Kolenikov, Sam Parmar, Chuck, Matouš Eibich, Jonathan Moore, Alain Vagner and Matthias Meiksner for proofreading the book and providing valuable feedback and fixes. And thank you, dear reader, for picking this up!

This book is divided into two parts. The first part teaches you what I believe is essential knowledge you should possess in order to write truly reproducible pipelines. This essential knowledge is constituted of:

- Version control with Git and how to manage projects with Github;
- Functional programming;
- Literate programming.

The main idea from part 1 is "don't repeat yourself". Git and Github will help us avoid losing code, and losing track of who should do what in a project (even if you're working alone on a project, you will see that using Git and Github will save you many hours and headaches). Getting familiar with functional and literate programming should improve the quality of our code by avoiding two common sources of mistakes: computing results that rely on the state of our program (and later, the state of the whole hardware we are using) and copy and paste mistakes.

The second part of the book will then build upon this knowledge to introduce several tools that will help us go beyond the benefits of version control and functional and literate programming:

• Dependency management with {renv};

- Package development with {fusen};
- Unit and assertive testing;
- Build automation with {targets};
- Reproducible environments with Docker;
- Continuous integration and delivery.

While this is not a book for beginners (you really should be familiar with R before reading this), I will not assume that you have any knowledge of the tools presented in part 2. In fact, even if you're already familiar with Git, Github, functional programming and literate programming, I think that you will still learn something useful from reading part 1. But be warned, this book will require you to take the time to read it, and then type on your computer. Type *a lot*.

I hope that you will enjoy reading this book and applying the ideas in your day-to-day, ideas which hopefully should improve the reliability, traceability and reproducibility of your code. You can read this book for free on https://raps-with-r.dev/, or if you want you can buy a DRM-free PDF or Epub over at https://leanpub.com/raps-with-r.

If you want to get to know me better, read my bio^4 .

If you have feedback, drop me an email at bruno [at] brodrigues [dot] co.

Enjoy!

 $^{^{4} \}rm https://www.brodrigues.co/about/me/$

1. Introduction

This book will not teach you about machine learning, statistics or visualisation.

The goal is to teach you a set of tools, practices and project management techniques that should make your projects easier to reproduce, replicate and retrace. These tools and techniques can be used right from the start of your project at a minimal cost, such that once you're done with the analysis, you're also done with making the project reproducible. Your projects are going to be reproducible simply because they were engineered, from the start, to be reproducible.

There are two main ideas in this book that you need to keep in mind at all times:

- DRY: Don't Repeat Yourself;
- WIT: Write IT down.

DRY WIT is not only the best type of humour, it is also the best way to write reproducible analytical pipelines.

1.1. Who is this book for?

This book is for anyone that uses raw data to build any type of output based on that raw data. This can be a simple quarterly

1. Introduction

report for example, in which the data is used for tables and graphs, or a scientific article for a peer reviewed journal or even an interactive web application. It doesn't matter, because the process is, at its core, always very similar:

- Get the data;
- Clean the data;
- Write code to analyse the data;
- Put the results into the final product.

This book will already assume some familiarity with programming, and in particular the R programming language. However, if you're comfortable with another programming language like Python, you could still learn a lot from reading this book. The tools presented in this book are specific to R, but there will always be an alternative for the language you prefer using, meaning that you could apply the advice from this book to your needs and preferences.

1.2. What is the aim of this book?

The aim of this book is to make the process of analysing data as reliable, retraceable, and reproducible as possible, and do this by design. This means that once you're done with the analysis, you're done. You don't want to spend time, which you often don't have anyways, to rewrite or refactor an analysis and make it reproducible after the fact. We both know that this is not going to happen. Once an analysis is done, it's time to go to the next analysis. And if you need to rerun an older analysis (for example, because the data got updated), then you'll simply figure it out at that point, right? That's a problem for future you, right? Hopefully, future you will remember every quirk of your code and know which script to run at which point in the process, which comments are outdated and can be safely ignored, what features of the data need to be checked (and when they need to be checked), and so on... You better hope future you is a more diligent worker than you!

Going forward, I'm going to refer to a project that is reproducible as a "reproducible analytical pipeline", or RAP for short. There are only two ways to make such a RAP; either you are lucky enough to have someone on the team whose job is to turn your messy code into a RAP, or you do it yourself. And this second option is very likely the most common. The issue is, as stated above, that most of us simply don't do it. We are always in the rush to get to the results, and don't think about making the process reproducible. This is because we always think that making the process reproducible takes time and this time is better spent working on the analysis itself. But this is a misconception, for two reasons.

The first reason is that employing the techniques that we are going to discuss in this book won't actually take much time. As you will see, they're not really things that you "add on top of the analysis", but will be part of the analysis itself, and they will also help with managing the project. And some of these techniques will even save you time (especially testing) and headaches.

The second reason is that an analysis is never, ever, a one-shot. Only the most simple things, like pulling out a number from some data base may be a one-shot. And even then, chances are that once you provide that number, you'll be asked to pull out a variation of that number (for example, by disaggregating by one or several variables). Or maybe you'll get asked for an update to that number in six months. So you will learn very quickly to keep that SQL query in a script somewhere to make sure that you provide a number that is consistent. But what about more complex analyses? Is keeping the script enough? Keeping the script is already a good start of course. The problem is that very often, there is no script, or not a script for each step of the analysis.

I've seen this play out many times in many different organisations. It's that time of the year again, we have to write a report. 10 people are involved, and just gathering the data is already complicated. Some get their data from Word documents attached to emails, some from a website, some from a report from another department that is a PDF... I remember a story that a senior manager at my previous job used to tell us: once, a client put out a call for a project that involved helping them setting up a PDF scraper. They periodically needed data from another department that came in PDFs. The manager asked what was, at least from our perspective, an obvious question: why can't they send you the underlying data from that PDF in a machine readable format? They had never thought to ask. So my manager went to that department, and talked to the people putting that PDF together. Their answer? "Well, we could send them the data in any format they want, but they've asked us to send the tables in a PDF format".

So the first, and probably most important lesson here is: when starting to build a RAP, make sure that you talk with all the people involved.

1.3. Prerequisites

You should be comfortable with the R programming language. This book will assume that you have been using R for some projects already, and want to improve not only your knowledge of the language itself, but also how to successfully manage complex projects. Ideally, you should know about packages, how to install them, you should have written some functions already, know about loops and have some basic knowledge of data structures like lists. While this is not a book on visualisation, we will be making some graphs using the {ggplot2} package, so if you're familiar with that, that's good. If not, no worries, visualisation, data munging or data analysis is not the point of this book. Chapter 2, *Before we start* should help you gauge how easily you will be able to follow this book.

Ideally, you should also not be afraid of not using Graphical User Interfaces (GUIs). While you can follow along using an IDE like RStudio, I will not be teaching any features from any program with a GUI. This is not to make things harder than they should be (quite the contrary actually) but because interacting graphically with a program is simply not reproducible. So our aim is to write code that can be executed non-interactively by a machine. This is because one necessary condition for a workflow to be reproducible and get referred to as a RAP, is for the workflow to be able to be executed by a machine, automatically, without any human intervention. This is the second lesson of building RAPs: there should be no human intervention needed to get the outputs once the RAP is started. If you achieve this, then your workflow is likely reproducible, or can at least be made reproducible much more easily than if it requires some special manipulation by a human somewhere in the loop.

1.4. What actually is reproducibility?

A reproducible project means that this project can be rerun by anyone at 0 (or very minimal) cost. But there are different

1. Introduction

levels of reproducibility, and I will discuss this in the next section. Let's first discuss some requirements that a project must have to be considered a RAP.

1.4.1. Using open-source tools to build a RAP is a hard requirement

Open source is a hard requirement for reproducibility.

No ifs nor buts. And I'm not only talking about the code you typed for your research paper/report/analysis. I'm talking about the whole ecosystem that you used to type your code and build the workflow.

Is your code open? That's good. Or is it at least available to other people from your organisation, in a way that they could re-execute it if needed? Good.

But is it code written in a proprietary program, like STATA, SAS or MATLAB? Then your project is not reproducible. It doesn't matter if this code is well documented and written and available on a version control system (internally to your company or open to the public). This project is just not reproducible. Why?

Because on a long enough time horizon, there is no way to reexecute your code with the exact same version of the proprietary programming language and on the exact same version of the operating system that was used at the time the project was developed. As I'm writing these lines, MATLAB, for example, is at version R2022b. And buying an older version may not be simple. I'm sure if you contact their sales department they might be able to sell you an older version. Maybe you can even simply re-download older versions that you've already bought from their website. But maybe it's not that simple. Or maybe they won't offer this option anymore in the future, who knows? In any case, if you google "purchase old version of Matlab" you will see that many researchers and engineers have this need.

Follow	4 views (last	30 days)
	on 29 Nov 2018	🎍 Vote 1 🔗 Lin
	STAFF MVP on 29 Nov 2018	
Hallo a an we	after a few years we need to use again an old program written with matlab a buy again this old version of the program? Thanks best regard	R12 6.0.0.88. We don't find the installation CD,
0 0 C	Comments	
ign in	to comment.	
Sign in	to answer this question.	
Sign in	to answer this question.	
Sign in Ansv	to answer this question. wers (1)	
ign in Ansv	to answer this question. wers (1)	
ign in Ansv	to answer this question. wers (1)	≜ Vote 0 <i>2</i> Li
Ansv	to answer this question. wers (1) Table 20 Nov 2018 Have you tried running the old program on a more recent release of M	b Vote 0 e ² Li ATLAB?
Ansv	to answer this question. wers (1) First: MVP on 29 Nov 2018 Have you tried running the old program on a more recent release of M MATLAB 6.0 (R12) is eighteen years old (released in November 2000)	ቇ Vote ∫ 0 & Li ATLAB? 0) and I think it highly unlikely you'll be able to ge
Ansv	to answer this question. wers (1) FIGURE 1000 on 29 Nov 2018 Have you tried running the old program on a more recent release of M MATLAB 6.0 (R12) is eighteen years old (released in November 2000 it working on a new operating system. The Windows System requirement release we currented the secure 14 of which we current of the secure 14 of which we carrent of the secure 14 of wh	▲ Vote 0 2 Li ATLAB?)) and I think it highly unlikely you'll be able to ge unts lists several Windows versions on which that we released it is Contember 2000. Mercared
ign in Ansv	to answer this question. wers (1) Have you tried running the old program on a more recent release of M MATLAB 6.0 (R12) is eighteen years old (released in November 2000 it working on a new operating system. The Windows system requireme release was supported, the newest of which was Windows ME which ended mainstream support for this OS in 2003 and ended extended s	
ign in Ansv	to answer this question. wers (1) MATLAB 6.0 (R12) is eighteen years old (released in November 2000 it working on a new operating system. The Windows system requiremenrelease was supported, the newest of which was Windows ME which is ended mainstream support for this OS in 2003 and ended extended s 0 Comments	↓ Vote 0

Figure 1.1.: Wanting to run older versions of analytics software is a recurrent need.

And if you're running old code written for version, say, R2008a, there's no guarantee that it will produce the exact same results on version 2022b. And let's not even mention the toolboxes (if you're not familiar with MATLAB's toolboxes, they're the equivalent of packages or libraries in other programming languages). These evolve as well, and there's no guarantee that you can purchase older versions of said toolboxes. And it's likely that

newer versions of toolboxes cannot even run on older versions of Matlab.

And let me be clear, what I'm describing here with MATLAB could also be said for any other proprietary programs still commonly (unfortunately) used in research and in statistics (like STATA, SAS or SPSS). And even if some, or even all, of the editors of these proprietary tools provide ways to buy and run older versions of their software, my point is that the fact that you have to rely on them for this is a barrier to reproducibility, and there is no guarantee they will provide the option to purchase older versions forever. Also, who guarantees that the editors of these tools will be around forever? Or, and that's more likely, that they will keep offering a program that you install on your machine instead of shifting to a subscription based model?

For just \$199 a month, you can execute your SAS (or whatever) scripts on the cloud! Worry about data confidentiality? No worries, data gets encrypted and stored safely on our secure servers! Run your analysis from anywhere and don't worry about losing your work if your cat knocks over your coffee on your laptop! And if you purchase the pro licence, for an additional \$100 a month, you can even execute your code in parallel!

Think this is science fiction? Google "SAS cloud" to see SAS's cloud based offering.

1.4.2. There are hidden dependencies that can hinder the reproducibility of a project

Then there's another problem: let's suppose you've written a nice, thoroughly tested and documented workflow, and made it available on Github (and let's even assume that the data is available for people to freely download, and that the paper is open access). Or, if you're working in the private sector, you did everything above as well, the only difference being that the workflow is only available to people inside the company instead of being available freely and publicly online.

Let's further assume that you've used R or Python, or any other open source programming language. Could this study/analysis be said to be reproducible? Well, if the analysis ran on a proprietary operating system, then the conclusion is: your project is not reproducible.

This is because the operating system the code runs on can also influence the outputs that your pipeline builds. There are some particularities in operating systems that may make certain things work differently. Admittedly, this is in practice rarely a problem, but it does happen¹, especially if you're working with very high precision floating point arithmetic like you would do in the financial sector for instance.

Thankfully, there is no need to change operating systems to deal with this issue, and we will learn how to use Docker to safeguard against this problem.

1.4.3. The requirements of a RAP

So where does that leave us? Basically, for something to be truly reproducible, it has to respect the following bullet points:

• Source code must obviously be available and thoroughly tested and documented (which is why we will be using Git and Github);

 $^{^{1}} https://github.com/numpy/numpy/issues/9187$

1. Introduction

- All the dependencies must be easy to find and install (we are going to deal with this using dependency management tools);
- To be written with an open source programming language (nocode tools like Excel are by default non-reproducible because they can't be used non-interactively, and which is why we are going to use the R programming language);
- The project needs to be run on an open source operating system (thankfully, we can deal with this without having to install and learn to use a new operating system, thanks to Docker);
- Data and the paper/report need obviously to be accessible as well, if not publicly as is the case for research, then within your company. This means that the concept of "scripts and/or data available upon request" belongs in the trash.

Availability of data and material

Data available upon reasonable request.

Figure 1.2.: A real sentence from a real paper published in *THE LANCET Regional Health.* How about *make the data available and I won't scratch your car*, how's that for a reasonable request?

1.5. Are there different types of reproducibility?

Let's take one step back: we live in the real world, and in the real world, there are some constraints that are outside of our control.

These constraints can make it impossible to build a true RAP, so sometimes we need to settle for something that might not be a true RAP, but a second or even third best thing.

In what follows, let's assume this: in the discussion below, code is tested and documented, so let's only discuss the code running the pipeline itself.

The *worst* reproducible pipeline would be something that works, but only on your machine. This can be simply due to the fact that you hardcoded paths that only exist on your laptop. Anyone wanting to rerun the pipeline would need to change the paths. This is something that needs to be documented in a README which we assumed was the case, so there's that. But maybe this pipeline only runs on your laptop because the computational environment that you're using is hard to reproduce. Maybe you use software, even if it's open source software, that is not easy to install (anyone that tried to install R packages on Linux that depend on the **{rJava}** package know what I'm talking about).

So a least worse pipeline would be one that could be run more easily on any similar machine to yours. This could be achieved by not using hardcoded absolute paths, and by providing instructions to set up the environment. For example, in the case of R, this could be as simple as providing a script called something like install_deps.R that would be a call to install.packages(). It could look like this:

The issue here is that you need to make sure that the right versions of the packages get installed. If your script uses {ggplot2}

version 2.2.1, then users should install this version as well, and by running the script above, the latest version of $\{ggplot2\}$ (as of writing, version 3.4.0) will get installed. Maybe that's not a problem, but it can be if your script uses a function from version 2.2.1 that is not available anymore in the latest version (or maybe its name got changed, or maybe it was modified somehow and doesn't provide the exact same result). The more packages the script uses (and the older it is), the higher the likelihood that some package version will not be compatible. There is also the issue of the R version itself. Generally speaking, recent versions of R seem to not be too bad when it comes to running older code written in R. I know this because in 2022 I've run every example that comes bundled with R since version 0.6.0 on the then current version (as of writing) of R, version 4.2.2.



Here is the result of this experiment:

Figure 1.3.: Examples from older versions of R run most of the time successfully on the current version of R

This graph shows the following: for each version of R, starting with R version 0.6.0 (released in 1997), how well the examples that came with a standard installation of R run on the current version of R (version 4.2.2 as of writing). These are the examples from the default packages like {base}, {stats}, {stats4}, and so on. Turns out that more than 75% of the example code from version 0.6.0 still work on the current version of R. A small fraction output a message (which doesn't mean the code doesn't work), some 5% raise a warning, which again doesn't necessarily mean that the code doesn't work, and finally around 20% or so produce errors. As you can see, the closer we get to the current

1. Introduction

release, the fewer errors get raised (if you want to run the code for yourself, check out this Github repository²).

(But something important should be noted: just because some old piece of code runs without error, doesn't mean that the result is exactly the same. There might be cases where the same function returns different results on different versions of R.)

While this is evidence of R itself being quite stable through time, there are studies that show a less rosy picture. In a recent study (Trisovic et al. $(2022)^{3}$), some researchers tried to rerun up to 9000 R scripts downloaded from the Harvard Dataverse. There were several issues when trying to rerun the scripts, which lead to, and I quote the paper here, "[...] 74% of R files [failing] to complete without error in the initial execution, while 56% failed when code cleaning was applied, showing that many errors can be prevented with good coding practices".

The take-away message is that counting on the language itself being stable through time as a sufficient condition for reproducibility is not enough. We have to set up the code in a way that it actually is reproducible.

So what does this all mean? This means that reproducibility is on a continuum, and depending on the constraints you face your project can be "not very reproducible" to "totally reproducible". Let's consider the following list of anything that can influence how reproducible your project truly is:

- Version of the programming language used;
- Versions of the packages/libraries of said programming language used;
- Operating System, and its version;

²https://github.com/b-rodrigues/code_longevity ³https://www.nature.com/articles/s41597-022-01143-6

- Versions of the underlying system libraries (which often go hand in hand with OS version, but not necessarily).
- And even the hardware architecture that you run all that software stack on.

So by "reproducibility is on a continuum", what I mean is that you could set up your project in a way that none, one, two, three, four or all of the preceding items are taken into consideration when making your project reproducible.

This is not a novel, or new idea. Peng (2011) already discussed this concept but named it the *reproducibility spectrum*. In part 2 of this book, I will reintroduce the idea and call it the "reproducibility iceberg".



Figure 1.4.: The reproducibility spectrum from Peng's 2011 paper.

Let me just finish this introduction by discussing the last item on the previous list: hardware architecture. You see, Apple has changed the hardware architecture of their computers recently. Their new computers don't use Intel based hardware anymore, but instead Apple's own proprietary architecture (Apple Silicon) based on the ARM specification. And what does that mean concretely? It means that all the binary packages that were built for Intel based Apple computers cannot run on their new computers (at least not without a compatibility layer). Which means that if you have a recent M1 or M2 Macbook and need to install old CRAN packages to rerun a project (and we will learn how to do this later in the book), these need to be compiled to work on Apple Silicon first. You cannot even install older versions of R, unless you also compile those from source! Now I have read about a compatibility layer called Rosetta which enables to run binaries compiled for the Intel architecture on the ARM architecture, and maybe this works well with R and CRAN binaries compiled for Intel architecture. Maybe, I don't know. But my point is that you never know what might come in the future, and thus needing to be able to compile from source is important, because compiling from source is what requires the least amount of dependencies that are outside of your control. Relying on binaries is not future-proof (and which is again, another reason why open-source tools are a hard requirement for reproducibility).

And for you Windows users, don't think that the preceding paragraph does not concern you. I think that it is very likely that Microsoft will push in the future for OEM manufacturers to build more ARM based computers. There is already an ARM version of Windows after all, and it has been around for quite some time, and I think that Microsoft will not kill that version any time in the future. This is because ARM is much more energy efficient than other architectures, and any manufacturer can build its own ARM cpus by purchasing a license, which can be quite interesting from a business perspective. For example in the case of Apple Silicon cpus, Apple can now get exactly the cpus they want for their machines and make their software work seamlessly with it (also, further locking in their users to their hardware). I doubt that others will pass the chance to do the same.

Also, something else that might happen is that we might move

towards more and more cloud based computing, but I think that this scenario is less likely than the one from before. But who knows. And in that case it is quite likely that the actual code will be running on Linux servers that will likely be ARM based because of energy and licensing costs. Here again, if you want to run your historical code, you'll have to compile old packages and R versions from source.

Ok, so this might seem all incredibly complicated. How on earth are we supposed to manage all these risks and balance the immediate need for results with the future need of rerunning an old project? And what if rerunning this old project is not even needed in the future?

This is where this book will help you. By employing the techniques discussed in this book, not only will it be very easy and quick to set up a project from the ground up that is truly reproducible, the very fact of building the project this way will also ensure that you avoid mistakes and producing results that are wrong. It will be easier and faster to iterate and improve your code, to collaborate, and ultimately to trust the results of your pipelines. So even if no one will rerun that code ever again, you will still benefit from the best practices presented in this book. Let's dive in!
Part I.

Part 1: Don't Repeat Yourself

The first idea we are going to focus on is Don't Repeat Yourself. Simply by avoiding having to repeat yourself, you will naturally implement best practices to make your pipelines reproducible.

Introduction

Part 1 will focus on teaching you the fundamental ingredients to reproducibility. By fundamental ingredients I mean those tools that you absolutely need to have in your toolbox before even attempting to make a project reproducible. These tools are so important that a good chunk of this book is dedicated to them:

- Version control;
- Functional programming;
- Literate programming.

You might already be familiar with these topics, and maybe already use them in your day to day. If that's the case, you still might want to at least skim part 1 before tackling part 2 of the book, which will focus on another set of tools to actually build reproducible analytical pipelines (RAPs).

So this means that part 1 will not teach you how to build reproducible pipelines. But I cannot immediately start teaching you how to build reproducible analytical pipelines without first making sure that you understand the core concepts laid out above. To help you understand these concepts, we will start by analysing some data together. We are going to download, clean and plot some data, and we will achieve this by writing two scripts. These scripts will be written in a very typical non-"software engineery" way, as to mimic how analysts, data scientists or researchers without any formal training in computer science would perform such an analysis. This does not mean that the quality of the analysis will be low. But it means that, typically, these programmers have delievering results fast, and by any means necessary, as their top priority. My goal with this book is to show you, and hopefully convince you, that by adopting certain simple ideas from software engineering it is possible to deliver just as fast as before, but in a more consistent and robust way.

2. Before we start

This is not an introductory book, so before tackling the topics presented here, make sure that you are familiar with the different topics presented below. If you read this chapter and everything is obvious or known to you, then you should have no trouble following along. If instead what you read here is cryptic, then take some time to improve your understanding of these topics first.

2.1. Essential knowledge

It's important to know the parts that constitute R. Let's make something clear: R is not RStudio, or whatever interface you are using to interact with R. R is a domain-specific interpreted programming language. R is domain-specific because its primary use is in performing statistics. Interpreted, because results get returned immediately when you execute a script in the console. In other words, when you write 1+1 in the console, you get back 2 immediately. There are programming languages, called *compiled* programming languages, that require code to be compiled into binaries before execution. C is such a language. The fact that R is interpreted makes interactive exploratory data analysis easy, but also introduces certain negative aspects. I will discuss these in detail in the book. R's console is an example of a REPL – *Read-Eval-Print-Loop* – environment. Code gets *read*, $evaluated,\ printed$ and the read state gets returned, starting the loop over.

To make working with R easier, you should not write code in the console and execute it, but instead write it in a text file. You can keep these text files, update and share them with collaborators. Such text files are called scripts. You *could* write these scripts using the most basic text editor included in your operating system (that would be Notepad.exe on Windows for example), but you should instead use a text editor made specifically to make programming easier. Popular choices among R users include RStudio, Visual Studio Code, or maybe something more exotic like Emacs combined with ESS (my personal choice). Whatever text editor you choose, take time to configure it and learn how to use it. You will spend many, many, many hours inside that text editor. The code you write in that text editor is what's going to feed you and your family. Learn your chosen text editor's keyboard shortcuts and other advanced features. This initial investment will pay for itself many times over. Also, you need to know what an actual text file is. A document written in Word (with the .docx extension) is not a text file. It looks like text, but is not. The .docx format is a much more complex format with many layers of abstraction. "True" plain text files can be opened with the simplest text editor included in your operating system. I've had students trying to create text files with word processors like MS Word and then being confused when things would not work.

As stated before, R is a domain-specific programming language mainly used for doing statistics, or whatever modernized term you may prefer like "*data science*". Its base capabilities can be extended by installing packages. For example, a base installation of R provides you with useful functions like mean() or sd(), to compute the average or standard deviation of a

vector of numbers, or rnorm() to compute random variates from a Gaussian (Normal) distribution. However, there is no function available to train a random forest. If you need to train a random forest you need to install a package using the install.packages("randomForest") command. This installs the {randomForest} package (in the rest of the book, I will surround package names with curly braces). The collection of packages installed is called a "library". Packages get downloaded from CRAN, the *Comprehensive R Archive Network*. There is no doubt in my mind that the reason R became so popular is because it is quite easy to write packages for it; and this is something that we will learn as well! Some packages are written with other programming languages, very often Fortran or C++. The code included in these packages is then compiled and can be executed by R using a user-facing function. For example, if you dig into the source code of the {randomForest} package, you will find C and Fortran code. This is important to know, because sometimes R packages need to be compiled by install.packages(), and this compilation can sometimes fail (especially on Linux, but more on that later in the book).

When you use R, you will load data sets, create plots, train models, etc. These data sets, plots, models, are all *objects* and they get saved in the global environment. To see a list of objects currently available in the global environment, type ls() in the R console. When you quit R, you get asked to save the *workspace*: this will save the current state of the global environment and load it next time you start R. I highly recommend for you to not save the workspace. If you are using RStudio you can change this behaviour in the global options (under *Workspace*, set *Save workspace to .RData on exit* to *Never*). Other editors might have a similar option. Saving and loading the workspace makes it impossible to start with a fresh R session (unless you start R with the **--vanilla** flag), which can cause issues that are

difficult to pinpoint.

You should also be comfortable with paths and your computer's file system. *Comfortable* means having no problems finding where a file gets downloaded for example, or being able to navigate to any folder, either through a GUI file browser or through a terminal (if you're familiar with navigating your computer using the terminal, you will have an easier time with this book than if you didn't). I also highly recommend that you strive to use relative paths in your scripts, and not absolute paths. In other words: don't start your scripts with a line such as:

```
setwd("H:/Username/Projects/housing_regression/")
```

but instead, use "Projects" if you're using RStudio, or similar features from your preferred IDE. This way, you can use relative paths instead. This makes collaboration much easier. Using "Projects" in RStudio, if you need to load data, you can simply write:

```
dataset <- read.csv("data.csv")</pre>
```

and don't need to set working directories using **setwd()**, which obviously will not exist on your collaborators computer.

There is also the {here} package that makes using relative paths easier, but I won't discuss it in this book. If you're interested you can read this post¹.

You should be familiar with writing functions. This book has a whole chapter on functional programming, and I will teach you how to write functions, but if you're already familiar with this, then it will make going through that chapter easier.

 $^{^{1}} https://github.com/jennybc/here_here$

Finally, you should know how to ask for help. If you need help with this book, feel free to open an issue on the book's Github repo here², or open a thread on the book's Leanpub forum (if you bought a copy) over here³. Just like for this book, if you have an issue with an R package, look for its repository: many packages' source code is hosted on Github (but not always). You can also try to reach out to the author, or open a thread on Stackoverflow. Whatever you do, make sure that you do your homework first:

- Read the documentation. Maybe you're using the tool wrong.
- Take note of the error message. Error messages can be cryptic sometimes, but as you gain in experience, you will learn to decrypt them.
- Write down the simplest script possible that reproduces the issue you're facing. This is called an MRE, "Minimal Reproducible Example". If you need to open a thread asking for help, post this MRE, this will make helping you much easier. For general advice on how to write an MRE, you can read this classic blog post⁴.

Finally, keep in mind the following saying from my father, a mason (the ones that lay bricks, not the ones meeting in secrecy to govern the world):

The tools are always right. If you're using a tool and it's not behaving as expected, it is much more likely that your expectations are wrong. Take this opportunity to review your knowledge of the tool.

²https://github.com/b-rodrigues/rap4all

³https://community.leanpub.com/c/raps-with-r/

⁴https://jonskeet.uk/csharp/complete.html

3. Project start

In this chapter, we are going to work together on a very simple project. This project will stay with us until the end of the book. As we will go deeper into the book together, you will rewrite that project by implementing the techniques I will teach you. By the end of the book you will have built a reproducible analytical pipeline. To get things going, we are going to keep it simple; our goal here is to get an analysis done, that's it. We won't focus on reproducibility. We are going to download some data, and analyse it, that's it.

3.1. Housing in Luxembourg

We are going to download data about house prices in Luxembourg. Luxembourg is a little Western European country the author hails from that looks like a shoe and is about the size of .98 Rhode Islands. Did you know that Luxembourg is a constitutional monarchy, and not a kingdom like Belgium, but a Grand-Duchy, and actually the last Grand-Duchy in the World? Also, what you should know to understand what we will be doing is that the country of Luxembourg is divided into Cantons, and each Cantons into Communes. If Luxembourg was the USA, Cantons would be States and Communes would be Counties (or Parishes or Boroughs). What's confusing is that "Luxembourg" is also the name of a Canton, and of a Commune, which also has

3. Project start

the status of a city and is the capital of the country. So Luxembourg the country, is divided into Cantons, one of which is called Luxembourg as well, cantons are divided into communes, and inside the canton of Luxembourg, there's the commune of Luxembourg which is also the city of Luxembourg, sometimes called Luxembourg City, which is the capital of the country.



Figure 3.1.: Luxembourg is about as big as the US State of Rhode Island.

What you should also know is that the population is about 645,000 as of writing (January 2023), half of which are foreigners. Around 400,000 persons work in Luxembourg, of which half do not live in Luxembourg; so every morning from Monday to Friday, 200,000 people enter the country to work and then leave in the evening to go back to either Belgium, France or Germany, the neighbouring countries. As you can imagine, this puts enormous pressure on the transportation system and on the roads,

but also on the housing market; everyone wants to live in Luxembourg to avoid the horrible daily commute, and everyone wants to live either in the capital city, or in the second largest urban area in the south, in a city called Esch-sur-Alzette.

The plot below shows the value of the House Price Index over time for Luxembourg and the European Union:



House price and sales index (2010 = 100)

If you want to download the data, click here¹.

Let us paste the definition of the HPI in here (taken from the HPI's metadata² page):

The House Price Index (HPI) measures inflation in the residential property market. The HPI captures price changes of all types of dwellings purchased by households (flats, detached houses, terraced houses, etc.). Only transacted dwellings are considered,

¹https://is.gd/AET0ir

²https://archive.is/OrQwA, archived link for posterity.

self-build dwellings are excluded. The land component of the dwelling is included.

So from the plot, we can see that the price of dwellings more than doubled between 2010 and 2021; the value of the index is 214.81 in 2021 for Luxembourg, and 138.92 for the European Union as a whole.

There is a lot of heterogeneity though; the capital and the communes right next to the capital are much more expensive than communes from the less densely populated north, for example. The south of the country is also more expensive than the north, but not as much as the capital and surrounding communes. Not only is price driven by demand, but also by scarcity; in 2021, 0.5% of residents owned 50% of the buildable land for housing purposes (Source: *Observatoire de l'Habitat, Note 29*, archived download link³).

Our project will be quite simple; we are going to download some data, supplied as an Excel file, compiled by the Housing Observatory (*Observatoire de l'Habitat*, a service from the Ministry of Housing, which monitors the evolution of prices in the housing market, among other useful services like the identification of vacant lots). The advantage of their data when compared to Eurostat's data is that the data is disaggregated by commune. The disadvantage is that they only supply nominal prices, and no index (and the data is trapped inside Excel and not ready for analysis with R). Nominal prices are the prices that you read on price tags in shops. The problem with nominal prices is that it is difficult to compare them through time. Ask yourself the following question: would you prefer to have had $500 \in$ (or USDs) in 2003 or in 2023? You probably would have preferred them in 2003, as you could purchase a lot more with \$500 then than now.

 $^{^{3}} https://archive.org/download/note-29/note-29.pdf$

In fact, according to a random inflation calculator I googled, to match the purchasing power of \$500 in 2003, you'd need to have \$793 in 2023 (and I'd say that we find very similar values for \in). But it doesn't really matter if that calculation is 100% correct: what matters is that the value of money changes, and comparisons through time are difficult, hence why an index is quite useful. So we are going to convert these nominal prices to real prices. Real prices take inflation into account and so allow us to compare prices through time.

So to summarise; our goal is to:

- Get data trapped inside an Excel file into a neat data frame;
- Convert nominal to real prices using a simple method;
- Make some tables and plots and call it a day (for now).

We are going to start in the most basic way possible; we are simply going to write a script and deal with each step separately.

3.2. Saving trapped data from Excel

Getting data from Excel into a tidy data frame can be very tricky. This is because very often, Excel is used as some kind of dashboard or presentation tool. So data is made humanreadable, in contrast to machine-readable. Let us quickly discuss this topic as it is essential to grasp the difference between the two (and in our experience, a lot of collective pain inflicted to statisticians and researchers could have been avoided if this concept was more well-known). The picture below shows an Excel file made for human consumption:



Figure 3.2.: An Excel file meant for human eyes.

So why is this file not machine-readable? Here are some issues:

- The table does not start in the top-left corner of the spreadsheet, which is where most importing tools expect it to be;
- The spreadsheet starts with a header that contains an image and some text;
- Numbers are text and use "," as the thousands separator;
- You don't see it in the screenshot, but each year is in a separate sheet.

That being said, this Excel file is still very tame, and going from this Excel to a tidy data frame will not be too difficult. In fact, we suspect that whoever made this Excel file is well aware of the contradicting requirements of human and machinereadable formatting of data, and strove to find a compromise. Because more often than not, getting human-readable data into a machine-readable format is a nightmare. We could call data like this *machine-friendly* data.

If you want to follow along, you can download the Excel file here⁴ (downloaded on January 2023 from the luxembourguish open data portal⁵). But you don't need to follow along with code, because I will link the completed scripts for you to download later.

Each sheet contains a dataset with the following columns:

- *Commune*: the commune (the smallest administrative division of territory);
- Nombre d'offres: the total number of selling offers;
- *Prix moyen annoncé en Euros courants*: Average selling price in nominal Euros;
- *Prix moyen annoncé au m2 en Euros courants*: Average selling price in square meters in nominal Euros.

⁴https://is.gd/1vvBAc

 $^{^{5}} https://data.public.lu/en/datasets/prix-annonces-des-logements-parcommune/$

For ease of presentation, I'm going to show you each step of the analysis here separately, but I'll be putting everything together in a single script once I'm done explaining each step. So first, let's load some packages:

```
library(dplyr)
library(purrr)
library(readxl)
library(stringr)
library(janitor)
```

Even though this book is not about analysing data per se, let me just briefly explain what these packages do, in case you're not familiar with them. The {dplyr} package provides many functions for data manipulation, for example aggregating group-wise. {purrr} is a package for functional programming, a programming paradigm that I'll introduce later in the book, {readxl} reads in Excel workbooks, {stringr} is a package for manipulating strings, and finally {janitor} (Firke 2023) provides some very nice functions, to perform some common tasks like easily rename every column of a data frame in snake case.

Next, the code below downloads the data, and puts it in a data frame:

```
mode = "wb")
sheets <- excel sheets(raw data)</pre>
read clean <- function(..., sheet){</pre>
  read excel(..., sheet = sheet) |>
    mutate(year = sheet)
}
raw data <- map(</pre>
  sheets.
  ~read clean(raw data,
               skip = 10,
               sheet = .)
                    ) |>
  bind rows() |>
  clean names()
raw_data <- raw data |>
  rename(
    locality = commune,
    n offers = nombre doffres,
    average_price_nominal_euros =
     → prix moyen annonce en courant,
    average price m2 nominal euros =
     \rightarrow prix moyen annonce au m2 en courant,
    average price m2 nominal euros =
    → prix moyen annonce au m2 en courant
  ) |>
  mutate(locality = str trim(locality)) |>
  select(year, locality, n offers,

    starts_with("average"))
```

If you are familiar with the {tidyverse} (Wickham et al. 2019) the above code should be quite easy to follow. We start by downloading the raw Excel file and saving the sheet names into a variable. We then use a function called read clean(), which takes the path to the Excel file and the sheet names as an argument to read the required sheet into a data frame. We use skip = 10 to skip the first 10 lines in each Excel sheet because the first 10 lines contain a header. The last thing this function does is add a new column called year which contains the year of the data. We're lucky because the sheet names are the years: "2010", "2011" and so on. We then map this function to the list of sheet names, thus reading in all the data from all the sheets into one list of data frames. We then use bind rows(), to bind each data frame into a single data frame, by row. Finally, we rename the columns (by translating their names from French to English) and only select the required columns. If you don't understand each step of what is going on, don't worry too much about it; this book is not about learning how to use R.

Running this code results in a neat data set:

```
raw_data
```

```
# A tibble: 1,343 x 5
         locality
                     n offers
   year
   average price nominal euros
   <chr> <chr>
                        <dbl> <chr>
 1 2010
        Bascharage
                          192 593698.3100000006
 2 2010
        Beaufort
                          266 461160.29
 3 2010
        Bech
                           65 621760.22
 4 2010 Beckerich
                          176 444498.68
 5 2010 Berdorf
                          111 504040.85
 6 2010
         Bertrange
                          264 795338.87
 7 2010
         Bettembourg
                          304 555628.29
```

```
8 2010 Bettendorf 94 495074.38
9 2010 Betzdorf 119 625914.47
10 2010 Bissen 70 516465.57
# i 1,333 more rows
# i 1 more variable: average_price_m2_nominal_euros
<chr>
```

But there's a problem: columns that should be of type numeric are of type character instead (average_price_nominal_euros and average_price_m2_nominal_euros). There's also another issue, which you would eventually catch as you'll explore the data: the naming of the communes is not consistent. Let's take a look:

We can see that the city of Luxembourg is spelled in two different ways. It's the same with another commune, Pétange:

```
raw_data |>
  filter(grepl("P.tange", locality)) |>
  count(locality)
# A tibble: 2 x 2
  locality n
   <chr>   <int>
```

3. Project start

1 Petange 9 2 Pétange 2

So sometimes it is spelled correctly, with an "é", sometimes not. Let's write some code to correct both these issues:

```
raw data <- raw data |>
    mutate(
      locality = ifelse(grepl("Luxembourg-Ville",
       \rightarrow locality),
                          "Luxembourg",
                          locality),
            locality = ifelse(grepl("P.tange",
             \rightarrow locality),
                               "Pétange",
                               locality)
            ) |>
    mutate(across(starts with("average"),
            as.numeric))
Warning: There were 2 warnings in `mutate()`.
The first warning was:
i In argument: `across(starts with("average"),
  as.numeric)`.
Caused by warning:
! NAs introduced by coercion
i Run `dplyr::last dplyr warnings()` to see the 1
remaining
  warning.
```

Now this is interesting – converting the **average** columns to numeric resulted in some NA values. Let's see what happened:

raw data |> filter(is.na(average price nominal euros)) # A tibble: 290 x 5 n_offers year locality average price nomina~1 <chr> <chr> <dbl> <dbl>1 2010 Consthum 29 NA 2 2010 Esch-sur-Sûre 7 NA 3 2010 Heiderscheid 29 NA 4 2010 Hoscheid 26 NA 14 5 2010 Saeul NA 6 2010 <NA> NA NΑ 7 2010 <NA> NA NA 8 2010 Total d'offres 19278 NA 9 2010 <NA> NA NA 10 2010 Source : Ministère~ NA NΑ # i 280 more rows # i abbreviated name: 1: average price nominal euros # i 1 more variable: average_price_m2_nominal_euros <dbl>

It turns out that there are no prices for certain communes, but

3. Project start

that we also have some rows with garbage in there. Let's go back to the raw data to see what this is about:

Commune \Xi	Nombre d'offres 👳	Prix moyen annoncé en € courant	Prix moyen annoncé au m² en € courant
Consthum	29	*	*
Esch-sur-Sûre	7	*	*
Heiderscheid	29	*	*
Hoscheid	26	*	*
Saeul	14	*	*
Moyenne nationale		569,216	3,251
Total d'offres	19,278		

Source : Ministère du Logement - Observatoire de l'Habitat (base prix 2010).

Figure 3.3.: Always look at your data.

So it turns out that there are some rows that we need to remove. We can start by removing rows where locality is missing. Then we have a row where locality is equal to "Total d'offres". This is simply the total of every offer from every commune. We could keep that in a separate data frame, or even remove it. The very last row states the source of the data and we can also remove it. Finally, in the screenshot above, we see another row that we don't see in our filtered data frame: one where n_offers is missing. This row gives the national average for columns average_prince_nominal_euros and average_price_m2_nominal_euros. What we are going to do is create two datasets: one with data on communes, and the other on national prices. Let's first remove the rows stating the sources:

```
raw_data <- raw_data |>
  filter(!grepl("Source", locality))
```

Let's now only keep the communes in our data:

```
commune_level_data <- raw_data |>
    filter(!grepl("nationale|offres", locality),
        !is.na(locality))
```

And let's create a dataset with the national data as well:

```
Joining with `by = join_by(year)`
```

Now the data looks clean, and we can start the actual analysis... or can we? Before proceeding, it would be nice to make sure that we got every commune in there. For this, we need a list of communes from Luxembourg. Thankfully, Wikipedia has such a list⁶.

An issue with scraping tables off the web is that they might change in the future. It is therefore a good idea to save the

 $^{^{6} \}rm https://w.wiki/6nPu$

page by right clicking on it and then selecting save as, and then re-hosting it. I use Github pages to re-host the Wikipedia page above here⁷. I now have full control of this page, and won't get any bad surprises if someone decides to eventually update it. Instead of re-hosting it, you could simply save it as any other file of your project.

So let's scrape and save this list:

We scrape the table from the re-hosted Wikipedia page using {rvest}. rvest::html_table() returns a list of tables from the Wikipedia table, and then we use purrr::pluck() to keep the second table from the website, which is what we need (I made the calls to the packages explicit, because you might not be familiar with these packages). janitor::clean_names() transforms column names written for human eyes into machine-friendly names (for example Growth rate in % would be transformed to growth_rate_in_percent) and then I use the {dplyr} package for some further cleaning and renaming; the very last step removes a dagger symbol next to certain communes names, in other words it turns "Commune †" into "Commune".

⁷https://is.gd/lux_communes

Let's see if we have all the communes in our data:

```
[1] "Bascharage"
                            "Boevange-sur-Attert"
                            "Clémency"
 [3]
     "Burmerange"
 [5] "Consthum"
                            "Ermsdorf"
 [7] "Erpeldange"
                            "Eschweiler"
 [9] "Heiderscheid"
                            "Heinerscheid"
[11] "Hobscheid"
                            "Hoscheid"
[13] "Hosingen"
                            "Luxembourg"
[15] "Medernach"
                            "Mompach"
                            "Neunhausen"
[17] "Munshausen"
[19] "Rosport"
                            "Septfontaines"
     "Tuntange"
                            "Wellenstein"
[21]
     "Kaerjeng"
[23]
```

We see many communes that are in our commune_level_data, but not in current_communes. There's one obvious reason: differences in spelling, for example, "Kaerjeng" in our data, but "Käerjeng" in the table from Wikipedia. But there's also a less obvious reason; since 2010, several communes have merged into new ones. So there are communes that are in our data in 2010 and 2011, but disappear from 2012 onwards. So we need to do several things: first, get a list of all existing communes from 2010 onwards, and then, harmonise spelling. Here again, we can use a list from Wikipedia, and here again, I decide to re-host it on Github pages to avoid problems in the future:

```
rvest::html_table() |>
purrr::pluck(3) |>
janitor::clean_names() |>
dplyr::filter(year_dissolved > 2009)
```

```
former_communes
```

A tibble: 20 x 3 year dissolved reason name <chr> <int> <chr> 1 Bascharage 2011 merged to form Käerje~ 2 Boevange-sur-Attert 2018 merged to form Helper~ 3 Burmerange 2011 merged into Schengen 4 Clemency 2011 merged to form Käerje~ 5 Consthum 2011 merged to form Parc H~ 6 Ermsdorf 2011 merged to form Vallée~ 7 Eschweiler 2015 merged into Wiltz 8 Heiderscheid 2011 merged into Esch-sur-~ 9 Heinerscheid 2011 merged into Clervaux 10 Hobscheid 2018 merged to form Habscht 11 Hoscheid 2011 merged to form Parc H~

12	Hosingen	2011	merged	to	form		
Parc H~							
13	Mompach	2018	merged	to	form		
Rospor~							
14	Medernach	2011	merged	to	form		
Val	lée~						
15	Munshausen	2011	merged	int	0		
Cle	ervaux						
16	Neunhausen	2011	merged	into			
Esc	h-sur-~						
17	Rosport	2018	merged	to	form		
Rospor~							
18	Septfontaines	2018	merged	to	form		
Habscht							
19	Tuntange	2018	merged	to	form		
Helper~							
20	Wellenstein	2011	merged	int	0		
Sch	lengen						

As you can see, since 2010 many communes have merged to form new ones. We can now combine the list of current and former communes, as well as harmonise their names:

Let's run our test again:

character(0)

Great! When we compare the communes that are in our data with every commune that has existed since 2010, we don't have any commune that is unaccounted for. So are we done with cleaning the data? Yes, we can now start with analysing the data. Take a look here⁸ to see the finalised script. Also read some of the comments that I've added. This is a typical R script, and at first glance, one might wonder what is wrong with it. Actually, not much, but the problem if you leave this script as it is, is that it is very likely that we will have problems rerunning it in the future. As it turns out, this script is not reproducible. But we will discuss this in much more detail later on. For now, let's analyse our cleaned data.

 $^{^{8}}$ https://is.gd/7PhUjd

3.3. Analysing the data

We are now going to analyse the data. The first thing we are going to do is compute a Laspeyeres price index. This price index allows us to make comparisons through time; for example, the index at year 2012 measures how much more expensive (or cheaper) housing became relative to the base year (2010). However, since we only have one 'good' (housing), this index becomes quite simple to compute: it is nothing but the prices at year t divided by the prices in 2010 (if we had a basket of goods, we would need to use the Laspeyeres index formula to compute the index at all periods).

For this section, I will perform a rather simple analysis. I will immediately show you the R script: take a look at it here⁹. For the analysis I selected 5 communes and plotted the evolution of prices compared to the national average.

This analysis might seem trivially simple, but it contains all the needed ingredients to illustrate everything else that I'm going to teach you in this book.

Most analyses would stop here: after all, we have what we need; our goal was to get the plots for the 5 communes of Luxembourg, Esch-sur-Alzette, Mamer, Schengen (which gave its name to the Schengen Area¹⁰) and Wincrange. However, let's ask ourselves the following important questions:

- How easy would it be for someone else to rerun the analysis?
- How easy would it be to update the analysis once new data gets published?
- How easy would it be to reuse this code for other projects?

⁹https://is.gd/qCJEbi

 $^{^{10} \}rm https://en.wikipedia.org/wiki/Schengen_Area$

• What guarantee do we have that if the scripts get run in 5 years, with the same input data, we get the same output?

Let's answer these questions one by one.

3.4. Your project is not done

3.4.1. How easy would it be for someone else to rerun the analysis?

The analysis is composed of two R scripts, one to prepare the data, and another to actually run the analysis proper. Performing the analysis might seem quite easy, because each script contains comments as to what is going on, and the code is not that complicated. However, we are missing any project-level documentation that would provide clear instructions as to how to run the analysis. This might seem simple for us who wrote these scripts, but we are familiar with R, and this is still fresh in our brains. Should someone less familiar with R have to run the script, there is no clue for them as to how they should do it. And of course, should the analysis be more complex (suppose it's composed of dozens of scripts), this gets even worse. It might not even be easy for you to remember how to run this in 5 months!

And what about the required dependencies? Many packages were used in the analysis. How should these get installed? Ideally, the same versions of the packages you used and the same version of R should get used by that person to rerun the analysis.

All of this still needs to be documented, but listing the packages that were used for an analysis and their versions takes quite some time. Thankfully, in part 2, we will learn about the {renv} package to deal with this in a couple lines of code.

3.4.2. How easy would it be to update the project?

If new data gets published, all the points discussed previously are still valid, plus you need to make sure that the updated data is still close enough to the previous data such that it can pass through the data cleaning steps you wrote. You should also make sure that the update did not introduce a mistake in past data, or at least alert you if that is the case. Sometimes, when new years get added, data for previous years also get corrected, so it would be nice to make sure that you know this. Also, in the specific case of our data, communes might get fused into a new one, or maybe even divided into smaller communes (even though this has not happened in a long time, it is not entirely out of the question).

In summary, what is missing from the current project are enough tests to make sure that an update to the data can happen smoothly.

3.4.3. How easy would it be to reuse this code for another project?

Said plainly, not very easy. With code in this state you have no choice but to copy and paste it into a new script and change it adequately. For re-usability, nothing beats structuring your code into functions and ideally you would even package them. We are going to learn just that in future chapters of this book. But sometimes you might not be interested in reusing code for another project: however, even if that's the case, structuring your code into functions and packaging them makes it easy to reuse code even inside the same project. Look at the last part of the analysis.R script: we copied and pasted the same code 5 times and only slightly changed it. We are going to learn how not to repeat ourselves by using functions and you will immediately see the benefits of writing functions, even when simply reusing them inside the same project.

3.4.4. What guarantee do we have that the output is stable through time?

Now this might seem weird: after all, if we start from the same dataset, does it matter *when* we run the scripts? We should be getting the same result if we build the project today, in 5 months or in 5 years. Well, not necessarily. While it is true that R is quite stable, this cannot necessarily be said of the packages that we use. There is no guarantee that the authors of the packages will not change the package's functions to work differently, or take arguments in a different order, or even that the packages will all be available at all in 5 years. And even if the packages are still available and function the same, bugs in the packages might get corrected which could alter the result. This might seem like a non-problem; after all, if bugs get corrected, shouldn't you be happy to update your results as well? But this depends on what it is we're talking about. Sometimes it is necessary to reproduce results exactly as they were, even if they were wrong, for example in the context of an audit.

So we also need a way to somehow snapshot and freeze the computational environment that was used to create the project originally.

3.5. Conclusion

We now have a basic analysis that has all we need to get started. In the coming chapters, we are going to learn about topics that will make it easy to write code that is more robust, better documented and tested, and most importantly easy to rerun (and thus to reproduce the results). The first step will actually not involve having to start rewriting our scripts though; next, we are going to learn about Git, a tool that will make our life easier by versioning our code.
4. Version control with Git

Modern software development would be impossible without version control systems, and the same goes for building analytical pipelines that are reproducible and robust. It doesn't really matter what the output of the pipeline is: a simple graph, a report with a statistical analysis, a scientific publication, a trained machine learning model that you want to hook to an API... if the code to the project is not versioned, you incur major risks and the pipeline is not reproducible.

But what is version control anyway?

Version control tools make it easy to keep track of the changes that were made to text files (like R scripts). Any change made to any file of a project is catalogued, making it possible to trace back how the file changed, who made the changes, and when these changes were made. Using version control it is also quite easy to collaborate on a project by forcing team members to deal explicitly with the potential conflicts that might arise when the same file got changed by different people at the same time. Should your computer get lost, stolen, or explode, your projects are safely backed up on a server: this is because version control tools make use of a server which keeps track of all the changes (and in some cases, this *server* is actually your team-mates' computers!)

Version control tools also make it easy to experiment with new ideas. You can start new *branches* which essentially make a

copy of your current project. In this new branch, you can safely experiment with new features, and if the experiments are not conclusive, you can simply discard this branch: the *original* copy of your project will remain untouched. We will also use branches to implement features, fix bugs quickly, and manage the project in a paradigm called *trunk-based development*.

There are several version control tools out there, but Git is undoubtedly the most popular one. You might have heard of Github; this is a service that hosts repositories for your projects, and provides other project management tools such as an issue tracker, project wiki, feature requests... and also very importantly continuous integration. Don't worry if this all sounds very abstract: by the end of the next chapter you will have all the basic knowledge to use Git and Github.com for your projects.

Git is a tool that you must install on your computer to get started. Once Git is installed, you can immediately start using it; you don't need to open an account on Github (or a similar service), but it is recommended to make collaboration easier (it is possible to collaborate with several people using Git without a service like Github, by setting up a bare repository on a server or on a network drive you control, but this is outside the scope of this book).

You should know that Github offers private repositories for free, so if you don't want your work to be accessible to the public, that is possible. Only people that you invite to your private repositories will be able to see the code and collaborate with you. It is also possible that your work place has set up a selfhosted Git platform, ask your IT department! Usually these selfhosted platforms are Gitea or Gitlab instances. Gitea, Gitlab, Bitbucket, Codeberg, these are all similar services to Github. All have their advantages and disadvantages. The advantages of Github are twofold:

- It has a very large community of users;
- Its continuous integration service is incredibly useful, and free for up to 2000 minutes a month.

Disadvantages are:

- It has been bought by Microsoft in 2018;
- It is not possible to self-host an instance of Github (not for free at least).

The fact it is owned by Microsoft may not seem like an issue, but Microsoft's track record of previous acquisitions is open to question (Nokia, Skype), and the recent discussions about using source code hosted on Github to train machine learning models (Copilot)¹ can make one uneasy about relying too much on Github.

So while we are going to use Github to host our projects in the remainder of this book, almost everything you are going to learn will be easily transferable to another code hosting platform such as Gitlab or Bitbucket, should you want to switch (or if your workplace has a self-hosted instance from one of Github's competitors). Installing and configuring Git will be exactly the same regardless of the hosting service we use, and all the commands we will use to actually interact with our repositories will be the same as well. So why did I write *almost everything* is the same across any of the code hosting platforms? Well, the two advantages I cited above really give Github an edge; many developers, researchers and data scientists have a Github account already and so if one day you need to collaborate with people, chances are they have an account on Github and not on another code hosting platform.

 $^{^{1}\}mathrm{https://is.gd/rQgCj8}$

But what really sets up Github.com apart is Github Actions, Github's continuous integration service. Github Actions is literally a computer in the cloud that you can use to run a set of actions each time you interact with the repository (or at defined moments as well). For example, it would be possible to run automated tests each time a collaborator uploads some changes to the project. This way, we can make sure that no change introduced a bug. Or take this book; each time I write and push a new section or chapter to Github, the website, PDF and Epub of this book get re-generated and updated automatically. Each Github account gets 2000 minutes a month of free computing time, which is really a lot. In part 2, we will make use of Github Actions to run our RAP in the cloud, by simply pushing updates to our code on Github.

By the way, if you're using a cloud service like Dropbox, Onedrive, and the like, DO NOT put projects tracked by Git in them! I really need to stress this: do not track projects with both something like Dropbox and Git. This is because Dropbox and similar services do not deal gracefully with conflicts: if two collaborators change the same file, Dropbox makes two copies of the files. One of the collaborators then has to manually deal with the conflict. The issue is that inside a project that is being tracked by Git, there is a hidden folder with many files that get used for synching the project and making sure that everything runs smoothly. If you put a Git-enabled project inside a Dropbox folder, these files will get accessed simultaneously by different people, and Dropbox will start making copies of these because of conflicts. This really messes up the project and can lead to data loss. Let Git handle the tracking and the collaborating for you. It might seem more complex than a service like Dropbox, and it is, but it is immensely more powerful, and what steep learning curve it might have, it more than makes up for it with the many features it makes available

4.1. Installing Git and opening a Github account

at your fingertips. Unlike Dropbox (or similar services), Git deals with conflicts not on a per-file basis, but on a per-line basis. So if two collaborators change the same file, but different lines of this same file, there will be no conflict: Git will handle the merge on its own.

Finally, before starting, there is something important that you need to understand, and people sometimes get confused by it: if a repository is public, this does not mean that anyone can make changes to the code. What this means is that anyone can fork the repository (essentially making a copy of the repository to their Github account) and then *suggest* some changes in a so-called pull request. The maintainer and owner of the original project can then accept these edits or not.

In the remainder of this chapter, you are going to learn how to set up Git on your machine, open a Github account and start using it right away. Then, I'm going to discuss several scenarios:

- how to collaborate, as a team, on a project;
- how to contribute to someone else's project.

4.1. Installing Git and opening a Github account

Git is a program that you install on your computer. If you're running a Linux distribution, chances are Git is already installed. Try to run the following command in a terminal to see if this is the case:

which git

If a path like /usr/bin/git gets shown, congratulations, you can skip the rest of this paragraph. If something like:

gets shown instead, then this means that Git is not installed on your system. To install Git, use your distribution's package manager, as it is very likely that Git is packaged for your system. On Ubuntu, arguably the most popular Linux distribution, this means running:

```
sudo apt-get update
sudo apt-get install git
```

If you're using Ubuntu, you may use apt instead of apt-get. Both commands are basically interchangeable, use whatever you're used to. I've first used Ubuntu in 2008, and even though I don't use it anymore as my daily Linux distro (that honor goes to openSUSE), I still use apt-get out of habit.

On macOS and Windows, follow the instructions from the Git $Book^2$. It should be as easy as running an installer for any program.

Depending on your operating system, a graphical user interface might have been installed with Git, making it possible to interact with Git outside of the command line. It is also possible to use Git from within RStudio and many other editors have interfaces to Git as well. We are not going to use any graphical user interface, however. This is because there is no common, universal graphical user interface; they all work slightly differently.

²https://is.gd/9HZqW4

The only universal is the command line. Also, learning how to use Git via the command line will make it easier the day you will need to use it from a server, which will very likely happen. It also makes my job easier: it is simpler to tell you which commands to run and explain them to you than littering the book with dozens upon dozens of screenshots that might get outdated as soon as a new version of the interface gets released.

Don't worry, using the command line is not as hard as it sounds.

If you don't already have a Github account, now is the time to create one. Just go over to https://github.com/ and simply follow the instructions and select the free tier to open your account.

Search or jump to	/ Pull requests Issu	ies Codespaces	Marketplace	Explore	<u></u> + • ∰•		
Create your first project Ready to start building? Create a repository for a new idea or bring	Following For you Beta				Start coding instantly × with GitHub		
over an existing repository to keep contributing to it. Create repository Import repository	Discover inte people to pop feed.	Codespaces Spin up fully configured dev environments on powerful VMs that start in sectoridas, Get up to 60 hours a month of free					
Recent activity When you take actions across GitHub, we'll provide links to that activity here.	repositories you watch or star and people you follow.				Get started		
	ProTip! The feed shows you evistar. Subscribe to your news feed	vents from people you	I follow and reposite	ories you watch or	Yesterday Category Forms on GitHub Discussions 2 data area		
	© 2023 GitHub, Inc.	Blog About	API Training	Terms Privacy	Persona is now a GitHub secret scanning partner		
		Shop Contact GitHub	Status Security	Docs	 3 days ago GitHub Actions – Updating the default GITHUB_TOKEN 		
		Pricing			 3 days ago Add more social links to your user profile 		
					View changelog		

Figure 4.1.: This is your Github dashboard.

In the next section, we are going to learn some basic Git commands by versioning the two scripts that we wrote before.

4.2. Git superbasics

We are going to use the two scripts that we wrote in the previous section. If you want to follow along, create a folder called **housing** and put the two scripts we developed before in there:

- save_data.R: https://is.gd/7PhUjd
- analysis.R: https://is.gd/qCJEbi

Open the folder that contains the two scripts in a file explorer. On most Linux desktop environments you should be able to right-click inside that folder anywhere on a blank space and select an option titled something like "Open Terminal here". If you're using Windows, you can pretty much do the same but look instead for the option titled "Open Git Bash here". On macOS, you need to first activate this option. Simply google for "open terminal at folder macOS" and follow the instructions. It is also possible to drag and drop a folder into a terminal which will then open the correct path in the terminal. Another option, of course, is to simply open a terminal and navigate to the correct folder using cd (change directory, this should work the same on Windows, macOS and Linux):

cd /home/user/housing/

Make sure that you are in the right folder by **lis**ting the contents of the folder:

ls

From now on, make sure to type the commands you see in the terminal (on Linux and macOS) or in the Git Bash terminal on Windows. To distinguish the terminal from the R command line prompt, the prompt of a terminal (or Git Bash terminal on Windows) will start with owner@localhost. owner is the username of the project manager in our examples from now on, and the computer owner used by this project manager is called localhost (this prompt can look different on your machine, sometimes the full path to the current working directory is listed instead). So here is what happens when owner runs ls on the root directory of the project:

owner@localhost \$ ls
analysis.R save_data.R

(On Linux you could also try 11 which is often available. It is an alias for 1s -1 which provides a more detailed view. There's also 1s -1a which also lists hidden files.)

Make sure that you see the two scripts being listed when running 1s. If not, this means that you are in the wrong directory, so make sure that you open the terminal in the correct folder.

It's now time to start tracking these files using Git. In the same terminal in which we ran ls, run now the following git command:

owner@localhost \$ git init

```
hint: Using 'master' as the name for the initial
 \rightarrow branch.
hint: This default branch name is subject to
 \leftrightarrow change.
hint: To configure the initial branch name to
 \hookrightarrow use in all of your
hint: new repositories, which will suppress this
 \rightarrow warning, call:
hint:
        git config --global init.defaultBranch
hint:
 \rightarrow <name>
hint:
hint: Names commonly chosen instead of 'master'

→ are 'main',

hint: 'trunk' and 'development'. The
 \rightarrow just-created branch can be
hint: renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in
 → /home/user/housing/.git/
```

Take some time to read the hints. Many git commands give you hints and it's always a good idea to read them. This hint here tells us that the default branch name is "master" and that this is subject to change. Think of a branch as a *version* of your code. The "master" branch will hold the default version of your code. But you could create a branch called "dev" that would contain a version of the code with features that are still in development. There is nothing special about the default, "master" branch, and it could have been called anything else. For example, if you create a repository on Github first, instead of creating it on your computer, the default branch will be called "main". You need to pay attention to this, because when we will start interacting with our Github repository, we need to make sure that we have the right branch name in mind. Also, note that because the "master" branch is the most important branch, it gets sometimes referred to as the "trunk". Some teams that use trunk-based development (which I will discuss in the next chapter) even name this branch "trunk".

Let's now run this other git command:

Git tells us quite clearly that it sees two files, but that they're currently not being tracked. So if we would modify them, Git would not keep track of the changes. So it's a good idea to just do what Git tells us to do: let's *add* them so that Git can track them:

owner@localhost \$ git add

```
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running
hint: "git config advice.addEmptyPathspec false"
```

Shoot, simply running git add does not do us any good. We need to specify which files we want to add. We can name them one by one, for example git add file1.R file2.txt, but if we simply want to track all the files in the folder, we can simply use the . placeholder:

```
owner@localhost $ git add .
```

No message this time... is that a good thing? Let's run git status and see what's going on:

```
owner@localhost $ git status
On branch master
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file: analysis.R
        new file: save_data.R
```

Nice! Our two files are being tracked now, so we can commit the changes. *Committing* means that we are happy with our work, and we can snapshot it. These snapshots then get uploaded to Github by pushing them. This way, the changes will be available for our coworkers for them to pull. I'll explain what this means

later, so don't worry if this is confusing, it won't be by the end of the chapter. Also, you should know that there is a special file, called .gitignore, that allows you to list files or folders that you want Git to ignore. This can be useful in cases where you are working with sensitive data and don't want it to be uploaded to Github. We will not use the .gitignore file just yet, but will do so in part two of the book. So for now, just remember that this is an option.

We are now ready to commit our files. Each commit must have a commit message, and we can write this message as an option to the git commit command:

```
owner@localhost $ git commit -m "Project start"
```

The -m option is there to specify the message for the commit. Before pushing the commit, let's run git status again:

owner@localhost \$ git status

On branch master nothing to commit, working tree clean

This means that every change is accounted for in a commit. So if we were to push now, we could then set our computer on fire: every change would be safely backed up on Github.com. We can also choose to not push yet, and keep working and committing. For example, we could commit 5 times and just push once: all of the 5 commits would be pushed to Github.com.

Let's do just that by changing one file. Open analysis.R in any editor and simply change the start of the script by adding one line. So go from: 4. Version control with Git

```
library(dplyr)
library(ggplot2)
library(purrr)
library(tidyr)
```

To:

```
# This script analyses housing data for
   → Luxembourg
  library(dplyr)
  library(ggplot2)
  library(purrr)
  library(tidyr)
and now run git status again:
  owner@localhost $ git status
  On branch master
  Changes not staged for commit:
     (use "git add <file>..." to update what will
     \rightarrow be committed)
     (use "git restore <file>..." to discard
         changes in working directory)
     \hookrightarrow
           modified:
                        analysis.R
  no changes added to commit (use "git add" and/or
   \rightarrow "git commit -a")
```

Because the file is being tracked, Git can now tell us that something changed and that we did not commit this change. So if our computer would self-combust, these changes would get lost forever. Better commit them and push them to Github.com as soon as possible!

Remember, first, we need to add these changes to a commit using git add .:

```
owner@localhost $ git add .
```

(You can run git status at this point to check if the file was correctly added to be committed.)

Then, we need to commit the changes and add a nice commit message:

```
owner@localhost $ git commit -m "Added a comment {\scriptstyle \hookrightarrow} to analysis.R"
```

Try to keep commit messages as short and as explicit as possible. This is not always easy, but it really pays off to strive for short, clear messages. Also, ideally, you would want to keep commits as small as possible, ideally one commit per change. For example, if you're adding and amending comments in scripts, once you're done with that make this a commit. Then, maybe clean up some code. That's another, separate commit. This makes rolling back changes or reviewing them much easier. This will be crucial later on when we will use trunk-based development to collaborate with our teammates on a project. It is generally not a good idea to code all day and then only push one single big fat commit at the end of the day, but that is what happens very often...

By the way, even if our changes are still not on Github.com, we can still roll back to previous commits. For example, suppose that I delete the file accidentally by running rm analysis.R:

```
owner@localhost $ rm analysis.R
```

Let's run git status and look for the changes (it's a line starting with the word deleted):

Yep, analysis.R is gone. And deleting on the console usually means that the file is gone forever. Well technically no, there are still ways to recover deleted files using certain tools, but since we were using Git we can use it to recover the files! Because we did not commit the deletion of the file, we can simple tell Git to ignore our changes. A simple way to achieve this is to stash the changes, and then *drop* (or delete) the stash:

```
owner@localhost $ git stash
```

So the deletion was stashed away, (so in case we want it back we could get it back with git stash pop) and our project was rolled back to the previous commit. Simply take a look at the files:

```
owner@localhost $ 1s
analysis.R save_data.R
```

There it is! You can get rid of the stash with git stash drop. But what if we had deleted the file and committed the change? In this scenario, we could not use git stash, but we would need to revert to a commit. Let's try, first let me remove the file:

```
owner@localhost $ rm analysis.R
```

and check the status with git status:

Let's add these changes and commit them:

```
owner@localhost $ git add .
```

4. Version control with Git

```
owner@localhost $ git commit -m "Removed

→ analysis.R"

[master 8e51867] Removed analysis.R

1 file changed, 131 deletions(-)

delete mode 100644 analysis.R
```

What's the status now?

owner@localhost \$ git status

On branch master nothing to commit, working tree clean

Now, we've done it! git stash won't be of any help now. So how to recover our file? For this, we need to know to which commit we want to roll back. Each commit not only has a message, but also an unique identifier that you can access with git log:

owner@localhost \$ git log

Removed analysis.R

commit ab43b4b1069cd987685253632827f19d7a402b27

```
Author: User <owner@mailbox.com>
Date: Sun Feb 5 17:41:52 2023 +0100
Added a comment to analysis.R
commit df2beecba0101304f1b56e300a3cd713ce7366e5
Author: User <owner@mailbox.com>
Date: Sun Feb 5 17:32:26 2023 +0100
Project start
```

The first one from the top is the last commit we've made. We would like to go back to the one with the message "Added a comment to analysis.R". See the very long string of characters after "commit"? That's the commit's unique identifier, called hash. You need to copy it (or only like the first 10 or so characters, that's enough as well). By the way, depending on your terminal and operating system, git log may open less to view the log. less is a program that makes it easy to view long documents. Quit it by simply pressing q on your keyboard. We are now ready to revert to the right commit with the following command:

```
owner@localhost $ git revert 
 \Rightarrow ab43b4b1069cd98768..HEAD
```

and we're done! Check that all is right by running ls to see that the file magically returned, and git log to read the log of what happened:

```
owner@localhost $ git log
```

```
commit b7f82ee119df52550e9ca1a8da2d81281e6aac58
 \rightarrow (HEAD -> master)
Author: User <owner@mailbox.com>
Date: Sun Feb 5 18:03:37 2023 +0100
    Revert "Removed analysis.R"
    This reverts commit
     Se51867dc5ae89e5f2ab2798be8920e703f73455.
commit 8e51867dc5ae89e5f2ab2798be8920e703f73455
 \rightarrow (HEAD -> master)
Author: User <owner@mailbox.com>
Date: Sun Feb 5 17:54:30 2023 +0100
    Removed analysis.R
commit ab43b4b1069cd987685253632827f19d7a402b27
Author: User <owner@mailbox.com>
Date: Sun Feb 5 17:41:52 2023 +0100
    Added a comment to analysis.R
commit df2beecba0101304f1b56e300a3cd713ce7366e5
Author: User <owner@mailbox.com>
Date: Sun Feb 5 17:32:26 2023 +0100
    Project start
```

Using a range of commits in git revert reverts all the commits from the starting commit (not included) to the last commit. In this example, because only the commit starting with 8e51867dc5 was included in that range, only this commit was reverted. You could have achieved the same result with git revert 8e51867dc5.

This small example illustrates how useful Git is, even without using Github, and even if working alone on a project. At the very least it offers you a way to simply walk back changes and gives you a nice timeline of your project. Maybe this does not impress you much, because we live in a world where cloud services like Dropbox made things like this very accessible. But where Git (with the help of a service like Github) really shines is when collaboration is needed. Git and code hosting services like Github make it possible to collaborate at very large scale: thousands of developers contribute to the Linux kernel, arguably the most successful open-source project ever, powering most of today's smartphones, servers, supercomputers and embedded computers,³ and you can use these tools to collaborate at a smaller scale very efficiently as well.

4.3. Git and Github

So we got some work done on our machine and made some commits. We are now ready to push these commits to Github. "Pushing" means essentially uploading these changes to Github. This makes them available to your coworkers if you're pushing to a private repository, or makes them available to the world if you're pushing to a public repository.

Before pushing anything to Github though, we need to create a new repository. This repository will contain the code for our project, as well as all the changes that Git has been tracking on

³https://www.zdnet.com/article/who-writes-linux-almost-10000-developers/

our machine. So if, for example, a new team member joins, he or she will be able to clone the repository to his or her computer and have access to every change, every commit message and every single bit of history of the project. If it's a public repository, anyone will be able to clone the repository and contribute code to it. We are going to walk you through some examples of how to collaborate with Git using Github in the remainder of this chapter.

So, let's first go back to https://github.com/ and create a new repository:



Figure 4.2.: Creating a new repository from your dashboard.

You will then land on this page:

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository.

Owner *	Repository name *						
🌑 rap4all - 🛛 / 🛛	housing 1						
Great repository name housing is available, horable. Need inspirations flow about urban-rotary-phone?							
Description (optional)							
Public							
Private You choose who	ran see and commit to this repository.						
Initialize this reposito	ry with:						
Skip this step if you're in	mporting an existing repository.						
This is where you can w	rite a long description for your project. Learn more.						
Add .gitignore							
Choose which files not to tr	ack from a list of templates. Learn more.						
.gitignore template: Non	e •						
Choose a license							
A license tells others what t	they can and can't do with your code. Learn more.						
License: None -							
(i) You are creating a p	ublic repository in your personal account.						
Create repository	3						

Figure 4.3.: Name your repository and choose whether it's a public or private repository.

Name your repository (1), and choose whether it should be open to the world or if it should be private and only accessible to your coworkers (2). We are going to make it a public repository, but you could make it private and follow along, this would change nothing in what we're going to learn.

Click on *Create repository* (3). You then land on this page:

```
F rap4all / housing Public
                                                                       🛠 Pin 💿 Unwatch 🚺 👻 Fork 💿
<> Code 💿 Issues 📫 Pull requests 💿 Actions 🖽 Projects 🕮 Wiki 🛈 Security 🗠 Insights 🕸 Settings
  Quick setup - if you've done this kind of thing before
     or HTTPS SSH https://github.com/rap4all/housing.git
  Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.
  ... or create a new repository on the command line
   echo "# housing" >> README.md
   git init
   git add README.md
   git commit -m "first commit"
   git branch -M main
   git remote add origin https://github.com/rap4all/housing.git
   git push -u origin main
  ... or push an existing repository from the command line
   git remote add origin https://github.com/rap4all/housing.git
   git branch -M main
   git push -u origin main
   ...or import code from another repository
   You can initialize this repository with code from a Subversion, Mercurial, or TFS project.
    Import code
```

Figure 4.4.: Some instructions to get you started.

We get some instructions on how to actually get started with our project. The first thing you need to do though is to click on "SSH":



Figure 4.5.: Make sure to select 'SSH'.

This will change the links in the instructions from https to ssh. I will explain why this is important in a couple of paragraphs. For now, let's read the instructions. Since we have already started working, we need to follow the instructions titled "...or push an existing repository from the command line". Let's review these commands. This is what Github suggests we run:

What's really important is the first command and last command. The first command adds a remote (referred to as *origin*) that points to our repository. If you're following along, you should copy the link from your repository here. It would look exactly the same, but the user name **rap4al1** would be replaced by your Github username. So now, every time I push, my changes will get uploaded to Github. The second line renames the branch from "master" to "main". You are of course free to do so. I don't like changing the defaults from Git, so I will keep using the name "master". The last command pushes our changes to the "main" branch (but we need to change "main" to "master").

Let's do just that:

This produces no output. We're now ready to push:

owner@localhost \$ git push -u origin master

and it fails:

ERROR: Permission to rap4all/housing.git denied \rightarrow to b-rodrigues. fatal: Could not read from remote repository. Please make sure you have the correct access \rightarrow rights and the repository exists.

The reason is quite simple: Github has absolutely no idea who we are! Remember, if the repository is public, anyone can clone it. But that doesn't mean that anyone can simply push code to the repo! This means that we need a way to tell Github that we are the owner of the repository. For this, we need a way to log in securely, and we will do so using a public/private RSA encryption key pair. The idea is quite simple; we are going to generate two files on our computer. These two files form a public/private key pair. We are going to upload the public key to Github; and every time we want to interact with Github, Github will check the public key against the private key that we keep on our machine (never, ever, send the private key to anyone). If they match, Github knows that we are who we claim to be and will let us push to the repository. This is why we switched from https to ssh before. https would allow us to log in by typing a password each time we push (but actually, not anymore, since password login was turned off some years ago). It is much easier to not have to log in manually and let our key pair do the job for us.

Let's generate a public/private RSA key pair. Open a terminal on Linux or macOS, or Git Bash on Windows and run the following command:

```
owner@localhost $ ssh-keygen
```

The following lines will appear in your terminal:

Simply leave this empty and press enter. This next message now appears:

```
Enter passphrase (empty for no passphrase):
```

Leave it empty as well. Entering a passphrase is not really needed, since the ssh key pair itself will deal with the login. In some situations, a passphrase might be useful if you're worried that someone might get physical access to your machine and push code by impersonating you. But if you work with such sensitive data and code that this is a real worry, maybe don't use Github?

So once you pressed enter, you get asked to confirm the passphrase:

```
Enter same passphrase again:
```

Here again, simply leave it empty and press enter on your keyboard. Once this is done, you should see this:

```
Your identification has been saved in
→ /home/user/.ssh/id rsa
Your public key has been saved in
→ /home/user/.ssh/id rsa.pub
The key fingerprint is:
SHA256:tPZnR7qdN06mV53Mc36F3mASIyD55ktQJFBAVqJXNQw
 → owner@localhost
The key's randomart image is:
+---[RSA 3072]----+
  .*=E*=.
0 0.00.. .
. . 0. 00
   . .... . . . . .
+S 0.+.
      .0. 0.0*
. 0. + +=*|
. 0 ++*=|
..=00
+----[SHA256]----+
```

If now you go to the specified path on the first line (so in our case /home/user/.ssh/ you should see two files, id_rsa and

id_rsa.pub, the private and public keys respectively. We're almost done: what you need to do now is copy the contents of the id_rsa.pub file to Github.

Go to your profile settings:



Figure 4.6.: Click on your user profile's image in the top-right corner.

And then click on "SSH and GPG keys":

4. Version control with Git

Fap4all Your personal account		Go to your personal profile
우 Public profile	SSH keys	2 New SSH key
Appearance	There are no SSH keys associated with your account. Check out our guide to generating SSH keys or troubleshoot common SSH problems.	
Q Notifications	GPG keys	New GPG key
Billing and plans	There are no GPG keys associated with your account.	
 Emails Password and authentication 	Learn how to generate No contributions on June 17, 2022	
(1) Sessions	Vigilant mode	
SSH and GPG keys Organizations	Flag unsigned commits as unverified This will include any commit attributed to your account but not signed with your GPG or S/MIME key. Note that this will include your existing unsigned commits.	
Up woderation	Learn about vigilant mode.	

Figure 4.7.: Go to your user settings and choose 'SSH and GPG keys'.

and then click on "New SSH key". Name this key (it's a good idea to write something that makes recognizing the computer that generated the key easy) and paste the contents of id_rsa.pub in the text box and click on "add SSH key":

Title				
work_laptop		1		
Key type	\triangleright			
Authentication	Key \$			
Key				
ssh-rsa				
AAAAB3NzaC1	/c2EAAAAI	AQABAAABgQC33c6ChvzCUAdIn	1DG504TwzZSPsMG+uhGJbtJ5QqMEmGHsBsfXbQ	hcXD/pa4OC
4v4cv7kxY63kr	SOwdP/m	f/waC1gKYhaN57OACOfv4nhHlG	ioYzLpGdgFttxHY4wSOLniUOOU3ISxHxpL6ZXReit	toxmhEZNuR
pzqa9oTjts77W	/tCGMyvgi	I9Gq3n2OYjhgV9i16P	d2qgHGF9KpKyPjkChT2AQOIc7Hh1PuqX0dWJhTr	16wlZJEbedv8
xGhe5d7b+D10)g4mjMKk	+IXiOGVYTVIbwauM1	ik2e7UdKqZ1DXW+W42xFz/glBTGkmaHSMnV53x	sW/YhR0gxO
o2mnDGUq81	d7bJ+n7GV	/c/15+qW6OePTfKuUVbf6nRg67ul	llOIRiFAtM2+kaV0ZLxZkOoc= kubuntu@kubuntu	

Figure 4.8.: Copy the contents of the public key here.

We can now go back to our terminal and try to push again:

owner@localhost \$ git push -u origin master

The following message gets printed:

```
The authenticity of host 'github.com

→ (140.82.121.3)' can't be established.

ED25519 key fingerprint is

→ SHA256:+DiY3wvvV6TuJJhbpZisF/

→ zLDA0zPMSvHdkr4UvCOqU.

This key is not known by any other names

Are you sure you want to continue connecting

→ (yes/no/[fingerprint])?
```

Type **yes** and then you should see the following:

```
Enumerating objects: 10, done.

Counting objects: 100% (10/10), done.

Delta compression using up to 4 threads

Compressing objects: 100% (9/9), done.

Writing objects: 100% (10/10), 2.77 KiB | 2.77

\leftrightarrow MiB/s, done.

Total 10 (delta 2), reused 0 (delta 0),

\leftrightarrow pack-reused 0

remote: Resolving deltas: 100% (2/2), done.

To github.com:rap4all/housing.git

* [new branch] master -> master

Branch 'master' set up to track remote branch

\leftrightarrow 'master' from 'origin'.
```

And we're done! Our commits are now safely backed up on Github. If we go to our repository's main page, we should see the following:

4. Version control with Git

C rap4all/housing	× +				
⊲ ⊳ c □	https://github.com/rap4all/hor	using			
Search or jump to	7 Pull requests	Issues	Codespaces	Marketplace	Explore
🛱 rap4all / housing	Public			🞗 Pin	⊙ Unwatch 1
<> Code ③ Issues	ង Pull requests 🕑 Actions 🖽	Projects	🛱 Wiki	③ Security	🗠 Insights
រុះ master - រុះ 1 bra	nch 🚫 0 tags	Go	to file	Add file -	<> Code -
Bruno Rodrigues Rev	ert "Removed analysis.R"		b7f82ee	yesterday 🖸	4 commits
🗅 analysis.R	Revert "Removed analysis.R	t=			yesterday
🗅 save_data.R	Project start				yesterday
Help people interested in the	nis repository understand your project	by adding	a README.	Add	a README

Figure 4.9.: Finally!

4.4. Getting to know Github

We have succeeded in installing Git and making it work with our Github account. If you use another machine for development, you will need to generate another RSA key pair on that machine and add the public key to Github. If you use another code hosting platform, you can use the same RSA key pair, but will need to add the public key to this other code hosting platform. You can even use the same key pair as a passwordless authentication method for ssh (for example to log into a server, but this is outside the scope of this book). Before continuing we are going to take a little tour of Github.



Figure 4.10.: You repository's landing page.

4. Version control with Git

Once you're on your repository's landing page you see the same files and folders as in the root directory of the project on your computer. In our case here, we see our two files. Github suggests that we add a README file; we are going to ignore this for now. Take a closer look at the menu at the top, below your repository's name:



Figure 4.11.: Several options to choose from.

Most important for our needs is the "Issues", "Pull requests", "Actions" and "Settings" tab.

In the next chapter we are going to learn about pull requests which are essential for collaborating using Git and Github.com. We will learn about the "Actions" tab in the second part of the book.

So let's start with "Settings".

🗟 rap4all / housing Public		🛠 Pin 🖉 Unwatch 🗊 • 🛛 🖞 Fork 🔘 💌
<> Code 💿 Issues 👔 Pull requests	🕑 Actions 🗄 Projects 🖽 Wiki	🛈 Security 🗠 Insights 🔯 Settings
	General	
Access	Repository name	
A Collaborators	housing	Rename
□ Moderation options ~	Template repository	
Code and automation	rempiate repositories fet users generate ne	wrepositories worthe same unectory structure and mes. Learn
₽ Branches	Enabling this setting will require contributor	web-based commits rs to sign off on commits made through GitHub's web interface.
🛇 Tags	contributors to affirm that their commit con Learn more about signing off on commits.	nplies with the repository's terms, commonly the Developer Cert
灸 Webhooks	Social Preview	

Figure 4.12.: Choose the 'Settings' tab.

There are many options that you can choose from, but what's important for our purposes is the "Collaborators" option. This is where you can invite people to contribute to the repository. People that are invited in this way can directly push to the repository. Let's invite the author of this book:

	$\langle \rangle$	Code ⊙ Issues	ר Pull requests	 Actions 	Projects	🛱 Wiki	③ Security	🗠 Insights	Settings
	¢	General		Who h	as access				
	Acc	ess		PUBLIC	REPOSITORY	\odot	DIRECT AC	CESS	A
١	요. 다)	Collaborators Moderation options	<mark>ا</mark> ل	This repo to anyon Manage	ository is public a ie.	ind visible	0 collabora repository. to this repo	itors have acces Only you can co ository.	s to this ntribute
	Cod	e and automation							
	ĥ	Branches							
	\bigcirc	Tags		Manag	je access				
	\odot	Actions	~						
	S	Webhooks						0	
	68	Environments							
		Codespaces						0 0 0	
	٣	Pages				You ha	ven't invite	ed any colla	borators yet
	Sec Q	urity Code security and an	alysis				A	dd people	2

Figure 4.13.: Follow along to add a collaborator.

Start by typing the person's Github username. You can also invite collaborators by providing their email addresses.



Figure 4.14.: Look for your collaborators.

Then click on the user's profile and he or she should get an invitation by email.

This is what it looks like from the perspective of Bruno's account now:

0	Search or jump to		Pulls	Issues	Codespaces
You nov	w have push access to the rap4all/h	ousing rep	ository.		
🖵 rap	p4all / housing (Public)				 ♥ Unwatc

Figure 4.15.: Bruno can now push as if he owned the repository.

It's important to understand the distinction between inviting someone to contribute to the repository and have someone from outside the project contribute. We are going to explore these two scenarios in the next section, but before that, let's see what the "Issues" tab is about.

If the repository is public, anyone can open an issue to either submit a bug, or suggest some ideas, and if the repository is private, only invited collaborators can do this.
Let's open an issue to illustrate how this works:



Figure 4.16.: Click on 'New issue' in the 'Issues' tab of your project.

You will land on this interface:

[Title						Assignees	鐐								
Write	Preview		не	з.	Ii	= <	> <	<i>p</i> :	= 1=	5 93	Ξ @) ¢	5 ()	No one—assign yourself	
Leave a	comment													Labels None yet	ŝ
														Projects	ផា
														None yet	-07
														Milestone	鐐
													4	No milestone	
Attach fil	es by dragging & dropping, selecti	ing or pasting them.											-	Development	
Styling	with Markdown is supported									Sub	omit	new i	ssue	Shows branches and pull requests linked t issue.	o this
(i) Remem	ber, contributions to this repository s	hould follow our GitH	ıb Corr	mur	nity G	uidelir	nes.								
														Helpful resources	
														GitHub Community Guidelines	

Figure 4.17.: Write what the issue's about here.

4. Version control with Git

Give a nice title to the issue (1), add a thorough description (2), (optionally) assign it to someone (3) and (optionally) add a label to it (4), finally click on "Submit new issue" (5) to submit the issue:



Figure 4.18.: Try to provide as many details as possible.

Sometimes issues don't need to be very long, and act more as reminders than anything else. For example here, the owner of the repository didn't have the time to add a Readme, but didn't want to forget to add one later on. The author assigned the issue to Bruno: so it'll be Bruno's job to add the Readme. Issue-driven project management is a very valid strategy when working asynchronously and in a decentralized fashion.

If you encountered a bug and want to open an issue, it is very important that you provide a minimal, reproducible example (MRE). MREs are snippets of code that can be run very easily by someone other than yourself and which produce the bug reliably. Interestingly, if you understand what makes an MRE minimal and reproducible, you understand what will make our pipelines reproducible as well. So what's important for an MRE?

First, the code needs to be self-contained. For example, if some data is required you need to provide the data. If the data is sensitive, you need to think about the bug in greater detail: is the bug due to the structure of the data, or does the bug manifest itself on any kind of data? If that's the case, use some of the built-in datasets to R (iris, mtcars, etc) for your MRE.

Does your MRE require extra packages to run? Then make this as clear as possible, and not only provide the package names, but also their versions (it is a good idea to copy and paste the output of sessionInfo() at the end of the issue).

Finally, does your example depend on some object defined in the global state? If yes, you also need to provide the code to create this object.

The bar you need to set for an MRE is as follows: bar needed package dependencies that may need to be installed beforehand, people that try to help you should be able to run your script by simply copy-and-pasting it into an R console. Any other manipulation that you require from them is unacceptable: remember that in open source development, developers very often work during their free time, and don't owe you tech support! And even if they did, it is always a good idea to make it as easy as possible for them to help you, because it simply increases the likelihood that they will actually help.

Also, writing an MRE can usually make you actually debug the code yourself. Just like in rubber duck debugging⁴, the fact of simply trying to explain the problem can lead to finding what's

 $^{{}^{4}}https://en.wikipedia.org/wiki/Rubber_duck_debugging$

wrong. But by writing an MRE, you're also reducing the problem into its most basic parts, and removing everything unnecessary. By doing so, you might realize that what you thought was a bug of the library was maybe rather a problem between the keyboard and the chair.

So don't underestimate the usefulness of creating high-quality MREs for your issues! One package that can assist you with this is {reprex} (read about it here⁵).

4.5. Conclusion

You should now have your first repository and know the very basics of using Git and Github.com. If you did not understand everything, take some time to rerun the commands from above. Maybe add some more files to your repo, remove them, try to revert certain commits, etc. Create a new repo and try to push some files or scripts to it. Really take the time to understand what is going on and how to use these tools, because they are essential for reproducibility.

 $^{^{5} \}rm https://reprex.tidyverse.org/$

As already mentioned several times, there are two ways of collaborating with Git (and Github): either as a team, or as an external dev (external, as in, not part of the development team of a given project). External contributors can only contribute code to public repositories, and the project owners can either accept or refuse the patches.

We are going to learn about these two ways of collaborating. Let's first focus on collaboration within a team.

5.1. Collaborating as a team

5.1.1. TBD basics

Remember the issue we opened and assigned to Bruno? Bruno will now take care of this issue by adding a Readme file. This will also be the opportunity to introduce trunk-based development. The idea of trunk-based development is simple; team members should work on separate branches to add features or fix bugs, and then merge their branch to the "trunk" (in our case the *master* branch) to add their changes back to the main codebase. And this process should happen quickly, ideally every day, or as soon as some code is ready. When a lot of work accumulates in a branch for several days or weeks, merging it back to the master branch can be very painful. So by working in short-lived branches, if conflicts arise, they can be dealt with quickly. This also makes code review much easier, because the reviewer only needs to review little bits of code at a time. If instead long-lived branches with a lot of code changes get merged, reviewing all the changes and solving the conflicts that could arise would be a lot of work. To avoid this, it is best to merge every day or each time a piece of code is added, and, **very importantly**, this code does not break the whole project (we will be using unit tests for this later).

So in summary: to avoid a lot of pain by merging branches that moved away too much from the trunk, we will create branches, add our code, and merge them to the trunk as soon as possible. As soon as possible can mean several things, but usually this means as soon as a feature was added, a bug was fixed, or as soon as we added some code that does not break the whole project, even if the feature we wanted to add is not done yet. The philosophy is that if merging fails, it should fail as early as possible. Early failures are easy to deal with.

Our aim should be to provide a functioning project to anyone cloning the master branch anytime (but still offer a simple way to install a point release of the project).

So, back to our issue. First, Bruno needs to clone the repository:

To add the feature, Bruno will now create a new branch by using the git checkout command with the -b flag:

```
bruno@computer $ git checkout -b "add_readme"
```

The project automatically switches to the new branch:

Switched to a new branch 'add_readme'

We can also run git status to double-check:

bruno@computer \$ git status

On branch add_readme nothing to commit, working tree clean

Bruno adds a file called **README.md** and adds the following text to it:

Housing data for Luxembourg

These scripts for the R programming language download nominal housing prices from the *Observatoire de l'Habitat* and tidy them up into a flat data frame.

save_data.R: downloads, cleans, and creates dataframes from the dataanalysis.R: creates plots of the data

Let's save this and run git status to see what happened:

```
bruno@computer $ git status
```

Git tells Bruno that the README.md file is not being tracked:

So next Bruno is going to track it and push the changes. Also, Bruno is going to use a neat trick when pushing: because Bruno is working on fixing an issue, it would be great if he could close it as he pushes the fix. This is possible by referencing the issue number in the commit message:

bruno@computer \$ git add .
bruno@computer \$ git commit -m "fixed #1"

#1 refers to the number of the issue (it's the first issue that was opened in the repository). So by referencing this issue with its number in the commit message and pushing, the issue gets automatically closed when Bruno pushes:

bruno@computer \$ git push origin add_readme

As you can see from the command above, Bruno pushes to "add_readme", the branch he opened to solve the issue, not "master". If he tried to push to "master" a message saying that "master" is up-to-date would get printed. Let's see the output of pushing to "add_readme":

```
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 501 bytes | 501.00
 \rightarrow KiB/s. done.
Total 3 (delta 0), reused 0 (delta 0),
 \rightarrow pack-reused 0
remote:
remote: Create a pull request for 'add readme'
 → on GitHub by visiting:
            https://github.com/rap4all/housing/
remote:
   pull/new/add readme
 \hookrightarrow
remote:
To github.com:rap4all/housing.git
 * [new branch] add readme -> add readme
```

Git tells us that Bruno now needs to create a pull request. What is that? Well, if we want to merge our branch back into the trunk, we need to do so by using a pull request. Let's see what Bruno sees on Github:

Search or jump to 7 Pulls Issues	Codespaces Marke	tplace Explore 🧔 + - 🌚 -
G rap4all / housing Public	⊙ Unwatch 2 •	♥ Fork ● ☆ Star ●
↔ Code ③ Issues ① 1 1 Pull requests ④ Actions	🗄 Projects 🖽 Wi	ki 🛈 Security 🗠 Insights
12 add readme had recent purches lars than a minute		About
ago	npare & pull request	No description, website, or topics provided.
۶۶ master ۲ Go to file Add	file - 🔹 🗘 Code -	✿ 0 stars
		② 2 watching
Bruno Rodrigues Revert "Removed analysis.R"	5 days ago 🕚 4	얗 0 forks
analysis.R Revert "Removed analysis.R"	5 days ago	
save_data.R Project start	5 days ago	Releases
		No releases published
Help people interested in this repository understand your project by adding a README.	Add a README	Create a new release
•		Packages
		No packages published Publish your first package
		Languages
		B 100.0%

Figure 5.1.: Bruno sees that the 'add_readme' branch has been recently updated.

Bruno can now decide to continue working on this branch, or, since the purpose of this branch was only to add the Readme file, decide instead to do a pull request.

By clicking on the "Compare & pull request" button Bruno now sees this:

base: ma	aster \bullet \leftarrow compare: add_readme \bullet \checkmark Able to merge. These bits	ranches can be automatically merged.	
fixe	ed #1	Reviewers Na reviews	
H	ite Preview B I I I I ↔ II II II II II II · · · · · ·	Assignees No one—assign yourself	
		Labels None yet	
		Projects None yet	
Atta	ich files by dragging & dropping, selecting or pasting them.	Milestone	
	create pui requ	Jest +	
(i) Re	member, contributions to this repository should follow our GitHub Communi	bevelopment ity Guidelines. Use Closing keywords in the description automatically close issues	n to
(j) Re	Clearer pour requ	Development Ity Guidelines. Use Closing toywords in the description automatically close issues Helpful resources GitHub Cammunity Guidelines	n to
(i) Re	Creater pour requirements contributions to this repository should follow our GH-lub Communi 1 commit D 1 file changed	Development Una Clusing Leywords in the description automatically dote issues Helpful resources GitHub Cemmunity Guidelines Al. 1 contributor	n to
(3) Ref		Development Use Clusicg Leywords in the description automatically does tosus Helpful resources (athius Community Guidelines PR 1 contributor	n to
(i) Ref	Control your requirements control of this repository should follow our Git+lub Communi	Bevelapment Develapment Use Classing Leywords in the description automatically close Issues Helphul resources GitHub Community Guidelines Au 1 contributor C cbrc370	n to
(i) Ref Commits fixed # Browing	Locate point report member; contributions to this repository should follow our GitHub Communi on Feb 11, 2023	bevelapment bevelapment but Clunicip sevonth in the description automatically does issues belaphin resources Glatikus Community Guidelines Ak 1 contributor chrcs779 chrcs779 chrcs77	n to ≜_⊤ ied
© Res Commits Fixed A Bri Showing ~ 7		Bevelopment Development Use Closicy Severals in the description automatically does uses Giability Community Guidelines Ak 1 contributor Spitt Unit Spitt Unitin	n to ≜_⊤ ied
(3) Red Commits Fixed A Bri Showing 2 3 4 5		Art Contributions Development Use Clonic systematic types Use Clonic systematic types Use Clonic systematic types Use Clonic systematic types Helpful resources GitHub Community Guidefines Art Contributor Art Contributor GitHub Community Guidefines Art Contributor GitHub Community Guidefines Art Contributor GitHub Community Guidefines Art Contributor A	ied

Figure 5.2.: This screen makes it easy to see what changed.

Bruno can leave a comment, and see what changed (in this case, a single file was added) and most importantly, add a reviewer if needed:

Request up to 15 reviewers	
-	
Type or choose a user	
💮 rap4all	
Labels	63
	Labels None yet

Figure 5.3.: Let boss decide if this is good enough.

This is what Bruno sees now:



Figure 5.4.: Github tells us that this branch can safely be merged.

Bruno requested the review, but Github tells us that the branch can safely be merged. This is because we added a file and did not touch anything else, and no one else worked on the project while Bruno was working. So there are no risks of conflicts arising. Let's see what the owner now sees. The project owner should have gotten a notification to review the pull request:



Figure 5.5.: The owner was notified to review the pull request.

By clicking on the notification, the owner gets taken to this view:



Figure 5.6.: Time to review the pull request.

Here, the reviewer can check the commit, the files that were changed, and see if there are any conflicts between this code and the code base on the master (or trunk) branch. Github also tells us two interesting things: the owner can add a rule that states that any pull request must be approved, and also that continuous integration has not been set up (we are going to see what this means in the second part of this book).

Let's go ahead and add a rule forcing each pull request to be approved. By clicking on "Add rule", the following screen appears:

Branch name pattern * master					
Require a pull request before merging When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.					
Require status checks to pass before merging Choose which status checks must pass before branches can be merged into a branch that matches this rule. When enabled, commits must first be pushed to another branch, then merged or pushed directly to a branch that matches this rule after status checks have passed.					
Require conversation resolution before merging When enabled, all conversations on code must be resolved before a pull request can be merged into a branch that matches this rule. Learn more.					
Require signed commits Commits pushed to matching branches must have verified signatures.					
Require linear history Prevent merge commits from being pushed to matching branches.					
Require deployments to succeed before merging Choose which environments must be successfully deployed to before branches can be merged into a breach that matches this rule.					

Figure 5.7.: Choose how to protect the master branch.

By clicking the first option, more sub-options appear:

Branch name pattern *					
master					
Protect matching branches					
Require a pull request before merging					
When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.					
Require approvals When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can be merged.					
Required number of approvals before merging: 1 -					
Dismiss stale pull request approvals when new commits are pushed					
New reviewable commits pushed to a matching branch will dismiss pull request review approvals.					
Require review from Code Owners					
Require an approved review in pull requests including files with a designated code owner.					
Require approval of the most recent reviewable push					
Whether the most recent reviewable push must be approved by someone other than the person who pushed it.					

Figure 5.8.: Reviews are now required.

By choosing these options, the owner can basically enforce trunkbased development (well, collaborators still have to submit pull requests frequently enough though, because if they don't, we can be in a situation where merging can be very difficult).

Let's choose one last option: by scrolling down, it's possible to select the option "Do not allow bypassing the above settings". This makes sure that even administrations (the owners of the project) must abide by the same rules.

Let's go back to the pull request. We can see now that a review is required:

រិរូ Ope	fixed #1 #2 b-rodrigues wants to merge 1 commit into master	from add_readme
	b-rodrigues commented 26 minutes ago	Collaborator 😔 …
-	No description provided.	
	-O- fixed #1	cbfc370
		ap4all 26 minutes ago
	Add more commits by pushing to the add_readme	branch on rap4all/housing.
که مرکا ا	Review required At least 1 approving review is required by re Learn more.	Show all reviewers viewers with write access.
	名 1 pending reviewer	~
	Merging is blocked Merging can be performed automatically w	ith 1 approving review.
	Merge pull request - or view comman	d line instructions.
	Write Preview	
	$H B I \equiv \leftrightarrow \mathscr{O} \equiv \Xi \equiv \Xi @$	Ç 4
	Nice	
	Attach files by dragging & dropping, selecting or p	asting them.
	₹ Close v	vith comment Comment

Figure 5.9.: Time to review.

So now the owner actually has to go and see the files that were changed:



Figure 5.10.: Check the code and add comments if needed.

It's possible to add comments to single lines if needed:



Figure 5.11.: It's possible to add comments to lines.

By clicking on the plus sign, a box appears and it's possible to leave a comment. In this case, everything is fine, so the owner is going to click on the "Viewed" button:

E Files changed 1	+7 -0				
¢3 -	0 / 1 files viewed	Review chang	ges 🔻		
	()	Viewed 🗌			
developed period beveing	nriaaa				
download nominal housing ' them up into a flat dat	prices a frame.				

Figure 5.12.: Good job!

Then, by clicking on "Review changes", it's possible to either add a general comment, approve the pull request, or request changes that must be addressed before merging. Let's go ahead and approve:

ter + Conv	ersations 🕶 Jump to 👻 🕄 🕶	1 / 1 files viewed	Review changes 👻
Finish yo	ur review		×
Write	Preview		
нв			
Thanks!			
а			
			^
Attach fi	les by dragging & dropping, selecting or pasting them.		
Comr Subm	nent it general feedback without explicit approval.		
Appro Subm	tree it feedback and approve merging these changes.		
Requi	est changes it feedback that must be addressed before merging.		
Submit r	eview 🚽 🗕		

Figure 5.13.: Nothing to complain about.

By submitting the review, the reviewer is taken back to the issue:



Figure 5.14.: We're done, we can merge the pull request.

The reviewer can now merge the pull request by clicking on the "Merge pull request" button. Github even suggests we delete the branch, which has served its purpose:



Figure 5.15.: Let's get rid of this branch.

Let's delete it (it's always possible to restore it).

5.1.2. Handling conflicts

As mentioned in the previous chapter, Git makes it easy to handle conflicts. Well, let's be clear; even with Git, it can sometimes be very tricky to resolve conflicts. But you should know that when solving a conflict with Git is difficult, this usually means that it would be impossible to do any other way, and would inevitably result in someone having to reconcile the files by hand. What makes handling conflicts easier with Git though, is that Git is able to tell you where you can find clashes on a per-line basis. So for instance, if you change the first ten lines of a script, and I change the next ten lines, there would be no conflict, and Git will automatically merge both our contributions into a single file. Other tools, like Dropbox, would fail in a situation like this, because these tools can only handle conflicts

on a per-file basis. The same file was changed by two different persons? Regardless of where these changes happened, you now have a conflict to deal with on your hands... and worse, you don't even know where the conflicts are in the file! You will need to scan the two resulting copies of the file by hand. Git, in the case where the same lines were changed, highlights them very clearly so that you can quickly find them and deal with the problems.

We will see all of this in the coming sections.

So how do conflicts happen? Let's imagine the following scenario. Both Bruno and the project owner create branches, and edit the same file. Perhaps they talked over the phone and decided to add a feature or correct a bug. Perhaps they decided that it wasn't worth opening an issue on Github and assign someone to do it. After all, they discussed this on the phone and decided that Bruno should do it. Or was it the owner who needed to solve the issue? No one remembers now. Either way, they both did, and changed the same file, so a conflict will ensue.

First, Bruno needs to switch back to the master branch on his computer:

Git tells us to update the code on our computer by running git pull. We use git push to upload code to Github, and use git pull to download code from Github. Let's run it and see what happens:

```
bruno@computer $ git pull
Updating b7f82ee..c774ebf
Fast-forward
README.md | 7 ++++++
1 file changed, 7 insertions(+)
create mode 100644 README.md
```

Files on Bruno's computer have been updated. The owner of the project (called **owner**, remember?) can do the same and will see the same. Now, Bruno creates a new branch to work on the new feature:

```
bruno@computer $ git checkout -b \Rightarrow add_cool_feature
```

And the project owner also creates a new branch:

They now edit the same file, **analysis.R**. Bruno added this function:

```
filter(locality == commune)
```

This way, Bruno could delete the repeating code and create plots like this:

The end effect is the same, but by using this function, the code is now shorter, and clearer. Also, if someone wants to change, say, the theme of the plot, now this only needs to be changed in one place and not for each commune. Now, what did the owner change? The owner started by removing the line that loaded the {purrr} package, as no function from the package was used in the script, and then also changed every %>% to |>. It seems that much more than just who would make the changes got lost in translation... Anyways, both now push their changes to their respective branches. This is Bruno:

```
bruno@computer $ git add .
bruno@computer $ git commit -m "make plot() for
 → plotting"
bruno@computer $ git push origin
 \rightarrow add cool feature
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 647 bytes | 647.00
 \rightarrow KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0),
 \rightarrow pack-reused 0
remote: Resolving deltas: 100% (1/1), completed
 \leftrightarrow with 1 local object.
remote:
remote: Create a pull request for
    'add cool feature' on GitHub by visiting:
 \hookrightarrow
remote:
   https://github.com/rap4all/housing/pull/
 \hookrightarrow
 → new/add cool feature
remote:
To github.com:rap4all/housing.git
 * [new branch] add cool feature ->
  \rightarrow add cool feature
```

and this is the owner:

```
owner@localhost $ git add .
owner@localhost $ git commit -m "cleanup"
owner@localhost $ git push origin
 \rightarrow add sweet feature
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 449 bytes | 449.00
 \rightarrow KiB/s. done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed
 \rightarrow with 1 local object.
remote:
remote: Create a pull request for
 → 'add sweet feature' on GitHub by visiting:
remote:
 → https://github.com/rap4all/housing/pull/
→ new/add sweet feature
remote:
To github.com:rap4all/housing.git
 * [new branch] add sweet feature ->
  \rightarrow add sweet feature
```

So, let's think about what just happened: two developers changed the same file, analysis.R, in two separate branches. These two branches need to be merged back to the trunk.

So Bruno does a pull request:



Figure 5.16.: Bruno opens a pull request after finishing his changes.

First, Bruno selects the feature branch (1), then clicks on "Contribute" (2) and then "Open pull request" (3). Bruno gets taken to this screen:

ពេ	base: master ▼) ← compare: add_cool_featur	• • Able to merge. These bran	iches can be automatically merged.
	make_plot() for plotting		Reviewers
	Write Preview		No reviews—at least 1 approving review is required.
	$H \ \mathbf{B} \ I \ \coloneqq \diamond \ \mathscr{O} \ \coloneqq \ \vDash \ \mathfrak{S}$	@ ♥ ∽	Assignees
	Leave a comment		No one—assign yourself
			Labels
			None yet
			Projects
			None yet
	Attach files by dragging & dropping, selecti	ng or pasting them.	Milestone
		Create pull request	No milestone
		and the last second	Development
	Guidelines.	Iouid follow our GitHub Community	Use Closing keywords in the description to automatically close issues
			Helpful resources
			GitHub Community Guidelines

Figure 5.17.: No conflicts, for now...

Now Bruno can click on "Create pull request", but remember, because reviews are required, automatic merging is disabled.

If now we go see what happens from the project owner's side of things, first of all, there's now a notification for a pending review:



Figure 5.18.: New review pending.

By clicking on it, the project owner can review the pull request and decide what to do with it. So at this point, the owner did not open a pull request for the feature he or she worked on yet. And maybe that's a good thing, because now the project owner can see that the changes that Bruno made on the file will conflict with the project owner's changes.

So how to move forward? Simple: the project owner can decide to approve the pull request, which will merge Bruno's changes into the master branch (or the trunk). Then, instead of opening a pull request for merging his or her changes into trunk, which will cause a conflict, the project owner can instead merge the changes from the trunk into his or her feature branch. This will also create a conflict, but now the project owner can easily deal with it on his or her machine, and then push a new commit with both changes integrated gracefully. The image below illustrates this workflow:



Figure 5.19.: Conflict solving with trunk-based development.

First step, the owner reviews and approves Bruno's pull request:



Figure 5.20.: First, let's approve the changes.

The pull request can get merged and Bruno's feature branch deleted. Now, it wouldn't make sense for the project owner to

create a pull request to merge his or her changes. They would conflict with what Bruno did. So the project owner goes back to his or her computer and essentially updates the code in his or her feature branch by merging master into it.

So, the project owner checks that he or she is working on the feature branch:

```
owner@localhost $ git status
On branch add_sweet_feature
nothing to commit, working tree clean
```

Ok, so now let's get the updated code from master, by pulling from master:

owner@localhost \$ git pull origin master

The owner now sees this:

```
Automatic merge failed; fix conflicts and then _{\hookrightarrow} commit the result.
```

Git detects that there are some conflicts and tells the owner to fix them, and then commit the results. So let's open analysis.R and see how it looks (you can view the file online on this link¹. First of all, you will see Git deals with conflicts on a per-line basis. So each line that the owner changed that does not conflict with Bruno's change gets immediately updated to reflect the owner's changes. For example, remember that the owner removed the line that loaded the {purrr} package? This line was also removed by pulling the changes from master into the feature branch. Also, you should notice that every %>% was changed into |> as well. These two changes happened without any issues.

Then, you should understand what happens when a conflict gets detected on some lines. For example, this is the first conflict you should see:

```
<<<<<< HEAD
filtered_data <- commune_level_data |>
filter(locality == communes[1])
=======
filtered_data <- commune_level_data %>%
filter(locality == commune)
>>>>> a43c68f5596563ffca33b3729451bffc762782c3
```

We see how the lines look on the owner's computer and how they look in the master branch (or trunk). The lines between <<<<< HEAD and ====== are the lines in the owner's feature branch. The lines between ======= and >>>>> a43c68f5596563ffca33b3729451bffc762782c3 are how they

¹https://is.gd/ktWtjr

look in the master branch (or trunk). This very long chain of characters that starts with a43c68f is the hash of the commit from which these lines come from.

So this makes things quite easy; one simply needs to remove the outdated code, and then commit and push the fixed file! The project owner only needs to remove <<<<< HEAD and ====== and what's between these lines, as well as the lines that show the hash commit. The project owner can now commit and push the changes, open a pull request, ask Bruno to review the changes one last time and merge everything back to master.



Figure 5.21.: The conflict has been gracefully solved.

In (1) we see the commit that deals with the conflict, in (2) the

owner asks Bruno for a review and then in (3) we see that Bruno reviewed and approved. Finally, the pull request can be merged (4) and the feature branch deleted.

5.1.3. Make sure you blame the right person

If many people contribute to a single project, it might sometimes be difficult to know who changed what and when exactly. This is where the **git blame** command is useful. If you want to know who changed the file called **analysis.R** for example, simply run:

```
owner@localhost $ git blame analysis.R
```

and you will see a detailed history, line by line, with the user name of the contributors and a date stamp:

```
b7f82ee1 (Bruno 2023-02-05 18:03:37 +0100 24)

→ #Let's also compute it...

b7f82ee1 (Bruno 2023-02-05 18:03:37 +0100 25)

55804ccb (Owner 2023-02-11 22:33:20 +0000 26)

→ country_level_data <- ...

55804ccb (Owner 2023-02-11 22:33:20 +0000 27)

→ mutate(p0 = ifelse(y...
```

We can see that Bruno edited lines 24 and 25 on the 5th of February as part of the commit with the hash b7f82ee1, while the owner of the repository changed lines 26 and 27 on the 11th of February as part of the commit with the hash 55804ccb.

Take advantage of git blame to have a clear overview of each file's changes.

5.1.4. Simplified trunk-based development

The workflow that we showed here may seem a bit too rigid for smaller teams (below 4 or 5 contributors). It is possible to adopt a simplified version of trunk-based development, where contributors don't have to open pull requests to merge their feature branches into the trunk, and no reviewer is needed. In cases like this, Git forces you to pull changes if someone already merged his or her feature branch into the trunk before you could. This way, when pulling, conflicts (if any) arise at that point. It is then your responsibility to solve the conflicts (and this works just like in the previous section) and then commit and push the commits with the conflicts resolved. Another contributor who then wishes to merge his or her feature branch into the trunk will have to pull again, ensuring that conflicts get resolved before they can merge. If no conflicts arise (for example, you both worked on different files, or on different lines of the same files), then no resolution is needed and the feature branch can be merged into master.

5.1.5. Conclusion

The main ideas of trunk-based development are:

- Each contributor opens a new branch to develop a feature or fix a bug, and works alone on his or her own little branch;
- At the end of the day at the latest (or a previously agreed upon duration), branches need all to get merged;
- Conflicts need to be taken care of at that point;
- If adding a feature would take more time than just one day, then the task needs to be split in a manner that

small contributions can be merged daily. In the beginning, these contributions can be simple placeholders that will be gradually enriched with functioning code until the feature is successfully implemented. This strategy is called branching by abstraction;

- The master branch (or trunk) always contains working, production-grade, code;
- To enforce discipline, it might be worth it to make opening pull requests mandatory for merging back to the trunk, and require a review.

5.2. Contributing to public repositories

In this last section, we are going to briefly discuss how to contribute to a project when we are not a team member of that project. For example, maybe we use an R package and notice a bug, and want to propose a fix. Or maybe we simply spotted a typo in the README of said package, and want to propose a correction. Whatever it may be, if the repository is public, anyone can propose a fix. For example, consider this repository:



Figure 5.22.: A public repository.

This repository contains code written by a fellow called "rap4all", and Bruno uses this code daily. However, Bruno notices a typo in the readme, and wants to propose a fix.

First, Bruno visits the repository on Github (since it's a public repository, anyone can view it online) and creates a fork:

Search or jump to / Pull requests Is	sues Codespaces Marketplace Explore	l +- 🌚-
Grap4all / my_cool_project Public Ode ⊙ Issues 11 Pull requests ⊙ Actions ⊞ Pr	© Wetch ojects ① Security ⊭ Insights	Y Fork the v the Star 0 v
p main - p 1 branch 💿 0 tags	Go to file Add file - Code -	About
🚳 rap4all Create README.md	71cae86 2 minutes ago 🔞 1 commit	No description, website, or topics provided.
README.md Create README.md	2 minutes ago	슙 0 stars

Figure 5.23.: Bruno needs to create a fork of the repository.

Forking creates a copy of the repository in Bruno's account:

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Owner *	Repository name *	
🚳 b-rodrigues 🗸	/ my_cool_project	~
By default, forks are na further.	amed the same as their upstre	am repository. You can customize the name to distinguish i
Description (optional)		

Copy the main branch only Contribute back to rap4all/my_cool_project by adding your own branch. Learn more.

(i) You are creating a fork in your personal account.

Create fork

Figure 5.24.: Bruno goes ahead with forking.
Bruno now sees the fork on his account as well:



Figure 5.25.: Bruno's fork.

So now, Bruno can clone this repository and work on it, because he is working on a copy of the repository that he owns. Anything Bruno does on this copy will not affect the original repository:

Bruno now fixes the typo in the README.md file, commits and pushes to his fork:

5. Collaborating using Trunk-based development



Figure 5.26.: Bruno fixed the typo in his fork.

As you can see, Bruno's fork is now ahead of the original repo by one commit. By clicking on "Contribute", Bruno can open a pull request to propose his fix to the original repository.

This pull request will be opened over at the original repository:

5.2. Contributing to public repositories

48 [base repositor	y: rap4all/my_cool_proj	ject 🔹 base: main	• •	h	ead r	eposi	tory: I	o-rod	rigues/	/my_co	ol_proje	ect 🕶	compare
~	 Able to me 	erge. These branche	s can be automati	cally r	nerg	ed.								
	(fixed typo													
	Write	Preview		н	в	I	Ē	$\langle \rangle$	Ð	∷≡	1 <u>=</u>	≘ @	¢	←
	Leave a c	omment												
	Associate fil													
	Attach mes by dragging & dropping, selecting or pasting Attach mes by maintainers ③					Create pull request								
	(i) Rememb	er, contributions to this	repository should fo	llow ou	ır GitH	lub C	omm	unity	Guide	lines.				
		-o- 1 commit					±) 1 fil	e cha	anged				
⊳ Co	ommits on Fe	eb 12, 2023												
> Co	fixed typo Bruno Re	eb 12, 2023 odrigues committed 3 m	ninutes ago											
⊳ Co L	fixed typo Bruno Ro Bruno Ro	eb 12, 2023 odrigues committed 3 n anged file with 1 ad	ninutes ago dition and 1 delet	tion.										
≻ Co	fixed typo Bruno Re Showing 1 ch	b 12, 2023 odrigues committed 3 m anged file with 1 ad I README.md	ninutes ago dition and 1 delet	tion.										
Co € € 5	fixed typo fixed typo Bruno Ro browing 1 ch 2 1	b 12, 2023	ninutes ago dition and 1 delet	tion.										

Figure 5.27.: Bruno opens a pull request to contribute his fix upstream.

What does the owner of the original repository, "rap4all", see? The pull request Bruno opened is now in the original repository's "Pull request" menu, and the owner can check what the contribution is, if it breaks code or not, etc. This is essentially the same workflow as the one presented before in trunk-based development with pull requests and reviews before merging (minus the forking of the repository).

5. Collaborating using Trunk-based development

Search or jump to / Pull requests Issues Codespaces Marketplace Explore	
G rap4all / my_cool_project Public 🛇 Pin 🛇 Unwatch 🚯	• ¥ Fori
<> Code 💿 Issues 11 Pull requests 🕦 🕢 Actions 🗄 Projects 🖽 Wiki 😳 Security 🗠 In	sights 🕄 !
fixed typo #1	
1 Open b-rodrigues wants to merge 1 commit into rap4all:main from b-rodrigues:main 📮	
🖓 Conversation 📵 🐟 Commits 🕦 🖻 Checks 🕲 🖹 Files changed 🕦	
b-rodrigues commented now (First-time contributor) (2) ····	Reviewers
No description provided.	No reviews Still in progress
-O- fixed typa 0c89a66	
Add more commits by pushing to the main branch on b-rodrigues/my_cool_project.	Assignees No one—assigi
	Labels
P Require approval from specific reviewers before merging Branch protection rules ensure specific people approve pull requests before they're merged. Add rule x	None yet
Continuous integration has not been set up Github Actions and several other apps can be used to automatically catch bugs and enforce style.	Projects None yet
This branch has no conflicts with the base branch	Milestone No milestone
Merging can be performed automatically.	
Merge pull request	Development Successfully mi issues.
	None yet Notifications
Leave a comment	
	You're receivin; this repository.
Attach files by dragging & dropping, selecting or pasting them.	1 participant
Close pull request Comment	۹

Figure 5.28.: The owner of the original repository can now accept Bruno's fix.

By merging the fix, the owner can now benefit from a grammatically correct Readme file as well:

5.3. Further reading



Figure 5.29.: The beauty of open source.

5.3. Further reading

To know everything about trunk-based development, check out Hammant (2020). A free, online, version of the book is available at https://trunkbaseddevelopment.com/.

6. Functional programming

Now that we are familiar with Git and Github, we can start with writing code. We will learn how to write code using the functional programming paradigm. Programming paradigms are ways to structure programs (or scripts).

This chapter will teach you the fundamentals of functional programming. *Functional programming* might sound scary, but we will focus on only a handful of concepts that are quite accessible but still provide many benefits. Using these functional programming concepts will make your code more reliable, easier to test, document, share, and ultimately rerun.

6.1. Introduction

Remember that the philosophy of part one of this book is "don't repeat yourself". In this chapter we will see how we can reduce the amount of code as much as possible. In the previous chapter we've seen how Bruno was able to get rid of many lines of code (that were all the same) by writing a single function:

Now we are going to go one step further and not only learn how to write good functions, but also how we can push the concept of "not repeating oneself" to the extreme by using higher-order functions and function factories.

You are very likely already familiar with at least two elements of functional programming: functions and lists. But functional programming is a complete programming paradigm, so using functional programming is more than simply using functions and lists (which you can use with other programming paradigms as well).

Functional programming is a paradigm that relies exclusively on the evaluation of functions to achieve the desired result. If you have already written your own functions in the past, what follows will not be very new. But in order to write a good functional program, the functions that you write and evaluate have to have certain properties. Before discussing these properties, let's start with *state*.

6.1.1. The state of your program

Let's suppose that you start a fresh R session, and immediately run this line:

ls()

If you did not modify any of R's configuration files that get automatically loaded on startup, you should see the following:

```
character(0)
```

Let's suppose that now you load some data:

```
data(mtcars)
```

and define a variable **a**:

a <- 1

Running ls() now shows the following:

[1] "a" "mtcars"

You have just altered the state of your program. You can think of the *state* as a box that holds everything that gets defined by the user and is accessible at any time. Let's now define a simple function that prints a sentence:

```
f <- function(name){
    print(paste0(name, " likes lasagna"))
}</pre>
```

f("Bruno")

and here's the output:

[1] "Bruno likes lasagna"

Let's run ls() again:

[1] "a" "f" "mtcars"

Function f() is now listed there as well. This function has two nice properties:

- For a given input, it always returns exactly the same output. So f("Bruno") will always return "Bruno likes lasagna".
- When running this function, the state of the program does not get altered in any way.

6.1.2. Predictable functions

Let's now define another function called g(), which does not have the same properties as f(). First, let's define a function which does not always return the same output given a particular input:

}

For the same input, "Bruno", this function now produces (potentially) a different output:

```
g("Bruno")
[1] "Bruno likes lasagna"
g("Bruno")
[1] "Bruno likes feijoada"
```

And now let's consider function h() that modifies the state of the program:

```
h <- function(name){
  food <- sample(c("lasagna", "cassoulet",
    "feijoada"), 1)
  if(exists("food_list")){
    food_list <<- append(food_list, food)
  } else {
    food_list <<- append(list(), food)
  }
  print(paste0(name, " likes ", food))
}</pre>
```

This function uses the <<- operator. This operator saves definitions that are made inside the body of functions (the body of a function are all the instructions that go between the curly braces) in the global environment. Before calling this function, run ls() again. You should see the same objects as before, plus

6. Functional programming

the new functions we've defined:

[1] "a" "f" "g" "h" → "mtcars"

Let's now run h() once:

h("Bruno")
[1] "Bruno likes feijoada"

And now ls() again:

[1] "a" "f" "food_list" "g" → "h" "mtcars"

Running h() did two things: it printed the message, but also created a variable called "food_list" in the global environment with the following contents:

food_list
[[1]]
[1] "feijoada"

Let's run h() again:

h("Bruno")
[1] "Bruno likes cassoulet"

and let's check the contents of "food_list":

```
food_list
[[1]]
[1] "feijoada"
[[2]]
[1] "cassoulet"
```

If you keep running h(), this list will continue growing. Let me say that I hesitated to show you this; this is because if you didn't know <<-, you might find the example above useful. But while useful, it is quite dangerous as well. Generally, we want to avoid using functions that change the state as much as possible because these functions are unpredictable, especially if randomness is involved. It is much safer to define h() like this instead:

```
h <- function(name, food_list = list()){
  food <- sample(c("lasagna", "cassoulet",
        "feijoada"), 1)
    food_list <- append(food_list, food)
    print(paste0(name, " likes ", food))
    food_list
}</pre>
```

The difference now is that we made **food_list** the second argument of the function. Also, we defined it as being optional by writing:

food_list = list()

This means that if we omit this argument, the empty list will get used by default. This avoids the users from having to manually specify it.

We can call it like this:

```
food_list <- h("Bruno", food_list)
# since food_list is
# already defined, we don't
# need to start with an empty list</pre>
```

[1] "Bruno likes feijoada"

We save the output back to food_list. Let's now check its contents:

```
food_list
[[1]]
[1] "feijoada"
[[2]]
[1] "cassoulet"
[[3]]
[1] "feijoada"
```

The only thing that we now still need to deal with is the fact that the food item gets chosen randomly. I'm going to show you the simple way of dealing with this, but later in this chapter we are going to use the {withr} package for situations like this. Let's redefine h() one last time:

```
h <- function(name, food_list = list(), seed =
    . 123){
    # We set the seed, making sure that we get
    # the same selection of food for a given seed
    set.seed(seed)
    food <- sample(c("lasagna", "cassoulet",
    . "feijoada"), 1)
    # We now need to unset the seed, because
    # if we don't, guess what, the seed will
    # stay set for the whole session!
    set.seed(NULL)
    food_list <- append(food_list, food)
    print(paste0(name, " likes ", food))
    food_list
}</pre>
```

Let's now call h() several times with its default arguments:

```
h("Bruno")
[1] "Bruno likes feijoada"
[[1]]
```

```
[1] "feijoada"
h("Bruno")
[1] "Bruno likes feijoada"
[[1]]
[1] "feijoada"
h("Bruno")
[1] "Bruno likes feijoada"
[[1]]
[1] "feijoada"
```

As you can see, every time this function runs, it now outputs the same result. Users can change the seed to have this function output, consistently, another result.

6.1.3. Referentially transparent and pure functions

A referentially transparent function is a function that does not use any variable that is not also one of its inputs. For example, the following function:

```
bad <- function(x){
    x + y
}</pre>
```

is not referentially transparent, because y is not one of the function's inputs. What happens if you run bad() is that bad() needs to look for y. Because y is not one of its inputs, bad() then looks for it in the global environment. If y is defined there, it then gets used. Defining and using such functions must be avoided at all costs because these functions are unpredictable. For example:

```
y <- 10
bad <- function(x){
    x + y
}
bad(5)</pre>
```

This will return 15. But if y <-45 then bad(5) would this time around return 50. It is much safer, and clearer to make y an explicit input of the function instead of having to keep track of y's value (and it's so easy to do, why just not do it):

```
good <- function(x, y){
    x + y
}</pre>
```

good() is a referentially transparent function; it is much safer than bad(). good() is also a pure function, because it's a function that does not interact in any way with the global environment. It does not write anything to the global environment, nor requires anything from the global environment. Function h() from the previous section was not pure, because it created an object and wrote it to the global environment (the food_list object). Turns out that pure functions are thus necessarily referentially transparent.

So the first lesson in your functional programming journey that you have to remember is to only use pure functions.

6.2. Writing good functions

6.2.1. Functions are first-class objects

In a functional programming language, functions are first-class objects. Contrary to what the name implies, this means that functions, especially the ones you define yourself, are nothing special. A function is an object like any other, and can thus be manipulated as such. Think of anything that you can do with any object in R, and you can do the same thing with a function. For example, let's consider the +() function. It takes two numeric objects and returns their sum:

1 + 5.3

[1] 6.3

```
# or alternatively: `+`(1, 5.3)
```

You can replace the numbers with functions that return numbers:

```
sqrt(1) + log(5.3)
```

[1] 2.667707

It's also possible to define a function that explicitly takes another function as an input:

```
h <- function(number, f){
  f(number)
}</pre>
```

You can call then use h() as a wrapper for f():

```
h(4, sqrt)
```

[1] 2

```
h(10, log10)
```

[1] 1

Because h() takes another function as an argument, h() is called a higher-order function.

If you don't know how many arguments f(), the function you're wrapping, has, you can use the ...:

```
h <- function(number, f, ...){
  f(number, ...)
}</pre>
```

... are simply a place-holder for any potential additional argument that ${\tt f}()$ might have:

h(c(1, 2, NA, 3), mean, na.rm = TRUE)
[1] 2

h(c(1, 2, NA, 3), mean, na.rm = FALSE)

[1] NA

na.rm is an argument of mean(). As the developer of h(), I don't necessarily know what f() might be, but even if I knew what f() would be and knew all its arguments, I might not want to list them all. So I can use ... instead. The following is also possible:

```
w <- function(...){
   paste0("First argument: ", ..1,
        ", second argument: ", ..2,
        ", last argument: ", ..3)
}
w(1, 2, 3)</pre>
```

[1] "First argument: 1, second argument: 2, last
argument: 3"

If you want to learn more about \ldots , type ?dots in an R console.

Because functions are nothing special, you can also write functions that return functions. As an illustration, we'll be writing a function that converts warnings to errors. This can be quite useful if you want your functions to fail early, which often makes debugging easier. For example, try running this:

sqrt(-5)

Warning in sqrt(-5): NaNs produced

[1] NaN

This only raises a warning and returns NaN (Not a Number). This can be quite dangerous, especially when working noninteractively, which is what we will be doing a lot later on. It is much better if a pipeline fails early due to an error, than dragging a NaN value. This also happens with log10():

log10(-10)

```
Warning: NaNs produced
```

[1] NaN

So it could be useful to redefine these functions to raise an error instead, for example like this:

```
strict_sqrt <- function(x){
    if(x < 0) stop("x is negative")
    sqrt(x)
}</pre>
```

This function now throws an error for negative $\boldsymbol{x} {:}$

```
strict_sqrt(-10)
```

Error in strict_sqrt(-10) : x is negative

However, it can be quite tedious to redefine every function that we need in our pipeline, and remember, we don't want to repeat ourselves. So, because functions are nothing special, we can define a function that takes a function as an argument, converts any warning thrown by that function into an error, and returns a new function. For example:

This function makes use of tryCatch() which catches warnings raised by an expression (in this example the expression is $f(\ldots)$) and then raises an error instead with the stop() function. It is now possible to define new functions like this:

```
s_sqrt <- strictly(sqrt)
s sqrt(-4)</pre>
```

Error in value[[3L]](cond) : Can't do that chief

```
s_log <- strictly(log)</pre>
```

 $s_log(-4)$

Error in value[[3L]](cond) : Can't do that chief

Functions that return functions are called *function factories* and they're incredibly useful. I use this so much that I've written a package, available on CRAN, called {chronicler}, that does this:

```
s_sqrt <- chronicler::record(sqrt)
result <- s_sqrt(-4)
result
NOK! Value computed unsuccessfully:
------
Nothing
------
This is an object of type `chronicle`.</pre>
```

```
Retrieve the value of this object with pick(.c, "value").
To read the log of this object, call read log(.c).
```

Because the expression above resulted in an error, Nothing is returned. Nothing is a special value defined in the {maybe} package (check it out, a very interesting package!). We can then even read a log to see what went wrong:

```
chronicler::read_log(result)
```

```
[1] "Complete log:"
```

[2] "NOK! sqrt() ran unsuccessfully with following exception: NaNs produced at 2025-04-21 09:47:02" [3] "Total running time: 0.000787734985351562 secs" The {purrr} package also comes with function factories that you might find useful ({possibly}, {safely} and {quietly}).

In part 2 we will also learn about assertive programming, another way of making our functions safer, as an alternative to using function factories.

6.2.2. Optional arguments

It is possible to make functions' arguments optional, by using NULL. For example:

```
g <- function(x, y = NULL){
    if(is.null(y)){
        print("optional argument y is NULL")
        x
    } else {
        if(y == 5) print("y is present"); x+y
    }
}</pre>
```

Calling g(10) prints the message "Optional argument y is NULL", and returns 10. Calling g(10, 5) however, prints "y is present" and returns 15. It is also possible to use missing():

```
g <- function(x, y){
    if(missing(y)){
        print("optional argument y is missing")
        x
    } else {
        if(y == 5) print("y is present"); x+y
    }
</pre>
```

}

I however prefer the first approach, because it is clearer which arguments are optional, which is not the case with the second approach, where you need to read the body of the function.

6.2.3. Safe functions

It is important that your functions are safe and predictable. You should avoid writing functions that behave like the nchar() base function. Let's see why this function is not safe:

nchar("1000000")

[1] 8

It returns the expected result of 8. But what if I remove the quotes?

nchar(1000000)

[1] 5

What is going on here? I'll give you a hint: simply type 10000000 in the console:

1000000

[1] 1e+07

10000000 gets represented as 1e+07 by R. This number in scientific notation gets then converted into the character "1e+07" by nchar(), and this conversion happens silently. nchar() then counts the number of characters, and *correctly* returns 5. The problem is that it doesn't make sense to provide a number to a function that expects a character. This function should have returned an error message, or at the very least raised a warning that the number got converted into a character. Here is how you could rewrite nchar() to make it safer:

This function now returns an error message if the input is not a character:

nchar2(1000000)

Error in nchar2(1000000) : x should be of type 'character', but is of type 'integer' instead.

This section is in a sense an introduction to assertive programming. As mentioned in the section on function factories, we will be learning about assertive programming in greater detail in part 2 of the book.

6.2.4. Recursive functions

You may have noticed in the last lines of nchar2() (defined above) that nchar2() calls itself. A function that calls itself in its own body is called a recursive function. It is sometimes easier to define a function in its recursive form than in an iterative form. The most common example is the factorial function. However, there is an issue with recursive functions (in the R programming language, other programming languages may not have the same problem, like Haskell): while it is sometimes easier to write a function using a recursive algorithm than an iterative algorithm, like for the factorial function, recursive functions in R are quite slow. Let's take a look at two definitions of the factorial function, one recursive, the other iterative:

```
fact_iter <- function(n){
  result = 1
  for(i in 1:n){
    result = result * i
  }
  result
}
fact_recur <- function(n){
  if(n == 0 || n == 1){
  result = 1
  } else {</pre>
```

```
n * fact_recur(n-1)
}
```

Using the {microbenchmark} package we can benchmark the code:

```
microbenchmark::microbenchmark(
   fact_recur(50),
   fact_iter(50)
)
```

Unit: microseconds expr min lq mean median uq max neval fact recur(50) 21.501 21.701 23.82701 21.901 22.0515 68.902 100 fact iter(50) 2.000 2.101 2.74599 2.201 2.3510 21.000 100

We see that the recursive factorial function is 10 times slower than the iterative version. In this particular example it doesn't make much of a difference, because the functions only take microseconds to run. But if you're working with more complex functions, this is a problem. If you want to keep using the recursive function and not switch to an iterative algorithm, there are ways to make them faster. The first is called *trampolining*. I won't go into details, but if you're interested, there is an R package that allows you to use trampolining with R, aptly called {trampoline}¹. Another solution is using the {memoise}² pack-

¹https://rdinnager.github.io/trampoline/

²https://memoise.r-lib.org/

age. Again, I won't go into details. So if you want to use and optimize recursive functions, take a look at these packages.

6.2.5. Anonymous functions

It is possible to define a function and not give it a name. For example:

```
function(x)(x+1)(10)
```

Since R version 4.1, there is even a shorthand notation for anonymous functions:

((x)(x+1))(10)

Because we don't name them, we cannot reuse them. So why is this useful? Anonymous functions are useful when you need to apply a function somewhere inside a pipe once, and don't want to define a function just for this. This will become clearer once we learn about lists, but before that, let's philosophize a bit.

6.2.6. The Unix philosophy applied to R

This is the Unix philosophy: Write programs that do one thing and do it well. Write programs to work together. Write programs to handle text streams, because that is a universal interface.

Doug McIlroy, in A Quarter Century of Unix³

³https://stackoverflow.com/a/68690065/1298051

We can take inspiration from the Unix philosophy and rewrite it for our purposes:

Write functions that do one thing and do it well. Write functions that work together. Write functions that handle lists, because that is a universal interface.

Strive for writing simple functions that only perform one task. Don't hesitate to split a big function into smaller ones. Small functions that only perform one task are easier to maintain, test, document and debug. These smaller functions can then be chained using the |> operator. In other words, it is preferable to have something like:

a |> f() |> g() |> h()

where a is for example a path to a data set, and where f(), g() and h() successively read, clean, and plot the data, than having something like:

big_function(a)

that does all the steps above in one go.

This idea of splitting the problem into smaller chunks, each chunk in turn split into even smaller units that can be handled by functions and then the results of these function combined into a final output is called composition.

The advantage of splitting $big_function()$ into f(), g() and h() is that you can *eat the elephant one bite at a time*, and also reuse these smaller functions in other projects more easily. So what's important is that you can make small functions work together by sharing a common interface. The list is usually a good candidate for this.

6.3. Lists: a powerful data-structure

Lists are the second important ingredient of functional programming. In the R philosophy inspired by the UNIX philosophy, I stated that *lists are a universal interface* in R, so our functions should handle lists. This of course depends on what it is you're doing. If you need functions to handle numbers, then there's little value in placing these numbers inside lists. But in practice, you will very likely manipulate objects that are more complex than numbers, and this is where lists come into play.

6.3.1. Lists all the way down

Lists are extremely flexible, and most of the very complex objects classes that you manipulate are actually lists, but just fancier. For example, a data frame is a list:

```
data(mtcars)
typeof(mtcars)
```

[1] "list"

A fitted model is a list:

```
my_model <- lm(hp ~ mpg, data = mtcars)</pre>
```

```
typeof(my_model)
```

[1] "list"

A ggplot is a list:

```
library(ggplot2)
my_plot <- ggplot(data = mtcars) +
   geom_line(aes(y = hp, x = mpg))
typeof(my_plot)</pre>
```

[1] "list"

It's lists all the way down, and it's not a coincidence; it's because lists are very powerful. So it's important to know what you can do with lists.

6.3.2. Lists can hold many things

If you write a function that needs to return many objects, the only solution is to place them inside a list. For example, consider this function:

```
)
}
```

This function returns the square root of a number using Newton's algorithm, as well as the number of steps, or iterations, it took to reach the solution:

```
result_list <- sqrt_newton(1600)
result_list
$result
[1] 40
$steps
[1] 10</pre>
```

It is quite common to print the number of steps to the console instead of returning them. But the issue with a function that prints something to the console instead of returning it, is that such a function is not pure, as it changes something outside of its scope (it prints to the console!). And if you need the information that got printed (for example, if you want to count all the steps it took to run the script from start to finish), it is lost. It gets printed, and that's it. It is preferable to instead make the function pure by returning everything inside a neat list. It is then possible to separately save these objects if needed:

```
result <- result_list$result
result_steps <- result_list$steps</pre>
```

Or you could define functions that know how to deal with the list:

```
f <- function(result_list){
    list(
        "result" = result_list$result * 10,
        "steps" = result_list$steps + 1
        )
    }
    f(result_list)
$result
[1] 400
$steps
[1] 11</pre>
```

It all depends on what you want to do. But it is usually better to keep everything neatly inside a list.

Lists can also hold objects of different types:

```
list(
   "a" = head(mtcars),
   "b" = ~lm(y ~ x)
)
```

\$a

mpg cyl disp hp drat wt qsec vs am Mazda RX4 21.0 6 160 110 3.90 2.620 16.46 0 1 6.3. Lists: a powerful data-structure

Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02
Datsun 710	22.8	4	108	93	3.85	2.320	18.61
1 1							
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44
1 0							
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02
0 0							
Valiant	18.1	6	225	105	2.76	3.460	20.22
1 0							
	goar	carh					
	gear	Carb					
Mazda RX4	gear 4	4 carb					
Mazda RX4 Mazda RX4 Wag	4 4	4 4					
Mazda RX4 Mazda RX4 Wag Datsun 710	4 4 4	4 4 1					
Mazda RX4 Mazda RX4 Wag Datsun 710 Hornet 4 Drive	4 4 4 3	4 4 1 1					
Mazda RX4 Mazda RX4 Wag Datsun 710 Hornet 4 Drive Hornet Sportabout	4 4 4 3 3	4 4 1 1 2					
Mazda RX4 Mazda RX4 Wag Datsun 710 Hornet 4 Drive Hornet Sportabout Valiant	4 4 3 3 3	4 4 1 2 1					
Mazda RX4 Mazda RX4 Wag Datsun 710 Hornet 4 Drive Hornet Sportabout Valiant \$b	4 4 3 3 3	4 4 1 2 1					

The list above has two elements, the first is the head of the **mtcars** data frame, the second is a formula object. Lists can even hold other lists:

\$a

	mpg vs a	cyl m	disp	hp	drat	wt	qsec
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46
0 1							
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02
0 1							
Datsun 710	22.8	4	108	93	3.85	2.320	18.61
1 1							
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44
1 0							
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02
0 0							
Valiant	18.1	6	225	105	2.76	3.460	20.22
1 0							
	gear	cart)				
Mazda RX4	4	4	ł				
Mazda RX4 Wag	4	4	ł				
Datsun 710	4	1	L				
Hornet 4 Drive	3	1	L				
Hornet Sportabout	3	2	2				
Valiant	3	1	L				
\$b \$b\$c							
function (x) .Pri	mitiv	ve("s	sart"))			
			<u> </u>				

\$b\$d


Use this to your advantage.

6.3.3. Lists as the cure to loops

Loops are incredibly useful, and you are likely familiar with them. The problem with loops is that they are a concept from iterative programming, not functional programming, and this is a problem because loops rely on changing the state of your program to run. For example, let's suppose that you wish to use a for-loop to compute the sum of the first 100 integers:

```
result <- 0
for (i in 1:100){
    result <- result + i
}</pre>
```

```
print(result)
```

[1] 5050

If you run ls() now, you should see that there's a variable i in your global environment. This could cause issues further down in your pipeline if you need to re-use i. Also, writing loops is, in my opinion, quite error prone. But how can we avoid using loops? Looping in a functional programming language involves using higher-order functions and lists. A reminder: a higherorder function is a function that takes another function as an argument. Looping is a task like any other, so I can write a function that does the looping. This function, which I'll call looping(), will take a function as an argument, as well as a list. The list will serve as the container to hold our numbers:

```
looping <- function(a_list, a_func, init = NULL,
                ...){
    # If the user does not provide an `init`
                      value,
    # set the head of the list as the initial
                      value
    if(is.null(init)){
        init <- a_list[[1]]
        a_list <- tail(a_list, -1)
    }
    # Separate the head from the tail of the list
    # and apply the function to the initial value
```

and the head of the list

Now, this might seem much more complicated than a for loop. However, now that we have abstracted the loop away inside a function, we can keep reusing this function:

```
looping(as.list(seq(1, 100)), `+`)
```

[1] 5050

Of course, because this is so useful, looping() actually ships with R, and is called Reduce():

[1] 5050

But this is not the only way that we can loop. We can also write a loop that applies a function to each element of a list, instead of operating on the whole list:

```
result <- as.list(seq(1, 5))
for (i in seq_along(result)){
   result[[i]] <- sqrt(result[[i]])
}
print(result)
[[1]]
[1] 1
[[2]]
[1] 1.414214
[[3]]
[1] 1.732051
[[4]]
[1] 2
[[5]]
[1] 2.236068</pre>
```

Here again, we have to pollute the global environment by first creating a vessel for our results, and then apply the function at each index. We can abstract this process away in a function:

```
applying <- function(a_list, a_func, ...){
    head_list = a_list[[1]]</pre>
```

Once again this might seem complicated, and I would agree. Abstraction is complex. But once we have it, we can focus on the task at hand, instead of having to always tell the computer what we want:

```
applying(as.list(seq(1, 5)), sqrt)
```

[1] 1.000000 1.414214 1.732051 2.000000 2.236068

Of course, R ships with its own, much more efficient, implementation of this function:

```
lapply(list(seq(1, 5)), sqrt)
```

[[1]] [1] 1.000000 1.414214 1.732051 2.000000 2.236068

In other programming languages, lapply() is often called map().

The {purrr} package ships with other such useful higher-order functions that abstract loops away. For example, there's the function called map2(), that maps a function of two arguments to each element of two atomic vectors or lists, two at a time:

```
library(purrr)
  map2(
    .x = seq(1, 5),
    .y = seq(1, 5),
    .f = `+`
    )
[[1]]
[1] 2
[[2]]
[1] 4
[[3]]
[1] 6
[[4]]
[1] 8
[[5]]
[1] 10
```

If you have more than two lists, you can use pmap() instead.

Another important, idiomatic, way to deal with loops in R is to use matrix algebra instead. For example, to compute the sum of the first 100 integers, the following approach is possible:

```
rep(1, 100) %*% seq(1, 100)
    [,1]
[1,] 5050
```

Also, don't forget that many functions are vectorized by default, so no loop is required:

```
sqrt(seq(1, 5))
[1] 1.000000 1.414214 1.732051 2.000000 2.236068
or:
    seq(1, 5) + seq(1, 5)
```

Before diving directly into loops, check if the functions you're using are vectorized, or if there is a simple way to express the computation you want to run in terms of matrix multiplication.

6.3.4. Data frames

2 4 6 8 10

[1]

As mentioned in the introduction of this section, data frames are a special type of list of atomic vectors. This means that just as I can use lapply() to compute the square root of the elements of an atomic vector, as shown previously, I can also operate on all the columns of a data frame. For example, it is possible to determine the class of every column of a data frame like this:

```
lapply(iris, class)
```

\$Sepal.Length
[1] "numeric"
\$Sepal.Width
[1] "numeric"
\$Petal.Length
[1] "numeric"
\$Petal.Width
[1] "numeric"
\$Species
[1] "factor"

Unlike a list however, the elements of a data frame must be of the same length. Data frames remain very flexible though, and using what we have learned until now it is possible to use the data frame as a structure for all our computations. For example, suppose that we have a data frame that contains data on unemployment for the different subnational divisions of the Grand-Duchy of Luxembourg, the country the author of this book hails from. Let's suppose that I want to generate several plots, per subnational division and per year. Typically, we would use a loop for this, but we can use what we've learned here, as well as some functions from the {dplyr}, {purrr}, {ggplot2} and {tidyr} packages. I will be downloading data that I made available inside a package, but instead of installing the package, I will download the .rda file directly (which is the file format of packaged data) and then load that data into our R session (instead of downloading from the long Github url, I download the data from a shortened *is.qd* link):

Let's load the required packages and take a look at the data:

library(dplyr)

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

filter, lag

The following objects are masked from 'package:base':

intersect, setdiff, setequal, union

```
library(purrr)
  library(ggplot2)
  library(tidyr)
  glimpse(unemp)
Rows: 472
Columns: 9
$ year
                                <dbl> 2013, 2013,
2013, 201~
$ place name
                                <chr>> "Luxembourg",
"Capell~
$ level
                                <chr>> "Country",
"Canton", ~
$ total employed population
                                <dbl> 223407, 17802,
1703, ~
$ of which wage earners
                                <dbl> 203535, 15993,
1535, ~
$ of which non wage earners
                                <dbl> 19872, 1809,
168, 94,~
$ unemployed
                                <dbl> 19287, 1071,
114, 25,~
$ active_population
                                <dbl> 242694, 18873,
1817, ~
$ unemployment rate in percent <dbl> 7.947044,
5.674773. 6~
```

Column names are self-descriptive, but the level column needs some explanations. level contains the administrative divisions of the country, so the country of Luxembourg, then the Cantons and then the Communes.

Remember that Luxembourg can refer to the country, the canton or the commune of Luxembourg. Now let's suppose that I want

a separate plot for the three communes of Luxembourg, Eschsur-Alzette and Wiltz. Instead of creating three separate data frames and feeding them to the same ggplot code, I can instead take advantage of the fact that data frames are lists, and are thus quite flexible. Let's start with filtering:

```
filtered unemp <- unemp %>%
    filter(
      level == "Commune",
      place name %in% c("Luxembourg",
   → "Esch-sur-Alzette", "Wiltz")
     )
  glimpse(filtered unemp)
Rows: 12
Columns: 9
$ year
                                <dbl> 2013, 2013,
2013, 201~
$ place name
                                <chr>
"Esch-sur-Alzette", "~
$ level
                                <chr>> "Commune",
"Commune",~
                                <dbl> 12725, 39513,
$ total employed population
2344, 1~
$ of_which_wage_earners
                                <dbl> 12031, 35531,
2149, 1~
$ of_which_non_wage_earners
                                <dbl> 694, 3982, 195,
703, ~
$ unemployed
                                <dbl> 2054, 3855,
318, 1997~
$ active_population
                                <dbl> 14779, 43368,
2662, 1~
```

\$ unemployment_rate_in_percent <dbl> 13.898099, 8.889043, ~

We are now going to use the fact that data frames are lists, and that lists can hold any type of object. For example, remember this list from before where one of the elements is a data frame, and the second one a formula:

```
list(
  "a" = head(mtcars),
  "b" = ~lm(y ~ x)
)
```

\$a

	mpg	cyl	disp	hp	drat	wt	qsec
	vs a	am					
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46
0 1							
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02
0 1							
Datsun 710	22.8	4	108	93	3.85	2.320	18.61
1 1							
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44
1 0							
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02
0 0							
Valiant	18.1	6	225	105	2.76	3.460	20.22
1 0							
	gear	carb)				
Mazda RX4	4	4	-				
Mazda RX4 Wag	4	4	-				
Datsun 710	4	1					
Hornet 4 Drive	3	1					
Hornet Sportabout	3	2	2				

Valiant

1

3

\$b ~lm(y ~ x)

{dplyr} comes with a function called group_nest() which groups the data frame by a variable (such that the next computations will be performed group-wise) and then nests the other columns into a smaller data frame. Let's try it and see what happens:

```
nested_unemp <- filtered_unemp %>%
group_nest(place_name)
```

Let's see what this looks like:

nested_unemp

#	A tibble: 3 x 2	
	place_name	data
	<chr></chr>	<list<tibble[,8]>></list<tibble[,8]>
1	Esch-sur-Alzette	[4 x 8]
2	Luxembourg	[4 x 8]
3	Wiltz	[4 x 8]

nested_unemp is a new data frame of 3 rows, one per commune ("Esch-sur-Alzette", "Luxembourg", "Wiltz"), and of two columns, one for the names of the communes, and the other contains every other variable inside a smaller data frame. So this is a data frame that has one column where each element of that column is itself a data frame. Such a column is called a list-column. This is essentially a list of lists.

Let's now think about this for a moment. If the column titled data is a list of data frames, it should be possible to use a

function like map() or lapply() to apply a function on each of these data frames. Remember that map() or lapply() require a list of elements of whatever type and a function that accepts objects of this type as input. So this means that we could apply a function that plots the data to each element of the column titled data. Since each element of this column is a data frame, this function needs a data frame as an input. As a first and simple example to illustrate this, let's suppose that we want to determine the number of rows of each data frame. This is how we would do it:

'data' is the name of
the list-column that contains
the smaller data frames

The new column, titled **nrows** is a list of integers. We can simplify it by converting it directly to an atomic vector of integers by using map_int() instead of map():

```
nested_unemp %>%
    mutate(nrows = map_int(data, nrow))
# A tibble: 3 x 3
```

	place_name	data	nrows
	<chr></chr>	<list<tibble[,8]>></list<tibble[,8]>	<int></int>
1	Esch-sur-Alzette	[4 x 8]	4
2	Luxembourg	[4 x 8]	4
3	Wiltz	[4 x 8]	4

Let's try a more complex example now. What if we want to filter rows (of course, the simplest way would be to filter the rows we need before nesting the data frame)? We need to apply the function filter() where its first argument is a data frame and the second argument is a predicate:

In this case, we need to use an anonymous function. This is because filter() has two arguments and we need to make clear what it is we are mapping over and what argument stays fixed; we are mapping over (iterating) the data frames but the predicate year == 2015 stays fixed.

We are now ready to plot our data. The best way to continue is to first get the function right by creating one plot for one single commune. Let's select the dataset for the commune of Luxembourg:

```
lux_data <- nested_unemp %>%
filter(place_name == "Luxembourg") %>%
unnest(data)
```

To plot this data, we can now write the required ggplot2() code:



To turn the lines of code above into a function, you need to think about how many arguments that function would have. There is an obvious one, the data itself (in the snippet above, the data is the lux_data object). Another one that is less obvious is in the title:

```
labs(title = "Unemployment in Luxembourg")
```

Ideally, we would want that title to change depending on the data set. So we could write the function like so:

Let's try it on our data:

```
make_plot(lux_data, "Luxembourg")
```

6. Functional programming



Ok, so now, we simply need to apply this function to our nested data frame:

```
nested unemp <- nested unemp %>%
    mutate(plots = map2(
      .x = data, # column of data frames
      .y = place_name, # column of commune names
      .f = make plot
    ))
  nested unemp
# A tibble: 3 x 3
 place name
                                  data plots
                   <list<tibble[,8]>> <list>
  <chr>
                               [4 x 8] <gg>
1 Esch-sur-Alzette
                               [4 x 8] <gg>
2 Luxembourg
                               [4 x 8] <gg>
3 Wiltz
```

If you look at the plots column, you see that it is a list of gg objects: these are our plots. Let's take a look at them:

```
nested_unemp$plots
```

[[1]]



[[2]]

6. Functional programming



[[3]]



We could also have used an anonymous function (but it is more difficult to get right):

```
nested unemp %>%
  mutate(plots2 = map2(
    .x = data,
    .y = place name,
    .f = (.x, .y)(
                 ggplot(data = .x) +
                   theme minimal() +
                   geom line(
                     aes(year,
                      unemployment_rate_in_percent,
                      \hookrightarrow group = 1)
                    ) +
                   labs(title =
                    → paste("Unemployment in",
                    → .y))
                   )
            )
         ) %>%
  pull(plots2)
```



[[2]]







This list-column based workflow is extremely powerful and I highly advise you to take the required time to master it. Remember, we never want to have to repeat ourselves. This approach might seem more complicated than calling make_plot() three times, but imagine that you need to do this for several countries, several variables, etc... What are you going to do, copy and paste code everywhere? This gets very tedious and more importantly, very error-prone, because now you've just introduced many points of failure by having so much copy-pasted code. You could of course use a loop instead of this list-column based workflow. But as mentioned, the issue with loops is that you have to interact with the global environment, which can lead to other issues. But whatever you end up using, you need to avoid copy and pasting at all costs.

6.4. Functional programming in R

Up until now I focused on general concepts rather than on specifics of the R programming language when it comes to functional programming. In this section, we will be focusing entirely on R-specific capabilities and packages for functional programming.

6.4.1. Base capabilities

R is a functional programming language (but not only), and as such it comes with many functions out of the box to write functional code. We have already discussed lapply() and Reduce(). You should know that depending on what you want to achieve, there are other functions that are similar to lapply(): apply(), sapply(), vapply(), mapply() and tapply(). There's also Map() which is a wrapper around mapply(). Each function performs the same basic task of applying a function over all the elements of a list or list-like structure, but it can be hard to keep them apart and when you should use one over another. This is why {purrr}, which we will discuss in the next section, is quite an interesting alternative to base R's offering.

Another one of the quintessential functional programming functions (alongside Reduce() and Map()) that ships with R is Filter(). If you know dplyr::filter() you should be familiar with the concept of filtering rows of a data frame where the elements of one particular column satisfy a predicate. Filter() works the same way, but focusing on lists instead of data frame:

[[1]] [1] "Hey"

The call above only returns the elements where is.character() evaluates to TRUE.

Another useful function is Negate() which is a function factory that takes a boolean function as an input and returns the opposite boolean function. As an illustration, suppose that in the example above we wanted to get everything *but* the character:

[[1]] [1] 1 2 3 4 5

There are some other functions like this that you might want to check out: type ?Negate in console to read more about them.

Sometimes you may need to run code with side-effects, but want to avoid any interaction between these side-effects and the global environment. For example, you might want to run some code that creates a plot and saves it to disk, or code that creates some data and writes them to disk. local() can be used for this. local() runs code in a temporary environment that gets discarded at the end:

```
local({
    a <- 2
})</pre>
```

Variable **a** was created inside this local environment. Checking if it exists now yields **FALSE**:

```
exists("a")
```

[1] FALSE

We will be using this technique later in the book to keep our scripts pure.

Before continuing with R packages that extend R's functional programming capabilities it's also important to stress that just as R is a functional programming language, it is also an object oriented language. In fact, R is what John Chambers called a *functional OOP* language (Chambers (2014)). I won't delve too much into what this means (read Wickham (2019) for this), but as a short discussion, consider the print() function. Depending on what type of object the user gives it, it seems as if somehow print() knows what to do with it:

print(5)

[1] 5

```
print(head(mtcars))
```

	mpg	cyl	disp	hp	drat	wt	qsec
	vs a	am					
Mazda RX4 0 1	21.0	6	160	110	3.90	2.620	16.46
Mazda RX4 Wag O 1	21.0	6	160	110	3.90	2.875	17.02
Datsun 710	22.8	4	108	93	3.85	2.320	18.61
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02
Valiant 1 O	18.1	6	225	105	2.76	3.460	20.22
	gear	carb)				
Mazda RX4	4	4	L				
Mazda RX4 Wag	4	4	Ł				
Datsun 710	4	1	_				
Hornet 4 Drive	3	1					
Hornet Sportabout	3	2	2				
Valiant	3	1	-				
<pre>print(str(mtcar)</pre>	s))						

'data.frame': 32 obs. of 11 variables: \$ mpg : num 21 21 22.8 21.4 18.7 18.1 14.3 24.4 22.8 19.2 ... \$ cyl : num 6 6 4 6 8 6 8 4 4 6 ... \$ disp: num 160 160 108 258 360 ... \$ hp : num 110 110 93 110 175 105 245 62 95 123 ... \$ drat: num 3.9 3.9 3.85 3.08 3.15 2.76 3.21 3.69 3.92 3.92 ...

```
$ wt : num 2.62 2.88 2.32 3.21 3.44 ...
$ qsec: num 16.5 17 18.6 19.4 17 ...
$ vs : num 0 0 1 1 0 1 0 1 1 1 1 ...
$ am : num 1 1 1 0 0 0 0 0 0 0 0 ...
$ gear: num 4 4 4 3 3 3 3 4 4 4 ...
$ carb: num 4 4 1 1 2 1 4 2 2 4 ...
NULL
```

This works by essentially mixing both functional and objectoriented programming, hence functional OOP. Let's take a closer look at the source code of print() by simply typing print without brackets, into a console:

print

```
function (x, ...)
UseMethod("print")
<bytecode: 0x55cadd714b38>
<environment: namespace:base>
```

Quite unexpectedly, the source code of print() is one line long and is just UseMethod("print"). So all print() does is use a generic method called "print". If your text editor has autocompletion enabled, you might see that there are actually many print() functions. For example, type print.data.frame into a console:

```
print.data.frame
function (x, ..., digits = NULL, quote = FALSE,
right = TRUE,
row.names = TRUE, max = NULL)
{
    n <- length(row.names(x))</pre>
```

```
if (length(x) == 0L) {
    cat(sprintf(ngettext(n, "data frame with 0
    columns and %d row",
        "data frame with 0 columns and %d
        rows"), n), "\n",
        sep = "")
}
else if (n == 0L) {
   print.default(names(x), quote = FALSE)
    cat(gettext("<0 rows> (or 0-length
    row.names)\n"))
}
else {
    if (is.null(max))
        max <- getOption("max.print", 99999L)</pre>
    if (!is.finite(max))
        stop("invalid 'max' /
        getOption(\"max.print\"): ",
            max)
    omit <- (n0 <- max %/% length(x)) < n
    m <- as.matrix(format.data.frame(if (omit)</pre>
        x[seq len(n0), , drop = FALSE]
    else x, digits = digits, na.encode = FALSE))
    if (!isTRUE(row.names))
        dimnames(m)[[1L]] <- if
        (isFALSE(row.names))
            rep.int("", if (omit)
              n0
            else n)
        else row.names
   print(m, ..., quote = quote, right = right,
   max = max)
    if (omit)
```

This is the print function for data.frame objects. So what print() does, is look at the class of its argument x, and then look for the right print function to call. In more traditional OOP languages, users would type something like:

```
mtcars.print()
```

In these languages, objects encapsulate methods (the equivalent of our functions), so if mtcars is a data frame, it encapsulates a print() method that then does the printing. R is different, because classes and methods are kept separate. If a package developer creates a new object class, then the developer also must implement the required methods. For example in the {chronicler} package, the chronicler class is defined alongside the print.chronicler() function to print these objects.

All of this to say that if you want to extend R by writing packages, learning some OOP essentials is also important. But for data analysis, functional programming does the job perfectly well. To learn more about R's different OOP systems (yes, R can do OOP in different ways and the one I sketched here is the simplest, but probably the most used as well), take a look at Wickham (2019).

6.4.2. purrr

The {purrr} package, developed by Posit (formerly RStudio), contains many functions to make functional programming with R more smooth. In the previous section, we discussed the apply() family of function; they all do a very similar thing, which is looping over a list and applying a function to the elements of the list, but it is not quite easy to remember which one does what. Also, for some of these functions like apply(), the list argument comes first, and then the function, but in the case of mapply(), the function comes first. This type of inconsistencies can be frustrating. Another issue with these functions is that it is not always easy to know what type the output is going to be. List? Atomic vector? Something else?

{purrr} solves this issue by offering the map() family of functions, which behave in a very consistent way. The basic function is called map() and we've already used it:

map(seq(1, 5), sqrt)
[[1]]
[1] 1
[[2]]
[1] 1.414214
[[3]]
[1] 1.732051
[[4]]
[1] 2
[[5]]

[1] 2.236068

But there are many interesting variants:

```
map_dbl(seq(1, 5), sqrt)
```

[1] 1.000000 1.414214 1.732051 2.000000 2.236068

map_dbl() coerces the output to an atomic vector of doubles instead of a list of doubles. Then there's:

map_chr(letters, toupper)

[1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K" "L" "M" "N" [15] "O" "P" "Q" "R" "S" "T" "U" "V" "W" "X" "Y" "Z"

for when the output needs to be an atomic vector of characters.

There are many others, so take a look at the documentation with ?map. There's also walk() which is used if you're only interested in the side-effect of the function (for example if the function takes paths as input and saves something to disk).

{purrr} also has functions to replace Reduce(), simply called reduce() and accumulate(), and there are many, many other useful functions. Read through the documentation of the package⁴ and take the time to learn about all it has to offer.

 $^{{}^{4}} https://purrr.tidyverse.org/reference/index.html$

6.4.3. withr

{withr} is a powerful package that makes it easy to "purify" functions that behave in a way that can cause problems. Remember the function from the introduction that randomly gave out a dish Bruno liked? Here it is again:

```
h <- function(name, food_list = list()){
  food <- sample(c("lasagna", "cassoulet",
    "feijoada"), 1)
  food_list <- append(food_list, food)
  print(paste0(name, " likes ", food))
  food_list
}</pre>
```

For the same input, this function may return different outputs so this function is not referentially transparent. So we improved the function by adding calls to set.seed() like this:

```
h2 <- function(name, food_list = list(), seed =
    123){
    # We set the seed, making sure that we get the
    same selection of food for a given seed
    set.seed(seed)
    food <- sample(c("lasagna", "cassoulet",
        "feijoada"), 1)</pre>
```

The problem with this approach is that we need to modify our function. We can instead use withr::with_seed() to achieve the same effect:

[1] "Bruno likes feijoada"

[[1]] [1] "feijoada"

It is also easier to create a wrapper if needed:

[1] "Bruno likes feijoada"

[[1]] [1] "feijoada"

In a previous example we downloaded a dataset and loaded it into memory; we did so by first creating a temporary file, then downloading it and then loading it. Suppose that instead of loading this data into our session, we simply wanted to test whether the link was still working. We wouldn't want to keep the loaded data in our session, so to avoid having to delete it again manually, we could use with_tempfile():

```
withr::with_tempfile("unemp", {
    download.file(
        "https://is.gd/157cNX",
        destfile = unemp)
    load(unemp)
    nrow(unemp)
    }
)
```

[1] 472

The data got downloaded, and then loaded, and then we computed the number of rows of the data, without touching the global environment, or state, of our current session.

Just like for $\{purrr\}$, $\{withr\}$ has many useful functions which I encourage you to familiarize yourself with⁵.

⁵https://withr.r-lib.org/reference/index.html

6.5. Conclusion

If there is only one thing that you should remember from this chapter, it would be pure functions. Writing pure functions is in my opinion not very difficult to do and comes with many benefits. But avoiding loops and replacing them with higher-order functions (lapply(), Reduce(), purrr::map() – and its variants –) also pays off. While this chapter stresses the advantages of functional programming, you should not forget that R is not a pure, and solely, functional programming language and that other paradigms, like object-oriented programming, are also available to you. So if your goal is to master the language (instead of "just" using it to solve data analysis problems), then you also need to know about R's OOP capabilities.
7. Literate programming

You now know about version control, how to collaborate using Github.com and functional programming. By only learning about this, you have already made some massive steps towards making your projects reproducible. Especially by using Git and Github. Even if you're using private repos and work in the private sector, by using version control, you ensure that reusing this code for future projects is much easier. Auditing is greatly simplified as well.

But this book is still far from over. Let's think about our project up until now. We have downloaded some data, and wrote code to analyse it. Fair enough. But usually, we don't really stop there. We now need to write a report, or maybe a Powerpoint presentation. If you're a researcher, you still need to write a paper, just getting the results is not enough, and if you work in the private sector, you also need to present the results of your analysis to management.



Figure 7.1.: The cursed report drafting loop.

The problem is that writing code, getting some results, and putting these results into a document (it doesn't matter what kind) is often very tedious. The picture above illustrates this cursed report drafting loop. Get some results, copy and paste images into Word or Powerpoint, get a change request, or notice a mistake, and start from scratch again. If you're using LaTeX it'll be easier for pictures, but you'll still need to update tables by hand each time you need to touch your analysis code.

Worse, what if you start with a Word or LaTeX document, but then get asked to make a Powerpoint presentation as well? Then you need to copy and paste everything again, but this time into Powerpoint... and if you get a change request after you're done and need to start over, you might seriously consider raising goats instead of dealing with this again.

But if we can make the loop look like this instead:



Figure 7.2.: The holy report drafting loop.

Basically, everything from cleaning, analysing and drafting is done in one single step? Well, this is what literate programming enables you to do. And even if you get asked to make a Powerpoint presentation, you can start from the same source code as the original report, and remove everything that you don't need and compile to a Powerpoint (or Beamer) presentation.

7.1. A quick history of literate programming

In literate programming, authors mix code and prose, which makes the output of their programs not just a series of tables, or graphs or predictions, but a complete report that contains the results of the analysis directly embedded into it. Scripts written using literate programming are also very easy to compile, or render, into a variety of document formats like html, docx, pdf or even pptx. R supports several frameworks for literate programming: Sweave, knitr and Quarto.

Sweave was the first tool available to R (and S) users, and allowed the mixing of R and LaTeX code to create a document. Friedrich Leisch developed Sweave in 2002 and described it in

his 2002 paper (Leisch 2002). As Leisch argues, the traditional way of writing a report as part of a statistical data analysis project uses two separate steps: running the analysis using some software, and then copy and pasting the results into a word processing tool (as illustrated above). To really drive that point home: the problem with this approach is that much time is wasted copy and pasting things, so experimenting with different layouts or data analysis techniques is very time-consuming. Copy and paste mistakes will also happen (it's not a question of if, but when) and updating reports (for example, when new data comes in) means that someone will have, again, to copy and paste the updated results into a new document.

Sweave makes it possible to embed the analysis in the final document itself, by providing a way to mix LaTeX and R code which gets executed whenever the final, output document gets compiled. This gives practitioners considerable time savings because it eliminates the copy and pasting of results from R outputs into a document.

The snippet below shows the example from Leisch's paper:

```
\documentclass[a4paper]{article}
```

\begin{document}

In this example we embed parts of the examples from
the
\texttt{kruskal.test} help page into a LaTeX
document:
<<>>=
data (airquality)

```
kruskal.test(Ozone ~ Month, data = airquality)
@
```

```
which shows that the location parameter of the Ozone
distribution varies significantly from month to
month.
Finally we include a boxplot of the data:
\begin{center}
<<fig=TRUE,echo=FALSE>>=
boxplot(Ozone ~ Month, data = airquality)
@
\end{center}
\end{document}
```

Even if you've never seen a LaTeX source file, you should be able to figure out what's going on. The first line states what type of document we're writing. Then comes \begin{document} which tells the compiler where the document starts. Then comes the content. You can see that it's a mixture of plain English with R code defined inside chunks starting with <>>= and ending with @. Finally, the document ends with \end{document}. Getting a human-readable PDF from this source is a two-step process: first, this source gets converted into a .tex file and then this .tex file into a PDF. Sweave is included with every R installation since version 1.5.0, and still works to this day. For example, we can test that our Sweave installation works just fine by compiling the example above. This is what the final output looks like:

7. Literate programming

In this example we embed parts of the examples from the kruskal.test help page into a LATEX document:

which shows that the location parameter of the Ozone distribution varies significantly from month to month. Finally we include a boxplot of the data:



Figure 7.3.: More than 20 years later, the output is still the same.

Let me just state that the fact that it is still possible to compile this example more than 20 years later is an incredible testament to how mature and stable this software is (both R, Sweave, and LaTeX). But as impressive as this is, LaTeX has a steep learning curve, and Leisch even advocated the use of the Emacs text editor to edit Sweave files, which also has a very steep learning curve (but this is entirely optional; for example, I've edited and compiled the example on the RStudio IDE).

The next generation of literate programming tools was provided by a package called {knitr} in 2012. From the perspective of the user, the biggest change from Sweave is that {knitr} is able to use many different formats as source files. The one that became very likely the most widely used format is a flavour of the Markdown markup language, R Markdown (Rmd). But this is not the only difference with Sweave:{knitr} can also run code chunks for other languages, such as Python, Perl, Awk, Haskell, bash and more (Xie 2014). Since version 1.18, {knitr} uses the {reticulate} package to provide a Python engine for the Rmd format. To illustrate the Rmd format, let's rewrite the example from Leisch's Sweave paper into it:

```
___
output: pdf document
In this example we embed parts of the examples
\hookrightarrow from the
\texttt{kruskal.test} help page into a LaTeX
\rightarrow document:
```{r}
data (airquality)
kruskal.test(Ozone ~ Month, data = airquality)
....
which shows that the location parameter of the

→ Ozone

distribution varies significantly from month to
 \rightarrow month.
Finally we include a boxplot of the data:
```{r, echo = FALSE}
boxplot(Ozone ~ Month, data = airquality)
. . .
```

This is what the output looks like:

In this example we embed parts of the examples from the kruskal.test help page into a LATEX document:

```
data (airquality)
kruskal.test(Ozone ~ Month, data = airquality)
##
## Kruskal-Wallis rank sum test
##
## data: Ozone by Month
## Kruskal-Wallis chi-squared = 29.267, df = 4, p-value = 6.901e-06
```

which shows that the location parameter of the Ozone distribution varies significantly from month to month. Finally we include a boxplot of the data:



Figure 7.4.: It's very close to the Sweave output.

Just like in a Sweave document, an Rmd source file also has a header in which authors can define a number of general options. Here I've only specified that I wanted a pdf document as an output file. I then copy and pasted the contents from the Sweave source, but changed the chunk delimiters from <>>= and @ to $```{r}$ to start an R chunk and ``` to end it. Remember; we need to specify the engine in the chunk because {knitr} supports many engines. For example, it is possible to run a

bash command by adding this chunk to the source:

```
output: pdf_document
In this example we embed parts of the examples
\rightarrow from the
\texttt{kruskal.test} help page into a LaTeX
 \rightarrow document:
```{r}
data (airquality)
kruskal.test(Ozone ~ Month, data = airquality)
- - -
which shows that the location parameter of the
 Ozone
 \hookrightarrow
distribution varies significantly from month to
 \rightarrow month.
Finally we include a boxplot of the data:
```{r, echo = FALSE}
boxplot(Ozone ~ Month, data = airquality)
. . .
```{bash}
pwd
- - -
```

(bash's pwd command shows the current working directory). You may have noticed that I've also kept two LaTeX commands in the source Rmd, \texttt{} and LaTeX. This is because Rmd files get first converted into LaTeX files and then into a PDF. If

you're using RStudio, this document can be compiled by clicking a button or using a keyboard shortcut, but you can also use the **rmarkdown::render()** function. This function does two things transparently: it first converts the Rmd file into a source LaTeX file, and then converts it into a PDF. It is of course possible to convert the document to a Word document as well, but in this case, LaTeX commands will be ignored. Html is another widely used output format.

If you're a researcher and prefer working with LaTeX directly instead of having to switch to Markdown, you can either use Sweave, or use {knitr} but instead of writing your documents using the R Markdown format, you can use the Rnw format which is basically the same as Sweave, but uses {knitr} for compilation. Take a look at this example<sup>1</sup> from the {knitr} Github repository for example.

You should know that {knitr} makes it possible to author many, many different types of documents. It is possible to write books, blogs, package documentation (and even entire packages, as we shall see later in this book), Powerpoint slides... It is extremely powerful because we can use the same general R Markdown knowledge to build many different outputs.

<sup>&</sup>lt;sup>1</sup>https://is.gd/Z7VS09



Figure 7.5.: One format to rule them all.

Finally, the latest in literate programming for R is a new tool developed by Posit, called Quarto. If you're an R user and already know {knitr} and the Rmd format, you should be able to immediately use Quarto. So what's the difference? In practice and for R users not much but there are some things that Quarto is able to do out of the box for which you'd need extensions with {knitr}. Quarto has some nice defaults; in fact, this book is written in Quarto's Markdown flavour and compiled with Quarto instead of {knitr} because the default Quarto output looks nicer than the default {knitr} output. However, there may even be things that Quarto can't do at all (at least for now) when compared to {knitr}. So why bother switching? Well, Quarto provides same defaults and some nice features out of the box, and the cost of switching from the Rmd format to Quarto's Qmd format is basically 0. Also, and this is probably

the biggest reason to use Quarto, Quarto is not tied to R. Quarto is actually a standalone tool that needs to be installed alongside your R installation, and works completely independently. In fact, you can use Quarto without having R installed at all, as Quarto, just like {knitr} supports many engines. This means that if you're primarily using Python, you can use Quarto to author documents that mix Python chunks and prose. Quarto also supports the Julia programming language and Observable JS, making it possible to include interactive visualisations into an Html document. Let's take a look at how the example from Leisch's paper looks as a Qmd (Quarto's flavour of Markdown) file:

```

output: pdf

In this example we embed parts of the examples
 from the
 \texttt{kruskal.test} help page into a LaTeX
 document:
    ```{r}
data (airquality)
kruskal.test(Ozone ~ Month, data = airquality)
    ````
which shows that the location parameter of the
 Ozone
```

(I've omitted the bash chunk from before, not because Quarto does not support it, but to keep close to the original example from the paper.)

As you can see, it's exactly the same as the Rmd file from before. The only difference is in the header. In the Rmd file I specified the output format as:

--output: pdf\_document ---

whereas in the Qmd file we changed it to:

```

output: pdf

```

While Quarto is the latest option in literate programming, it is quite recent, and as such, I feel it might be better to stick with {knitr} and the Rmd format for now, so that's what we're going to use going forward. Also, the {knitr} and the Rmd format are here to stay, so there's little risk in keeping using it, and anyways, as already stated, if switching to Quarto becomes a necessity, the cost of switching would be very, very low. In what follows, I won't be focused on anything really {knitr} or Rmd specific, so should you want to use Quarto instead, you should be able to follow along without any problems at all, since the Rmd and Qmd formats have so much overlap. Also, Quarto needs to be installed separately, but to use {knitr} and RMarkdown, no specific tools are necessary.

In the next two sections, I will show you how to set up and use {knitr} as well as give you a quick overview of the R Markdown syntax. However, we will very quickly focus on the templating capabilities of {knitr}: expanding text, using child documents, and parameterised reports. These are advanced topics and not easy to tackle if you're not comfortable with R already. Just as functions and higher-order functions like lapply() avoid having to repeat yourself, so does templating, but for literate programming. The goal is to write functions that return literal R Markdown code, so that you can loop over these functions to build entire sections of your documents. However, the learning curve for these features is quite steep, but by now, you should have noticed that this book expects a lot from you. Keep going, and you shall be handsomely rewarded.

## 7.2. {knitr} basics

This section will be a very small intro to  $\{\texttt{knitr}\}$ . I'm going to teach you just enough to get started writing Rmd files. Most, if not all, of what I'll be explaining here is also applicable to the Qmd format. There are many resources out there that you can use if you want to dig deeper, for instance the R Markdown website<sup>2</sup> from Posit, or the R Markdown: The Definitive Guide<sup>3</sup> and R Markdown Cookbook<sup>4</sup> eBooks. I will also not assume that you are using the RStudio IDE and give you instead the lower level commands to render documents. If you use RStudio and want to know how to use it effectively to author Rmd documents, you should take a look at this<sup>5</sup> page. In fact, this section will basically focus on the same topics, but without RStudio.

#### 7.2.1. Set up

The first step is to install the {knitr} and the {rmarkdown} packages. That's easy, just type:

```
install.packages("rmarkdown")
```

in an R console. Since {knitr} is required to install {rmarkdown}, it gets installed automatically. If you want to compile PDF documents, you should also have a working LaTeX distribution. You can skip this next part if you're only interested in generating Html and Word files. For what follows in the book, we will only be rendering Html documents,

 $<sup>^{2}</sup> https://rmarkdown.rstudio.com/lesson-1.html$ 

<sup>&</sup>lt;sup>3</sup>https://bookdown.org/yihui/rmarkdown/

<sup>&</sup>lt;sup>4</sup>https://bookdown.org/yihui/rmarkdown-cookbook/

 $<sup>^{5}</sup>$  https://rmarkdown.rstudio.com/authoring\_quick\_tour.html

so no need to install LaTeX (by the way, you don't even need a working Word installation to compile documents to the docx format). However, if you already have a working LaTeX installation, you shouldn't have to do anything else to generate PDF documents. If you don't have a working LaTeX distribution, then Yihui Xie, the creator of {knitr} created an R package called {tinytex} which you can use to install a working LaTeX distribution very easily. In fact, this is the way I recommend installing LaTeX even if you're not an R user (it is possible to use the tinytex distribution without R; it's just that the {tinytex} R package provides many functions that makes installing and maintaining it very easy). Simply run these commands in an R console to get started:

install.packages("tinytex")
tinytex::install\_tinytex()

and that's it! If you need to install specific LaTeX packages, then refer to the **Maintenance** section on tinytex's<sup>6</sup> website. For example, to compile the example from Leisch's article on Sweave discussed previously, the grfext LaTeX package needs to be installed (as explained by the error output in the console when I tried compiling). To install this package, you can use the tlmgr\_install() function from {tinytex}:

```
tlmgr_install("grfext")
```

After you've installed {knitr}, {rmarkdown} and, optionally, {tinytex}, simply try to compile the following document:

 $<sup>^{6}</sup> https://yihui.org/tinytex/\#maintenance$ 

save this document into a file called rmd\_test.rmd using your favourite text editor. Then render it into an Html file by running the following command in the R console:

```
rmarkdown::render("path/to/rmd_test.rmd")
```

This should create a file called **rmd\_test.html**; open it with your web browser and you should see the following:

# Document title Section title

### Subsection title

This is **bold** text. This is *text in italics*. My favourite programming language for statistics is <del>SAS</del> R.

Figure 7.6.: This is how formatting looks like, once the document is compiled.

Congratulations, you just knitted your first Rmd document!

#### 7.2.2. Markdown ultrabasics

R Markdown is a flavour of Markdown, which means that you should know some Markdown to really take full advantage of R Markdown. The example document from before should have already shown you some basics: titles, sections and subsections all start with a **#** and the depth level is determined by the number of **#s**. For bold text, simply put the words in between **\*\*** and for italics use only one **\***. If you want **bold and italics**, use **\*\*\***. The original designer of Markdown did not think that underlining text was important, so there is no *easy* way of doing it, unfortunately. For this, you need to use a somewhat hidden feature; without going into too many technical details, the program that converts Rmd files to the final output format is called Pandoc, and it's possible to use some of Pandoc's features to format text. For example, for underlining:

```
[This is some underlined text in a R Markdown

\rightarrow document]{.underline}
```

This will underline the text between square brackets.<sup>7</sup>

The next step is to mix code and prose. As you've seen from Leisch's canonical example, this is quite easily achieved by using R code chunks. The R Markdown example below shows various code chunks alongside some options. For example, a code chunk that uses the echo = FALSE option will not appear (but the output of the computation will):

```

title: "Document title"
output: html_document
date: "2023-01-28"

R code chunks
This below is an R code chunk:
```{r}
data(mtcars)
plot(mtcars)
````
```

<sup>&</sup>lt;sup>7</sup>https://stackoverflow.com/a/68690065/1298051

```
The code chunk above will appear in the final
\rightarrow output.
The code chunk below will be hidden:
```{r, echo = FALSE}
data(iris)
plot(iris)
This next code chunk will not be evaluated:
```{r, eval = FALSE}
data(titanic)
str(titanic)
The last one below runs, but code and output
\hookrightarrow from the code is
not shown in the final document. This is useful

→ for loading

libraries and hiding startup messages:
```

```
```{r, include = FALSE}
library(dplyr)
```
```

If you use RStudio and create a new R Markdown file from the menu, a template R Markdown file is generated for you to fill out. The first R chunk is this one:

```
```{r setup, include=FALSE}
knitr::opts_chunk$set(echo = TRUE)
```
```

This is an R chunk named setup with the option include = FALSE (so neither the chunk itself, nor the output it produces will be shown in the compiled document). Naming chunks is optional, but we are going to make use of this later on. The code that runs in this chunk defines a global option to show the source code from all the chunks by default (which is the default behaviour). You can change TRUE to FALSE if you want to hide every code chunk instead (if you're using Quarto, global options are set differently<sup>8</sup>).

Something else you might have noticed in the previous example, is that we've added some more content in the header:

```

title: "Document title"
output: html_document
date: "2023-01-28"

```

 $<sup>^{8}</sup> https://quarto.org/docs/computations/execution-options.html$ 

There are several other options available that you can define in the header. Later on, I will show you some more options, for example how to define a table of contents.

To finish this part on code chunks, you should know about inline code chunks. Take a look at the following example:

```

title: "Document title"
output: html_document
date: "2023-01-28"

R code chunks
```{r, echo = FALSE}
data(iris)
```
The iris dataset has `r nrow(iris)` rows.
```

The last sentence from this example has an inline code chunk. This is quite useful, as it allows to parameterise sentences and paragraphs, and thus avoids needing to copy and paste (and we will go quite far into how to avoid copy and pasting, thanks to more advanced features we will shortly discuss).

To finish this crash course, you should know that to use footnotes you need to write the following:

This sentence has a footnote. [^1]

[^1]: This is the footnote.

or the following (which I prefer):

```
This sentence has a footnote.^[This is the \hookrightarrow footnote]
```

and that you can write LaTeX formulas as well. For example, add the lines below into the example from before and render either a PDF or an HTML document (don't put the LaTeX formula below inside a chunk, simply paste it as if it were normal text. This doesn't work for Word output because Word does not support LaTeX equations):

The LaTeX code above results in this equation:

$$egin{aligned} S(\omega) &= rac{lpha g^2}{\omega^5} e^{[-0.74 \left\{ rac{\omega U_\omega 19.5}{g} 
ight\}^{-4}]} \ &= rac{lpha g^2}{\omega^5} \mathrm{exp} \Big[ -0.74 \Big\{ rac{\omega U_\omega 19.5}{g} \Big\}^{-4} \Big] \end{aligned}$$

Figure 7.7.: A rendered LaTeX equation.

## 7.3. Keeping it DRY

Remember; we never, ever, want to have to repeat ourselves. Copy and pasting is forbidden. Striving for 0 copy and pasting will make our code much more robust and likely to be correct.

To keep DRY, we started by using functions, as discussed in the previous chapter, but we can go much further than that. For example, suppose that we need to write a document that has the following structure:

- A title
- A section
- A table inside this section
- Another section
- Another table inside this section
- Yet another section
- Yet another table inside this section

Is there a way to automate the creation of such a document by taking advantage of the repeating structure? Of course there is. The question is not, is it possible to do X?, but how to do X?.

#### 7.3.1. Generating R Markdown code from code

The example below is a fully working minimal example of this. Copy it inside a document titled something like rmd\_templating.Rmd and render it. You will see that the output contains more sections than defined in the source. This is because we use templating at the end. Take some time to read the document, as the text inside explains what is going on:

```

title: "Templating"
output: html_document
date: "2023-01-27"

```{r setup, include=FALSE}
knitr::opts_chunk$set(echo = TRUE)
```
A function that creates tables
```{r}
create_table <- function(dataset, var){
  table(dataset[var]) |>
    knitr::kable()
}
....
```

```
The function above uses the `table()` function
 \rightarrow to create
frequency tables, and then this gets passed to
 \rightarrow the
`knitr::kable()` function that produces a good
\rightarrow looking table
for our rendered document:
```{r}
create_table(mtcars, "am")
~ ~
Let's suppose that we want to generate a
\leftrightarrow document that would
look like this:
- first a section title, with the name of the
\rightarrow variable of interest
- then the table
So it would look like this:
Frequency table for variable: "am"
```{r}
create table(mtcars, "am")
....
```

7. Literate programming

This new function, `return_section()` uses `knitr::knit_expand()` to generate RMarkdown code. Words between `{{}}` get replaced by the provided `var` argument to the function. So when we call `return_section("am")`, `{{variable}}` is replaced by `"am"`. `"am"` then gets passed down to `create_table()` and the frequency table gets generated.

The last function, named return_section() uses knit_expand(), which is the function that does the heavy lifting. This function returns literal R Markdown code. It returns **##** Frequency table for variable: {{variable}} which creates a level 2 section title with the text *Frequency table for variable: xxx* where the xxx will get replaced by the variable passed to return_section(). So calling return_section(mtcars, "am") will print the following in your console:

```
## Frequency table for variable: am
|am | Freq|
|:--|----:|
|0 | 19|
|1 | 13|
```

We now simply need to find a clever way to apply this function to each variable in the mtcars dataset. For this, we are going to use lapply() which implements a for loop (you could use purrr::map() just as well for this):

This will create, for each variable in mtcars, the same R Markdown code as above. Notice that the R Markdown chunk

where the call to lapply() is has the option results = "asis". This is because the function returns literal Markdown code, and we don't want the parser to have to parse it again. We tell the parser "don't worry about this bit of code, it's already good". As you see, the call to lapply() is wrapped inside invisible(). This is because return_section() does not return anything, it just prints something to the console. No object is returned. return_section() is a function with only a side-effect: it changes something outside its scope. So if you don't wrap the call to lapply() inside invisible(), then a bunch of NULLs will also get printed (NULLs get returned by functions that don't return anything). To avoid this, use invisible() (and use purrr::walk() rather than purrr::map() if you want to use tidyverse packages and functions).

See the output here 9 .

This is not an easy topic, so take the time to play around with the example above. Try to print another table, try to generate more complex Markdown code, remove the call to invisible() and knit the document and see what happens with the output, replace the call to lapply() with purrr::walk() or purrr::map(). Really take the time to understand what is going on.

While extremely powerful, this approach using knit_expand() only works if your template only contains text. If you need to print something more complicated in the document, you need to use child documents instead. For example, suppose that instead of a table we wanted to show a plot made using {ggplot2}. This would not work, because a ggplot object is not made of text, but is a list with many elements. The print() method for ggplot objects then does some magic and prints a plot. But

⁹https://is.gd/EzdUtt

if you want to show plots using knitr::knit_expand(), then the contents of the list will be shown, not the plot itself. This is where child documents come in. Child documents are exactly what you think they are: they're smaller documents that get knitted and then embedded into the parent document. You can define anything within these child documents, and as such you can even use them to print more complex objects, like a ggplot object. Let's go back to the example from before and make use of a child document (for ease of presentation, we will not use a separate Rmd file, but will inline the child document into the main document). Read the Rmd example below carefully, as all the steps are explained:

```
---
title: "Templating with child documents"
output: html_document
date: "2023-01-27"
----
```{r setup, include=FALSE}
knitr::opts_chunk$set(echo = TRUE)
library(ggplot2)
```
## A function that creates ggplots
```{r}
create_plot <- function(dataset, aesthetic){
 ggplot(dataset) +
 geom_point(aesthetic)
}</pre>
```

```
....
The function above takes a dataset and an
→ aesthetic
made using `ggplot2::aes()` to create a plot:
```{r}
create plot(mtcars, aes(y = mpg, x = hp))
. . .
Let's suppose that we want to generate a
\hookrightarrow document
that would look like this:
- first a section title, with the dataset used;
- then a plot
So it would look like this:
## Dataset used: "mtcars"
```{r}
create plot(mtcars, aes(y = mpg, x = hp))
~ ~ ·
We don't want to create these sections for every
\hookrightarrow
aesthetic by hand.
Instead, we can make use of a child document
 \rightarrow that
```

```
gets knitted separately and then embedded in the
\hookrightarrow
parent document. The chunk below makes use of
 \rightarrow this trick:
```{r, results = "asis"}
x \leftarrow list(aes(y = mpg, x = hp)),
           aes(y = mpg, x = hp, size = am))
res <- lapply(x,</pre>
               function(dataset, x){
  knitr::knit child(text = c(
    '\n',
    '## Dataset used: `r
 → deparse(substitute(dataset))`',
    '\n',
    '^{}(r, echo = F)',
    'print(create plot(dataset, x))',
     15551
     ),
     envir = environment(),
     quiet = TRUE)
}, dataset = mtcars)
cat(unlist(res), sep = "\n")
- - -
```

```
The child document is the `text` argument to the
 \hookrightarrow
`knit_child()` function. `text` is literal R
 → Markdown
code: we define a level 2 header, and then an R
 \hookrightarrow chunk.
This child document gets knitted, so we need to
    specify
 \hookrightarrow
the environment in which it should get knitted.
 \hookrightarrow This means
that the child document will get knitted in the

→ same

environment as the parent document (our current

→ global

environment). This way, every package that gets
 \rightarrow loaded
and every function or variable that got defined
 \hookrightarrow in the
parent document will also be available to the
 \hookrightarrow child document.
To get the dataset name as a string, we use the
`deparse(substitute(dataset))` trick; this
→ substitutes
"dataset" by its bound value, so `mtcars`. But
 → `mtcars` is
an expression and we don't want it to get
\, \hookrightarrow \, evaluated, or the
contents of the entire dataset would be used in
 \hookrightarrow the title
of the section. So we use `deparse()` which
 \rightarrow turns unevaluated
```

See the output here¹⁰.

Here again, take some time to play with the above example. Change the child document, try to print other types of output, really take your time to understand this. To know more about child documents, take a look at this section¹¹ of the R Markdown Cookbook (Xie, Dervieux, and Riederer 2020).

By the way, if you wish to add a table of contents to your document, change the header to this:

title: "Templating with child documents and TOC" output:

 $^{^{10} \}rm https://is.gd/aR2hyz$ $^{11} \rm https://is.gd/gAqzf9$

```
html_document:
    toc: true
    toc_float: true
date: "2023-01-27"
---
```

7.3.2. Tables in R Markdown documents

Getting tables right in Rmd documents is not always an easy task. There are several packages specifically made just for this task, and the package that I recommend tick the following two important boxes:

- Work the same way regardless of output format (Word, PDF or Html);
- Work for any type of table: summary tables, regression tables, two-way tables, etc.

Let's start with the simplest type of table, which would be a table that simply shows some rows of data. {knitr} comes with the kable() function, but this function generates a very plain looking output. For something publication-worthy, we recommend the {flextable} package, developed by Gohel and Skintzos (2023):
	_									
mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
21.0	6	160	110	3.90	2.620	16.46	0	1	4	4
21.0	6	160	110	3.90	2.875	17.02	0	1	4	4
22.8	4	108	93	3.85	2.320	18.61	1	1	4	1
21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360	175	3.15	3.440	17.02	0	0	3	2
18.1	6	225	105	2.76	3.460	20.22	1	0	3	1

theme_booktabs()

Figure 7.8.: The output of the code above.

Note that the example above will work pretty much the same way for any table that you can coerce into a data frame! I won't explain how {flextable} works, but it is very powerful, and the fact that it works for PDF, Html, Word and Powerpoint outputs is really a massive plus. If you want to learn more about {flextable}, there's a whole, free, ebook on it¹². {flextable} can create very complicated tables, so really take the time to dig in!

The next package is {modelsummary}, by Arel-Bundock (2022), and this one focuses on regression and summary tables. It is extremely powerful as well, and just like {flextable}, works for any type of output. It is very simple to get started:

```
library(modelsummary)
```

```
model_1 <- lm(mpg ~ hp + am, data = mtcars)
model_2 <- lm(mpg ~ hp, data = mtcars)</pre>
```

 $^{^{12}}$ https://ardata-fr.github.io/flextable-book/index.html

modelsummary(models)

	Model 1	Model 2
(Intercept)	26.585	30.099
	(1.425)	(1.634)
hp	-0.059	-0.068
	(0.008)	(0.010)
am	5.277	
	(1.080)	
Num.Obs.	32	32
R2	0.782	0.602
R2 Adj.	0.767	0.589
AIC	164.0	181.2
BIC	169.9	185.6
Log.Lik.	-78.003	-87.619
RMSE	2.77	3.74

Figure 7.9.: Estimated models are shown side by side.

Here again, I won't got into much detail, but recommend instead that you read the package's website¹³ which has very detailed documentation.

These packages can help you keeping it DRY, so take some time to learn them.

And one last thing: if you're a researcher, take a look at the ${\tt tricles}^{14}$ package, which provides Rmd templates to write

¹³https://is.gd/pjIKmV

 $^{^{14} \}rm https://pkgs.rstudio.com/rticles/articles/examples.html$

articles for many scientific journals.

7.3.3. Parametrized reports

Templating and child documents are very powerful, but sometimes you don't want to have one section dedicated to each unit of analysis within the same report, but rather, you want a complete separate report by unit of analysis. This is possible thanks to parameterised reports.

Let's change the example from before, which consisted of creating one section per column of the **mtcars** dataset and a frequency table, and make it now one separate report for each column. The R Markdown file will look like this:

```
## Frequency table for `r params$var`
\sum{r, echo = F}
create table <- function(dataset, var){</pre>
 dataset <- get(dataset)</pre>
 table(dataset[var]) |>
   knitr::kable()
}
. . .
The table below is for variable `r params$var`

→ of
dataset `r params$dataset`.
```{r}
create_table(params$dataset, params$var)
```{r, eval = FALSE, echo = FALSE}
# Run these lines to compile the document
# Set eval and echo to FALSE, so that this does
→ not appear
# in the output, and does not get evaluated when

→ knitting

rmarkdown::render(
             input = "param report example.Rmd",
             params = list(
               dataset = "mtcars",
```

```
var = "cyl"
)
)
```

Save the code above into an Rmd file titled something like param_report_example.Rmd (preferably inside its own folder). Note that at the end of the document, I wrote the lines to render this document inside a chunk that does not get shown to the reader, nor gets evaluated:

You need to run these lines yourself to knit the document.

This will pass the list params with elements "mtcars" and "cyl" down to the report. Every params\$dataset and params\$var in the report gets replaced by "mtcars" and "cyl" respectively. Also, notice that in the header of the document, I defined default values for the params. Something else you need to be aware of, is that the function create_table() inside the report is slightly different than before. It now starts with the following line:

```
7. Literate programming
```

```
dataset <- get(dataset)</pre>
```

Let's break this down. params\$dataset contains the string "mtcars". I made the decision to pass the dataset as a string, so that I could use it in the title of the document. But then, inside the create_table() function, I have the following code:

dataset[var]

dataset can't be a string here, but needs to be a variable name, so mtcars and not "mtcars". This means that I need to *convert* that string into a name. get() searches an object by name, and then makes it possible to save it to a new variable called dataset. The rest of the function is then the same as before. This little difficulty can be avoided by hard-coding the dataset inside the R Markdown file, or by passing the dataset as the params\$dataset and not the string, in the render function. However, if you pass down the name of the dataset as a variable instead of the dataset name as a string, then you need to covert it to a string if you want to use it in the text (so mtcars to "mtcars", using deparse(substitute(dataset)) as in child documents example).

If you instead want to create one report per variable, you could compile all the documents at once with:

```
```{r, eval = F, echo = F}
columns <- colnames(mtcars)
lapply(columns,
 (\(x)rmarkdown::render(</pre>
```

By now, this should not intimidate you anymore; I use lapply() to loop over a list of column names (that I get using colnames()). Because I don't want to overwrite the report I need to change the name of the output file. I do so by using pasteO() which creates a new string that contains the variable name, so each report gets its own name. x inside the pasteO() function is each element, one after the other, of the columns variable I defined first. Think of it as the i in a for loop. I then must also pass this to the params list, hence the var = x. The complete call to rmarkdown::render() is wrapped inside an anonymous function, because I need to use the argument x (which is each column defined in the columns list) in different places.

## 7.4. Conclusion

Before continuing, I highly recommend that you try running this yourself, and also that you try to build your own little parameterised reports. Maybe start by replacing "mtcars" by "iris" in the code to compile the reports and see what happens, and then when you're comfortable with parameterised reports, try templating inside a parameterised report!

It is important not to succumb to the temptation of copy and pasting sections of your report, or parts of your script, instead of using these more advanced features provided by the language. It is tempting, especially under time pressure, to just copy and paste bits of code and get things done instead of writing what seems to be unnecessary code to finally achieve the same thing. The problem, however, is that in practice copy and pasting code to simply get things done will come bite you sooner rather than later. Especially when you're still in the exploration/drafting phase of the project. It may take more time to set up, but once you're done, it is much easier to experiment with different parameters, test the code or even re-use the code for other projects. Not only that but forcing you to actually think about how to set up your code in a way that avoids repeating yourself also helps with truly understanding the problem at hand. What part of the problem is constant and does not change? What does change? How often, and why? Can you also fix these parts or not? What if instead of five sections that I need to copy and paste, I had 50 sections? How would I handle this?

Asking yourself these questions, and solving them, will ultimately make you a better programmer.

Remember: don't repeat yourself!

## 8. Conclusion of part 1

We're at the end of part 1, and I need to congratulate you for making it this far. If you took the time to digest what we've learned up until now, you should be ready for what's coming, which should be a bit easier, at least some of the parts.

But before continuing, let's quickly summarise what we've learned so far.

We started our journey with two scripts that download and analyse data about housing in Luxembourg. We then learned about tools and programming paradigms that we will now use in part 2 to make our scripts more robust:

- Version control;
- Functional programming;
- Literate programming.

In some ways, you might think that we've made our life unnecessarily complicated for very little gain. For example, functional programming seems to be only about putting restrictions on how you code. Same with using trunk-based development; why make it so restrictive?

What you need to understand is that these restrictions actually play a role. They force us to work in a much more structured way, which then ensures that our projects will be well-managed and ultimately reproducible. So while these techniques come with a cost, the benefits are far greater.

### 8. Conclusion of part 1

We will start part 2 by rewriting our scripts using what we've learned, and then, we will think about approaching the core problem differently, and structuring our project not as a series of scripts (or R Markdown files in the case of literate programming) but instead as a pipeline. Because until now, there's still no pipeline and let me remind you that this book has the word "pipeline" in its title.

We will also learn about tools that capture the computational environment that was used to set up this pipeline and how to use them effectively to make sure that our project is reproducible.

# Part II. Part 2: Write IT down

In this part of the book, we are now going to focus on the second main idea of this book: Write IT down. We now need to acknowledge that our brains are fallible (and ageing) and thus we need to write down many safeguards to ensure that our analyses can be of high quality.

We cannot leave code quality, documentation and finally its reproducibility to chance. We need to write down everything we need to ensure the long-term reproducibility of our pipelines.

### The reproducibility iceberg

I think it is time to reflect on why I bothered with the first part of the book at all, because for now, I didn't really teach you anything directly related to reproducibility, so why didn't I just jump straight to the reproducibility part?

Remember the introduction, where I talked about the reproducibility continuum or spectrum? It is now time to discuss this in greater detail. I propose a new analogy, *the reproducibility iceberg*:



There is no script. The project is but a series of clicks lost to history.

Undocumented, untested script, that only works on the author's machine.

This script is made available online.

This script is made available online, but via Github. Users can look at the commit history.



The script is on Github, tested, documented and uses best practices to run on any machine.

Infrastructure starts to sourround the script. Its dependencies are frozen using {renv} and the script is now a package. The end result is the output of a {targets} pipeline.

The computational environment the pipeline runs in is frozen as well and made available using Docker.

The computational environment itself is made reproducible using Guix. This is outside the scope of this book.

Figure 8.1.: The reproducibility iceberg.

Why an iceberg? Because the parts of the iceberg that you see, those that are obvious, are like running your analyses in a click-based environment like Excel. This is what's obvious, what's easy. No special knowledge or even training is required. All that's required is time, so people using these tools are not efficient and thus compensate by working insane hours (*I can't go home and enjoy time with my family I have to stay at the office and update the spreadsheeeeeeet clicks furiously*).

Let's go one level deeper: let's write a script. This is where we started. Our script was not too bad, it did the job. Unlike a clickbased workflow, we could at least re-read it, someone else could read it, and it would be possible to run in the future but likely with some effort unless we're lucky. By that, I mean that for such a script to run successfully in the future, that script cannot rely on packages that got updated in such a way that the script cannot run anymore (for example, if functions get renamed, or if their arguments get renamed). Furthermore, if that script relies on a data source, the original authors also have to make sure that the same data source stays available. Another issue is collaborating when writing this script. Without any version control tools nor code hosting platform, collaborating on this script can very quickly turn into a nightmare.

This is where Git and Github.com came into play, one level deeper. The advantage now is that collaboration was streamlined. The commit history is available to all the teammates and it is possible to revert changes, experiment with new features using branches and overall manage the project. In this layer we also employ new programming paradigms to make the code of the project less verbose, using functional programming, with the added benefits of making it easier to test, document and share (which we will discuss to its fullest in this part of the book). Using literate programming, it is also much easier to go to our final output (which is usually a report). We implemented DRY ideas to the fullest to ensure that our code was of high quality.

At this depth, we are at a pivotal moment: in many cases, analysts may want to stop here because there is no more time or budget left. After all, the results were obtained and shared with higher-ups. It can be difficult, in some contexts, to justify spending more time to go deeper and write tests, documentation and otherwise ensure total reproducibility. So at this stage, we will see what we can do that is *very cheap* (in both time and effort) to ensure the minimal amount of reproducibility, which is recording packages versions. Recording packages means that the exact same versions of the packages that were used originally will get used regardless of *when* in the future we rerun the analysis.

But if budget and time allow we can still go deeper, and definitely should. One day, you will want to update your script to use the newest functionality of your preferred package, but with package version recording, you will be stuck in the past with a very old version and its dependencies. How will you know that upgrading this package will not break anything anywhere in your workflow? Also, we want to make running the script as easy as possible, and ideally, as non-interactively as possible. Indeed, any human interaction with the analysis is a source of errors. That's why we need to thoroughly and systematically test our code. These tests also need to run non-interactively. Using the tools described in part two of this book, we can actually set up the project, right from the very beginning, in a way that it will be reproducible quite naturally. By using the right tools and setting things up right, we don't really need to invest more time to make things reproducible. The project will simply be reproducible because it was engineered that way. And I insist, at practically no additional cost!

Another problem with only recording packages's version is that in practice, it is very often not enough. This is because installing older versions of packages can be a challenge. This can be the case for two reasons:

• These older packages need also an older version of R, and installing old versions of R can be tricky, depending on your operating system;

• These older packages might need to get compiled and thus depend themselves on older versions of development libraries needed for compilation.

So to solve this issue, we will also need a way to freeze the computational environment itself, and this is where we will use Docker.

Finally, and this is the last level of the iceberg and not part of this book, is the need to make the building of the computational environment reproducible as well. *Guix* is the tool that enables one to do just that. However, this is a very deep topic unto itself, and there are workarounds to achieve this using Docker, so that's why we will not be discussing *Guix*.

We will travel down the iceberg in the coming chapters. First, we will use what we've learned up until now to rewrite our project using functional and literate programming. Our project will not be two scripts anymore, but two Rmarkdown files that we can knit and that we can then read and also send to non-technical stakeholders.

Then, we are going to turn these two Rmds files into a package. This will be done by using Sébastien Rochette's package  $\{fusen\}^1$ .  $\{fusen\}$  makes it very easy to go from our Rmd files to a package, by using what Sébastien named the *Rmarkdown first* method. If at this stage it's not clear why you would want to turn your analysis into a package, don't worry, it'll be once we're done with this chapter.

Once we have a package, we can use {testthat} for unit testing, and base R functions for assertive programming. At this stage, our code should be well-documented, easy to share, and thoroughly tested.

<sup>&</sup>lt;sup>1</sup>https://thinkr-open.github.io/fusen/

I think I should emphasize the following: I started from very simple scripts, which is how most analyses are done. Then, using functional and literate programming, these scripts got turned into RMarkdown files, and in this part of the book these RMarkdown files will get turned into a package. It is important to understand the following point: I did this to illustrate how we can go from these simple scripts to something more robust, step by step. Of course, later, you can immediately start from either the RMarkdown files or from the package. My advice is to start from the package, because as you shall see, starting from the package is basically the same amount of effort as starting from a simple RMarkdown file, thanks to {fusen}, but now you have the added benefits of using package development facilities to improve your analysis.

Once you have the package, you can build a true pipeline using {targets}, an incredibly useful library for build automation (but if you prefer to keep it at simple RMarkdown files, you can also use {targets}, you *don't have to* build a package).

Once we reached this stage, this is when we can finally start introducing reproducibility concretely. The reason it will take so long to actually make our pipeline reproducible is that we need solid foundations. There is no point in making a shaky analysis reproducible.

## 9. Rewriting our project

In this chapter, we will use what we've learned until now to rewrite our project. As a reminder, here are the scripts we wrote together:

- save\_data.R: https://is.gd/7PhUjd
- analysis.R: https://is.gd/X7XXJg

The analysis.R file already includes one change: the one from the chapter on collaborating with Github, where Bruno wrote a function to make the plots for each commune.

If you skipped part one of the book, or for any other reason do not have a Github repository with these two files yet, then now is the time to do so. Create a repository and name it *housing\_lux* or anything you'd like, and put these two files there. I will assume that you have these files safely versioned, and will not be telling you systematically when to commit and push. Simply do so as often as you'd like! You should have a repository with a *master* or *main* branch containing these two scripts. On your computer, calling git status in Git Bash (on Windows) or in a terminal (for Linux and macOS) should result in this:

owner@localhost \$ git status

#### 9. Rewriting our project

```
On branch master nothing to commit, working tree clean
```

If that's the case, congrats, we can start working. Start by creating a new branch, and call it **rmd**:

```
owner@localhost $ git checkout -b rmd
Switched to a new branch 'rmd'
```

We will now be working on this branch, simply work as usual, but when pushing, make sure to push to the **rmd** branch:

```
owner@localhost $ git add .
owner@localhost $ git commit -m "some changes"
owner@localhost $ git push origin rmd
```

This will push whatever changes you've made to files to the rmd branch. By using two branches like this, you keep the original .R scripts in the main branch, and then will end up with the .Rmd files in the rmd branch.

Before moving forward now is the right moment to actually discuss why you would want to convert the script into Rmds. There are several reasons. First, as argued in the chapter on literate programming, a document that mixes prose and code is easier to read and share than a script. Next, since this Rmd file can get knitted into any type of document (PDF, Word, etc...), it also makes it easier to arrive at what interests us, the output. A script is simply a means, it's not an end. The end is (in most cases) a document so we might as well use literate programming to avoid the cursed loop of changing the script, editing the document, going back to the script, etc.

But there is yet another benefit; even if the Rmd file is not supposed to get shared with anyone else, we will, later on, use it as our starting point for the *Rmd first* method of package development as promoted by Sébastien Rochette, the author of {fusen}. This Rmd first method involves making use of a development Rmd file that contains all the usual steps that we would take to create a package. This is in contrast with the usual package development process, in which we would type the required commands to build the package in the terminal. The functions, tests, and documentation that we want to add to the package get defined using Rmd files as well. This makes them much easier to read and also share with a non-technical audience. All these Rmd files can then be converted (or *inflated* in {fusen} jargon) to create a fully working package. If this sounds complicated or confusing, don't worry. Trust the process, push on, and all the pieces of the puzzle will elegantly fit together in a couple of chapters.

In the following sections I will rewrite the scripts by using functional and literate programming: if you don't want to rewrite everything, don't worry, I link the final Rmd files at the end of each section. But I would advise that you follow along by writing everything as it will make absorbing the contents much simpler.

### 9.1. An Rmd for cleaning the data

So, let's start with the save\_data.R script. Since we are going to use functional programming and literate programming, we are going to start from an empty .Rmd file. So open an empty .Rmd file and start with the following lines:

### 9. Rewriting our project

```

title: "Nominal house prices data in Luxembourg
 - Data cleaning"
author: "Put your name in here"
date: "`r Sys.Date()`"

```{r, warning=FALSE, message=FALSE}
library(dplyr)
library(ggplot2)
library(janitor)
library(purr)
library(readx1)
library(rvest)
library(stringr)
```
Downloading the data
```

We start by writing a header to define the title of the document, the name of the author and the current date using inline R code (you can also hardcode the date as a string if you prefer). We then load packages in a chunk with options warning=FALSE and message=FALSE which will avoid showing packages' startup messages in the knitted document.

Then we start with a new section called **##** Downloading the data. We then add a paragraph explaining from where and how we are going to download the data:

```
This data is downloaded from the Luxembourguish
 [Open Data
 \hookrightarrow
Portal](https://data.public.lu/fr/datasets/
 → prix-annonces-des-logements-par-commune/)
(the data set called *Série rétrospective des

→ prix

annoncés des maisons par commune, de 2010 à
 2021*).
 _
and the original data is from the "Observatoire
 → de
l'habitat". This data contains prices for houses
 Sold
since 2010 for each luxembourguish commune.
The function below uses the permanent URL from
 \hookrightarrow the Open Data
Portal to access the data, but I have also
 \rightarrow rehosted the data,
and use my link to download the data (for
 → archival purposes):
```

This is much more detailed than using comments in a script, one of the benefits of literate programming. Then comes a function to download and get the data. This function simply wraps the lines from our original script that did the downloading and the cleaning. As a reminder, here are the lines from the original script, which I will then rewrite as a function:

```
url <- "https://is.gd/1vvBAc"
raw_data <- tempfile(fileext = ".xlsx")</pre>
```

```
download.file(url, raw data, method = "auto",
→ mode = "wb")
sheets <- excel sheets(raw data)</pre>
read clean <- function(..., sheet){</pre>
 read excel(..., sheet = sheet) |>
 mutate(year = sheet)
 raw data <- map(
 sheets.
 ~read clean(raw data,
 skip = 10,
 sheet = .)
) |>
 bind rows() |>
 clean names()
 raw_data <- raw_data |>
 rename(
 locality = commune,
 n_offers = nombre doffres,
 average_price_nominal euros =

→ prix_moyen_annonce_en_courant,

 average price m2 nominal euros =

→ prix_moyen_annonce_au_m2_en_courant,

 average_price_m2_nominal_euros =
 → prix moyen annonce au m2 en courant
) |>
 mutate(locality = str trim(locality)) |>
 select(year, locality, n offers,
 ↔ starts with("average"))
```

}

and here is the same code, but as a function:

```
```{r, eval = FALSE}
get_raw_data <- function(url =</pre>
 → "https://is.gd/1vvBAc"){
  raw data <- tempfile(fileext = ".xlsx")</pre>
  download.file(url,
                 raw data,
                 mode = "wb")
  sheets <- excel sheets(raw data)</pre>
  read clean <- function(..., sheet){</pre>
    read excel(..., sheet = sheet) %>%
      mutate(year = sheet)
  }
  raw_data <- map_dfr(</pre>
    sheets,
    ~read_clean(raw_data,
                 skip = 10,
                 sheet = .)) %>%
    clean names()
  raw data %>%
    rename(
      locality = commune,
      n offers = nombre doffres,
```

```
average_price_nominal_euros =
    prix_moyen_annonce_en_courant,
    average_price_m2_nominal_euros =
    prix_moyen_annonce_au_m2_en_courant,
        average_price_m2_nominal_euros =
    prix_moyen_annonce_au_m2_en_courant
            ) %>%
    mutate(locality = str_trim(locality)) %>%
    select(year, locality, n_offers,
    starts_with("average"))
}
```

As you see, it's almost exactly the same code. So why use a function? Our function has the advantage that it uses the url of the data as an argument. This means that we can use it on other datasets (let's remember that we are here focusing on prices of houses, but there's another dataset of prices of apartments) or use it on an updated version of this dataset (which gets updated yearly). We can now more easily re-use this function later on (especially once we've turned this Rmd into a package in the next chapter). You can decide to show the source code of the function or hide it with the chunk option include=FALSE or echo=FALSE (the difference between include and echo is that include hides both the source code chunk and the output of that chunk). Showing the source code in the output of your Rmd file can be useful if you want to share it with other developers. The next part of the Rmd file is simply using the function we just wrote:

We can now continue by explaining what's wrong with the data and what cleaning steps need to be taken:

```
We need clean the data: "Luxembourg" is
 → "Luxembourg-ville" in 2010 and 2011,
then "Luxembourg". "Pétange" is also spelt
 \rightarrow non-consistently, and we also need
to convert columns to the right type. We also
 \leftrightarrow directly remove rows where the
locality contains information on the "Source":
```{r}
clean_raw_data <- function(raw_data){</pre>
 raw data %>%
 mutate(locality =
 → ifelse(grepl("Luxembourg-Ville", locality),
 "Luxembourg",
 locality),
 locality = ifelse(grepl("P.tange",
 \rightarrow locality),
 "Pétange",
 locality)
) %>%
 filter(!grepl("Source", locality)) %>%
 mutate(across(starts with("average"),
 as.numeric))
 \hookrightarrow
}
```

```
```{r}
flat_data <- clean_raw_data(raw_data)
```</pre>
```

The chunk above explains what we're doing and why we're doing it, and so we write a function (based on what we already wrote). Here again, the advantage of having this as a function will make it easier to run on updated data.

We now continue with establishing a list of communes:

```
We now need to make sure that we got all the
\hookrightarrow communes/localities
in there. There were mergers in 2011, 2015 and
 \rightarrow 2018. So we need
to account for these localities.
We're now scraping data from Wikipedia of former
→ Luxembourguish communes:
```{r}
get former communes <- function(</pre>
             url =
    "https://is.gd/lux_former_communes",
 \hookrightarrow
             min year = 2009,
             table position = 3
             ){
  read html(url) %>%
    html table() %>%
    pluck(table position) %>%
```

```
clean names() %>%
    filter(year dissolved > min year)
}
....
```{r}
former communes <- get former communes()</pre>
We can scrape current communes:
```{r}
get_current_communes <- function(</pre>
                  url =

    "https://is.gd/lux_communes",

                  table position = 2
                  ){
  read html(url) |>
    html table() |>
    pluck(table position) |>
    clean names() |>
    filter(name 2 != "Name") |>
    rename(commune = name 2) |>
    mutate(commune = str remove(commune, " .$"))
}
- - -
```{r}
current_communes <- get_current_communes()</pre>
```

#### 9. Rewriting our project

...

This is quite a long chunk, but there is nothing new in here, so I won't explain it line by line. What's important is that the code doing the actual work is all being wrapped inside functions. I reiterate: this will make reusing, testing and documenting much easier later on. Using the objects former\_communes and current\_communes we can now build the complete list:

```
Let's now create a list of all communes:
```{r}
get test communes <- function(former communes,</pre>
 \rightarrow current communes){
  communes <- unique(c(former_communes$name,</pre>
 → current communes$commune))
  # we need to rename some communes
  # Different spelling of these communes between
 \rightarrow wikipedia and the data
  communes[which(communes == "Clemency")] <-</pre>
   "Clémency"
 \hookrightarrow
  communes[which(communes == "Redange")] <-</pre>
 → "Redange-sur-Attert"
  communes[which(communes ==
 → "Erpeldange-sur-Sûre")] <- "Erpeldange"
  communes[which(communes == "Luxembourg City")]
 → <- "Luxembourg"
  communes[which(communes == "Käerjeng")] <-</pre>
 → "Kaerjeng"
```

```
communes[which(communes == "Petange")] <-
    "Pétange"
    communes
}
```{r}
former_communes <- get_former_communes()
current_communes <- get_current_communes()
communes <- get_test_communes(former_communes,
 current_communes)
```</pre>
```

Once again, we write a function for this. We need to merge these two lists, and need to make sure that the spelling of the communes' names is unified between this list and between the communes' names in the data.

We now run the actual test:

```
Let's test to see if all the communes from our

dataset are represented.

```{r}

setdiff(flat_data$locality, communes)

```

If the above code doesn't show any communes,

then this means that we are

accounting for every commune.
```

9. Rewriting our project

This test is quite simple, and we will see how to create something a bit more robust and useful later on.

Now, let's extract the national average from the data and create a separate dataset with the national level data:

```
Let's keep the national average in another
 \rightarrow dataset:
```{r}
make country level data <- function(flat data){</pre>
 country level <- flat data %>%
 filter(grepl("nationale", locality)) %>%
 select(-n offers)
 offers country <- flat data %>%
 filter(grepl("Total d.offres", locality))
 ⇒ %>%
 select(year, n offers)
 full join(country level, offers country) %>%
 select(year, locality, n offers,
 \leftrightarrow everything()) %>%
 mutate(locality = "Grand-Duchy of
→ Luxembourg")
}
....
```{r}
```

and finally, let's do the same but for the commune level data:

```
We can finish cleaning the commune data:

```{r}

make_commune_level_data <- function(flat_data){

 flat_data %>%

 filter(!grepl("nationale|offres", locality),

 !is.na(locality))

}

```{r}

commune_level_data <-

     make_commune_level_data(flat_data)

```
```

We can finish with a chunk to save the data to disk:

```
 "datasets/house_prices_commune_level_data.csv",
 row.names = FALSE)
write.csv(country_level_data,
 "datasets/house_prices_country_level_data.csv",
 row.names = FALSE)
```

This last chunk is something I like to add to my Rmd files.

Instead of showing it in the final document but not evaluating its contents using the chunk option eval = FALSE, like I did, you could use include = FALSE, so it doesn't appear in the compiled document at all. The first time you compile this document, you could change the option to eval = TRUE, so that the data gets written to disk, and then change it to eval = FALSE to avoid overwriting the data on subsequent knittings. This is up to you, and it also depends on who the audience of the knitted output is (do they want to see this chunk at all?).

Ok, and that's it. You can take a look at the finalised file here<sup>1</sup>. You can now remove the **save\_data.R** script, as you have successfully ported the code over to an RMarkdown file. If you have not done it yet, you can commit these changes and push.

Let's now do the same thing for the analysis script.

<sup>&</sup>lt;sup>1</sup>https://is.gd/eBbcsR

## 9.2. An Rmd for analysing the data

We will follow the same steps as before to convert the analysis script into an analysis RMarkdown file. Instead of showing the whole file here, I will show you two important points.

The first point is removing redundancy. In the original script, we had the following lines:

```
#Let's compute the Laspeyeres index for each
\hookrightarrow commune:
commune level data <- commune level data %>%
 group by(locality) %>%
 mutate(p0 = ifelse(year == "2010",
 → average_price_nominal_euros,
 NA)) %>%
 fill(p0, .direction = "down") %>%
 mutate(p0 m2 = ifelse(year == "2010",
 \rightarrow average price m2 nominal euros,
 NA)) %>%
 fill(p0 m2, .direction = "down") %>%
 ungroup() %>%
 mutate(
 pl = average price nominal euros/p0*100,
 pl m2 = average price m2 nominal euros/p0 m2
 → * 100)
```

#Let's also compute it for the whole country:

As you can see, this is almost exactly the same code twice. The only difference between the two code snippets, is that we need to group by commune when computing the Laspeyeres index for the communes (remember, this index will make it easy to make comparisons). Instead of repeating 99% of the lines, we should create a function that will group the data if the data is the commune level data, and not group the data if it's the national data. Here is this function:

```
get_laspeyeres <- function(dataset, start_year =
 "2010"){
 which_dataset <- deparse(substitute(dataset))
 group_var <- if(grepl("commune",
 which_dataset)){</pre>
```
```
quo(locality)
 } else {
 NULT.
 }
 dataset %>%
 group by(!!group var) %>%
 mutate(p0 = ifelse(year == start year,
 → average price nominal euros,
 NA)) %>%
 fill(p0, .direction = "down") %>%
 mutate(p0 m2 = ifelse(year == start year,
 average price m2 nominal euros,
 \hookrightarrow
 NA)) %>%
 fill(p0 m2, .direction = "down") %>%
 ungroup() %>%
 mutate(
 pl = average price nominal euros/p0*100,
 pl m2 =
 → average price m2 nominal euros/p0 m2*100)
}
```

So, the first step is naming the function. We'll call it get\_laspeyeres(), and it'll be a function of two arguments. The first is the data (commune or national level data) and the second is the starting date of the data. This second argument has a default value of "2010". This is the year the data starts, and so this is the year the Laspeyeres index will have a value of 100.

The following lines are probably the most complicated:

The first line replaces the variable dataset by its bound value (that's what substitute() does) for example, commune\_level\_data, and then converts this variable name into a string (using deparse()). So when the user provides commune\_level\_data, which\_dataset will be defined as equal to "commune\_level\_data". We then use this string to detect whether the data needs to be grouped or not. So if we detect the word "commune" in the which\_dataset variable, we set the grouping variable to locality, if not to NULL. But you might have the following questions: why is locality given as an input to quo(), and what is quo()?

A simple explanation: locality is a variable in the commune\_level\_dataset. If we don't *quote* it using quo(), our function will look for a variable called locality in the body of the function, but since there is no variable defined that is called locality in there, the function will look for this variable in the global environment. But this is not a variable defined in the global environment either, it is a column in our dataset. So we need a way to tell this to our function: *don't worry about evaluating this just yet, I'll tell you when it's time.* 

So by using quo(), we can delay evaluation. So how can we tell the function that it's time to evaluate locality? This is where we need !! (pronounced *bang-bang*). You'll see that !! gets used on group\_var inside locality:

```
group_by(!!group_var)
```

So if we are calling the function on commune\_level\_dataset, then group\_var is equal to locality, if not it's NULL. !!group\_var means that now it's time to evaluate group\_var (or rather, locality). Because !!group\_var gets replaced by quo(locality), and because group\_by() is a {dplyr} function that knows how to deal with quoted variables, locality gets looked up among the columns of the data frame. If it's NULL nothing happens, so the data doesn't get grouped.

This is a big topic unto itself, so if you want to know more you can start by reading the famous {dplyr} vignette called *Programming with dplyr* here<sup>2</sup>. In case you use {dplyr} a lot, I recommend you study this vignette because mastering *tidy evaluation* (the name of this framework) is key to becoming comfortable with programming using {dplyr} (and other *tidyverse* packages). You can also read the chapter I wrote on this in my other free ebook<sup>3</sup>.

The next lines of the script that we need to port over to the Rmd are quite standard, we write code to create some plots (which were already refactored into a function in the chapter on collaborating on Github). But remember, we want to have an Rmd file that can be compiled into a document that can be read by humans. This means that to make the document clear, I suggest that we create one subsection by commune that we plot. Thankfully, we have learned all about child documents in the literate programming chapter, and this is what we will be using

 $<sup>^{2}</sup>$ https://dplyr.tidyverse.org/articles/programming.html  $^{3}$ https://is.gd/f11De1

to avoid having to repeat ourselves. The first part is simply the function that we've already written:

Now comes the interesting part:

```
```{r, results = "asis"}
res <- lapply(communes, function(x){
    knitr::knit_child(text = c(
        '\n',
        '## Plot for commune: `r x`',
        '\n',</pre>
```

```
'```{r, echo = FALSE}',
'print(make_plot(x))',
'```'
),
envir = environment(),
quiet = TRUE)
})
cat(unlist(res), sep = "\n")
```

I won't explain this now in great detail, since that was already done in the chapter on literate programming. Before continuing, really make sure that you understand what is going on here. Take a look at the finalised file here⁴. You'll notice that at the start of the RMarkdown file, I also load some package and the data saved by the save_data.Rmd RMarkdown file.

You can see how the outputs look like by browsing to the links below:

- save_data.html, compiled from the save_data.Rmd $\rm source^5$
- analyse_data.html, compiled from the analyse_data.Rmd $\rm source^6$

Of course, you could compile the files into Word documents or PDF, depending on your needs, and you could of course write

 $^{^{4}}$ https://is.gd/L2GICG

⁵https://is.gd/Z15Ycy

⁶https://is.gd/D1o4XJ

many more details than me. I wanted to keep it short; the point of this chapter was to show you how to use literate programming and not to write a very detailed analysis.

9.3. Conclusion

This chapter was short, but quite dense, especially when we converted the analysis script to an Rmd, because we've had to use two advanced concepts, *tidy evaluation* and Rmarkdown child documents. *Tidy* evaluation is not a topic that I wanted to discuss in this book, because it doesn't have anything to do with the main topic at hand. However, part of building a robust, reproducible pipeline is to avoid repetition. In this sense, programming with {dplyr} and tidy evaluation are quite important. As suggested before, take a look at the linked vignette above, and then the chapter from my other free ebook. This should help get you started.

The end of this chapter marks an important step: many analyses stop here, and this can be due to a variety of reasons. Maybe there's no time left to go further, and after all, you've got the results you wanted. Maybe this analysis is useful, but you don't necessarily need it to be reproducible in 5, 10 years, so all you want is to make sure that you can at least rerun it in some months or only a couple of years later (but be careful with this assessment, sometimes an analysis that wasn't supposed to be reproducible for too long turns out to need to be reproducible for way longer than expected...).

Because I want this book to be a pragmatic guide, I will now talk about putting the least amount of effort to make your current analysis reproducible, and this is by freezing package versions, which I will show you in the next chapter.

10. Basic reproducibility: freezing packages

We are at a stage where the analysis is done. Converting our scripts into Rmds was quite easy to justify because writing the Rmds is also writing the report that we need to send to our boss (or our research paper, etc). But it might be harder to justify writing further documentation or package the functions we've had to write for reuse later and otherwise ensure that the analysis is and stays reproducible. So we are going to start with the simplest and most cost-effective solution to the reproducibility issue, which is recording the versions of the packages that were used. This is quite easy and quick to do and provides at least some hope that the analysis will stay reproducible. But this will not do anything to make the analysis more easily re-usable, will not improve the documentation, nor ensure that what we wrote is indeed correct. For this, we would need to write tests, which are missing from our current analysis. We only wrote one test, which made sure that all the communes were accounted for. This is why going with a package is so useful (and I need to stress here that the aim of writing a package is NOT to upload it to CRAN): packages offer us a great framework for documenting, testing and sharing our code (even if only sharing internally in your company/team, or even just future you). So in order to take advantage of what packaging our code has to offer, we will learn about the {fusen} package in the next chapter. {fusen}

will enable us to convert our Rmd files into a package quite quickly; your analysis is much closer to being a package than you think. As you shall see in the next chapter, going from our Rmds to a fully functioning package is much easier than you expect, even if you've never written a package in your life.

So I hope that I made my point clear: it is not recommended to stop at this stage, but I also recognize that we live in the real world with real physical constraints. So because we live in this imperfect world, sometimes we need to deliver imperfect work. So let's see what we can do that is very cheap in terms of effort and time, but that still allows us to have some hope of having our analysis reproducible, all thanks to the {renv} package. It is quite easy to get started with {renv}: simply install it, and get a record of the used packages and their versions with one single command. This record gets saved inside a file that can then be used to restore this project's library in the future, and without interfering with the other packages that you already have installed on your machine. You see, {renv} creates a perproject library (a library is the set of R packages installed on your machine) which means that you can have as many versions of {dplyr} as needed (one per project). The right version of {dplyr} will be installed and used for the right project only, and without interfering with other installed versions.

Let's see how this works by creating such a project-specific library for our little project.

10.1. Recording packages' version with {renv}

So now that you've used functional and literate programming, we need to start thinking about the infrastructure surrounding our code. By infrastructure I mean:

- the R version;
- the packages used for the analysis;
- and otherwise the whole computational environment, even the computer hardware itself.

{renv} enables you to create Reproducible Environments and is a package that takes care of point number 2: it allows you to easily record the packages that were used for a specific project. This record is a file called renv.lock which will appear at the root of your project once you've set up {renv} and run it. You can use {renv} once you're done with an analysis like in our case, or better yet, immediately at the start of the project. You can keep updating the renv.lock file as you add or remove packages from your analysis. The renv.lock file can then be used to restore the exact same package library that was used for your analysis on another computer, or on the same computer but in the future.

This works because {renv} does more than simply create a list of the used packages and recording their versions inside the renv.lock file: it actually creates a per-project library that is completely isolated from the main, default, R library on your machine, but also from the other {renv} libraries that you might have set up for your other projects (remember, the *library* is the set of R packages installed on your computer). To save time when setting up an {renv} library, packages simply get copied over from your main library instead of being re-downloaded and re-installed (if the required packages are already installed in your default library).

To get started, install the {renv} package (make sure to start a fresh R session):

```
install.packages("renv")
```

and then go to the folder containing the Rmds we wrote together in the previous chapter. Make sure that you have the two following files in that folder:

- save_data.Rmd, the script that downloads and prepares
 the data;
- analyse_data.Rmd, the script that analyses the data.

Also, make sure that the changes are correctly backed up on Github.com, so if you haven't already, commit and push any change to the **rmd** branch. Because we will be experimenting with a new feature, create a new branch called **renv**. You should know the drill by now, but if not simply follow along:

```
owner@localhost $ git checkout -b renv
Switched to a new branch 'renv'
```

We will now be working on this branch. Simply work as usual, but when pushing, make sure to push to the **renv** branch:

```
owner@localhost $ git add .
owner@localhost $ git commit -m "some changes"
owner@localhost $ git push origin renv
```

Once this is done, start an R session, and simply type the following in a console:

```
renv::init()
```

You should see the following:

```
* Initializing project ...
* Discovering package dependencies ... Done!
* Copying packages into the cache ... [76/76]
→ Done!
The following package(s) will be updated in the
→ lockfile:
***and then a long list of packages***
The version of R recorded in the lockfile will
\hookrightarrow be updated:
                [*] -> [4.2.2]
- R
* Lockfile written to
→ 'path/to/housing/renv.lock'.
* Project 'path/to/housing' loaded. [renv
↔ 0.16.0]
* renv activated -- please restart the R
\rightarrow session.
```

Let's take a look at the files that were created (if you prefer using your file browser, feel free to do so, but I prefer the command line):

```
owner@localhost $ ls -la
total 1070
drwxr-xr-x 1 owner Domain Users
                                   0 Feb 27
 12:44 .
drwxr-xr-x 1 owner Domain Users
                                       0 Feb 27
 → 12:35 ...
-rw-r--r-- 1 owner Domain Users
                                      27 Feb 27
→ 12:44 .Rprofile
drwxr-xr-x 1 owner Domain Users
                                      0 Feb 27
    12:40 .git
 \hookrightarrow
-rw-r--r-- 1 owner Domain Users
                                   306 Feb 27
 \rightarrow 12:35 README.md
-rw-r--r-- 1 owner Domain Users
                                   2398 Feb 27
\rightarrow 12:38 analyse data.Rmd
drwxr-xr-x 1 owner Domain Users
                                      0 Feb 27
\rightarrow 12:44 renv
-rw-r--r-- 1 owner Domain Users 20502 Feb 27
\rightarrow 12:44 renv.lock
-rw-r--r-- 1 owner Domain Users 6378 Feb 27
\rightarrow 12:38 save data.Rmd
```

As you can see, there are two new files and one folder. The new files are the renv.lock file that I mentioned before and a file called .Rprofile. The new folder is simply called renv. The renv.lock is the file that lists all the packages used for the analysis. .Rprofile files are files that get read by R automatically at startup (as discussed at the very beginning of part one of this book). You should have a system-wide one that gets read on startups of R, but if R discovers an .Rprofile file in the directory it starts on, then that file gets read instead. Let's see the contents of this file (you can open this file in any text editor, like Notepad on Windows, but then again I prefer the command line):

```
owner@localhost $ cat .Rprofile
```

The files contains the single line:

```
source("renv/activate.R")
```

activate.R is an R script that was also created by renv::init(), which you can find in the renv folder. Let's take a look at the contents of this folder:

```
owner@localhost $ ls renv
total 107
drwxr-xr-x 1 owner Domain Users 0 Feb 27
 → 12:44 .
drwxr-xr-x 1 owner Domain Users 0 Feb 27
→ 12:35 ...
-rw-r--r-- 1 owner Domain Users
                                   27 Feb 27
\rightarrow 12:44 activate.R
drwxr-xr-x 1 owner Domain Users
                                0 Feb 27
 → 12:40 .gitignore
drwxr-xr-x 1 owner Domain Users
                                   0 Feb 27
\rightarrow 12:40 library
-rw-r--r-- 1 owner Domain Users 6378 Feb 27
→ 12:38 settings.dcf
```

So inside the **renv** folder, there is another folder called **library**: this is the folder that contains our isolated library for just this project. That's something that we would not want to back up on

Github as it grows quite large. To avoid tracking this folder and backing it up on Github.com a file called .gitignore (notice the . at the start of the name) gets used. This is a file that contains the paths to other files and folders that should be ignored. If you open it, you will see that the library/ folder is listed there so it will be ignored. You can have as many .gitignore files as necessary, but if you put one in the root folder of your project, then that .gitignore will work project-wide.

For example, if you are working with sensitive data, you could also add a .gitignore file in the root of the project's directory, and simply list the folder containing the sensitive data. Create this file using your favourite text editor and simply add, for example if you're working with sensitive data, the following:

datasets/

This will prevent the datasets/ folder from being tracked and backed up.

Let's restart a fresh R session in our project's directory; you should see the following startup message:

```
* Project 'path/to/housing' loaded. [renv _{\rm \hookrightarrow} 0.16.0]
```

This means that this R session will use the packages installed in the isolated library we've just created. Let's now take a look at the renv.lock file:

owner@localhost \$ cat renv.lock

```
{
"R": {
  "Version": "4.2.2",
  "Repositories": [
  {
   "Name": "CRAN",
   "URL": "https://packagemanager.rstudio.com/
    \rightarrow all/latest"
  }
 ]
},
"Packages": {
  "MASS": {
    "Package": "MASS",
    "Version": "7.3-58.1",
    "Source": "Repository",
    "Repository": "CRAN",
    "Hash": "762e1804143a332333c054759f89a706",
    "Requirements": []
  },
  "Matrix": {
    "Package": "Matrix",
    "Version": "1.5-1",
    "Source": "Repository",
    "Repository": "CRAN",
    "Hash": "539dc0c0c05636812f1080f473d2c177",
    "Requirements": [
      "lattice"
    ]
    ***and many more packages***
```

The ${\tt renv.lock}$ file is a json file listing all the packages, as well as

their dependencies, that are used for the project. At the top of the file, the R version that was used to generate the **renv.lock** file is also named. It is important to remember that when you'll use **{renv}** to restore a project's library on a new machine, the R version will not be restored: so in the future, you might be restoring this project and running old versions of packages on a newer version of R, which may sometimes be a problem (but we're going to discuss this later).

So... that's it. You've generated the **renv.lock** file, which means that future you, or someone else, can restore the library that you used to write this analysis. All that's required is for that person (or future you) to install {**renv**} and then use the **renv.lock** file that you generated to restore the library. Let's see how this works by cloning the following Github repository on this link¹ (forked from this one here²):

You should see a targets-minimal folder on your computer now. Start an R session in that folder and type the following command:

```
renv::restore()
```

You should be prompted to activate the project before restoring:

¹https://is.gd/jMVfCu

²https://is.gd/AAnByB

Type Y and you should see a list of packages that need to be installed. You'll get asked once more if you want to proceed, type y and watch as the packages get installed. If you pay attention to the links, you should see that many of them get pulled from the CRAN archive, for example:

```
Retrieving

→ 'https://cloud.r-project.org/src/contrib/Archive

→ /vroom/vroom 1.5.5.tar.gz'
```

Notice the word "Archive" in the url? That's because this project uses {vroom} 1.5.5, but as of writing (early 2023), {vroom} is at version 1.6.1.

Now, maybe you've run **renv::restore()**, but the installation of the packages may have failed. If that's the case, let me explain what likely happened.

I tried restoring the project's library on two different machines: a Windows laptop and a Linux workstation. renv::restore() failed on the Windows laptop, but succeeded on the Linux workstation.

Why does that happen? Well in the case of the Windows laptop, compilation of the {dplyr} package failed. This is likely because my Windows laptop does not have the right version of Rtools installed. If you look inside the renv.lock file that came with the targets-minimal project, you should notice that the recorded R version is 4.1.0, but I'm running R 4.2.2 on my computers. So libraries get compiled using Rtools 4.2 and not Rtools 4.0 (which includes the libraries for R 4.1 as well).

So in order to run this project successfully, I should install the right version of R and Rtools which on Windows should not be too complicated. But that might be a problem on other operating systems. Does that mean that **{renv}** is useless? No, not at all.

At a minimum, {renv} ensures that a project's library doesn't interfere with another project's library while you're working on different projects. You can be working on several projects and be sure that if you update your library (for example, to use a nice new function from one specific package), that update will only affect the project where the library was updated, and not the other libraries from the other projects. When working with a system-wide library, updating packages for a project could introduce breaks in other projects. Without {renv}, such breaks could happen because another function coming from some other package that also got updated and that you use in another longterm project got removed, or renamed, or simply works differently now. This types of issues can be avoided by using a perproject library, which is exactly what {renv} does.

But also, apart from that already quite useful feature, renv.lock files provide a very useful blueprint for Docker, which we are going to explore in a future chapter. Only to give you a little taste of what's coming: since the renv.lock file lists the R version that was used to record the packages, we can start from a Docker image that contains the right version of R. From there, restoring the project using renv::restore() should succeed without issues. If you have no idea what this all means, do not worry, you will know by the end of the book, so hang in there.

So should you use {renv}? I see two scenarios where it makes sense:

- You're done with the project and simply want to keep a record of the packages used. Simply call renv::init() at the end of the project and commit and push the renv.lock file on Github.
- You want to use {renv} from the start to isolate the project's library from your whole R installation's library to avoid any interference (I would advise you to do it like this).

In the next section, we'll quickly review how to use $\{{\tt renv}\}$ on a "daily basis".

10.1.1. Daily {renv} usage

So let's say that you start a new project and want to use {renv} right from the start. You start with an empty directory, and add a template .Rmd file, and let's say it looks like this:

```
---
title: "My new project"
output: html_document
---
```{r setup, include=FALSE}
library(dplyr)
````
```

Overview ## Analysis

Before continuing, make sure that it correctly compiles into a HTML file by running rmarkdown::render("test.Rmd") in the correct directory.

In the setup chunk you load the packages that you need. Now, save this file, and start a fresh session in the same directory and run renv::init(). You should see the familiar prompts described above, as well as the renv.lock file (which will only contain {dplyr} and its dependencies).

Now, after the library(dplyr) line, add the following library(ggplot2) (or any other package that you use on a daily basis). Make sure to save the .Rmd file and try to render it again by using rmarkdown::render("test.Rmd") (or if you're using RStudio, by clicking the right button), but, spoiler alert, it won't work. Instead you should see this:

```
Quitting from lines 7-9 (my_new_project.Rmd)
Error in library(ggplot2) : there is no package

→ called 'ggplot2'
```

Don't be confused: remember that {renv} is now activated, and that each project where {renv} is enabled has its own project-specific library. You may have {ggplot2} installed on your system-wide library, but this {renv}-enabled project does not have it yet on its own specific library. This means that you need to install {ggplot2} for your project. To do so, simply start an R session within your project and run install.packages("ggplot2"). If the version installed on your system-wide library is the latest version available on CRAN, the package will simply be copied over from the systemwide to the project-specific library, if not, the latest version will be downloaded onto your project's library. You can now update the renv.lock file. This is done using renv::snapshot(); this will show you a list of new packages to record inside the renv.lock file and ask you to continue:

If you now open the renv.lock file, and look for the string "ggplot2" you should see it listed there alongside its dependencies. Let me reiterate: this version of {ggplot2} is now unique to this project. You can work on other projects with other versions of {ggplot2} without interfering with this one. If for some reason you didn't want to have the latest version of {ggplot2} installed in the project-specific library, you could have installed an older version, still thanks to {renv}. For example, to install an older version of {AER}:

```
renv::install("AER@1.0-0") # this is a version \rightarrow from August 2008
```

But just like in the previous section, where we wanted to restore an old project that used {renv}, installation of older packages may fail. If you need to use old packages there are other easier approaches which we are also going to explore in this chapter.

When you install more of the required packages for your project, you need to call renv::snapshot() to add the packages to the renv.lock file. Once you're done with your project, call renv::snapshot() one last time to make sure that every dependency is correctly accounted for. Don't forget to version the renv.lock file using Git!

10.1.2. Collaborating with {renv}

{renv} is also quite useful when collaborating. You can start the project and generate the lock file, and when your teammates clone the repository from Github, they can get the exact same package versions as you. All of you only need to make sure that everyone is running the same R version to avoid any issues.

There is a vignette on just this that I invite you to read for more details, see here³.

10.1.3. {renv}'s shortcomings

As useful as {renv} is, it also comes with some shortcomings (which I've already alluded to before). It is quite important to understand what {renv} does and what it doesn't do, and why {renv} alone is not enough to ensure the long-term reproducibility of your projects.

The first problem, and I'm repeating myself here, is that {renv} only records the R version used for the project, but does not restore it when calling renv::restore(). You need to install the

³https://is.gd/sXpWVp

right R version yourself. On Windows this should be fairly easy to do, but then you need to start juggling R versions and know which scripts need which R version, which can get confusing.

There is the {rig} package that makes it easy to install and switch between R versions that you could check out⁴ if you're interested. However, I don't think that {rig} should be used for our purposes. I believe that it is safer to use Docker instead, and we shall see how to do so in the coming chapters.

The other issue of using {renv} is that future you, or your teammates or people that want to reproduce your results need to install packages that may be quite difficult to install, either because they're very old by now, or because their dependencies are difficult to satisfy. Have you ever tried to install a package that depended on {rJava}? Or the {rgdal} package? Installing these packages can be quite challenging because they need specific system requirements that may be impossible for you to install (either because you don't have admin rights on your workstation, or because the required version of these system dependencies is not available anymore). Having to install these packages (and potentially quite old versions at that) can really hinder the reproducibility of your project. Here again, Docker provides a solution. Future you, your teammates or other people simply need to be able to run a Docker container, which is a much lower bar than installing these old libraries.

Note also that during your journey, you will want to improve your scripts, you maybe will also want to upgrade some dependencies to take advantage of recent developments in some packages. This will require upgrading the {renv} environment. To do so, run update.packages() to update the packages, and then renv::snapshot() to to generate a new renv.lock file. But

⁴https://is.gd/dvH2Sj

how will you be sure that these upgrades will not impair some other parts of your code? Turning the analysis into a package will help with this, as I'll explain in the next chapter, because once the analysis is turned into a package, testing gets much easier. If the tests indicate that something went wrong, you can simply restore the previous lock file using Git and restore the old library.

I want to stress that this does not mean that {renv} is useless: we will keep using it, but together with Docker to ensure the reproducibility of our project. As I've written above already, at a minimum {renv} ensures that a project's library doesn't interfere with another project's library and this is in itself already quite useful. The renv.lock file also provides a blueprint that can be used (by you or someone else) to build a Docker image for long-term reproducibility.

Let's now quickly discuss two other packages before finishing this chapter, which provide an answer to the question: how to rerun an old analysis if no **renv.lock** file was made available at the time the analysis was made?.

10.2. Becoming an R-cheologist

So let's say that you need to run an old script, and there's no **renv.lock** file around for you to restore the right package library. There might still be a solution (apart from running the script on the current version on R and packages, and hope that everything goes well), but for this you need to at least know roughly *when* that script was written. Let's say that you know that this script was written back in 2017, somewhere around October. If you know that, you can use the **{rang}** or **{groundhog}**

packages to download the packages as of October 2017 in a separate library and then run your script.

{rang} is fairly recent as of writing (February 2023) so I won't go into too much detail now, as it is likely that the package will keep evolving rapidly in the coming weeks. So if you want to use it and follow its development, take a look at its Github repository here⁵ and read the prepint⁶ (Chan and Schoch 2023).

{groundhog} (website⁷) is another option that has been around for more time and is fairly easy to use. Suppose that you have a script from October 2018 that looks like this:

If you want to run this script with the versions of {purrr} and {ggplot2} that were current in October 2017, you can achieve this by simply changing the library() calls:

```
groundhog::groundhog.library("
    library(purrr)
```

⁵https://is.gd/sQu7NV ⁶https://arxiv.org/abs/2303.04758 ⁷https://groundhogr.com

```
library(ggplot2)",
 "2017-10-04"
)
data(mtcars)
myplot <- ggplot(mtcars) +
 geom_line(aes(y = hp, x = mpg))
ggsave("/home/project/output/myplot.pdf",
 \u0395 myplot)
```

but you will get the following message:

```
-----
IMPORTANT.
Groundhog says: you are using R-4.2.2, but
\hookrightarrow the version of R current
  for the entered date, '2017-10-04', is
\rightarrow R-3.4.x. It is recommended
that you either keep this date and switch
\, \hookrightarrow \, to that version of R, or
you keep the version of R you are using but
\hookrightarrow switch the date to
   between '2022-04-22' and '2023-01-08'.
1
   You may bypass this R-version check by
\rightarrow adding:
   `tolerate.R.version='4.2.2'`as an option in
→ your groundhog.library()
   call. Please type 'OK' to confirm you have
\rightarrow read this message.
```

| >ok

Groundhog is speaking to us, advising us to switch to the version of R that was current at that time the script was written. If we want to ignore the message's advice, and add tolerate.R.version = '4.2.2', we may get the script to run anyways:

But just like for {renv} (or {rang}), installation of the packages can fail, and for the same reasons (unmet system requirements most of the time).

So here again, the solution is to take care of the missing piece of the reproducibility puzzle, which is the whole computational environment itself.

10.3. Conclusion

In this chapter you had a first (maybe a bit sour) taste of reproducibility. This is because while the tools presented here are very useful, they will not be sufficient if we want our project to be truly reproducible, especially in the long term. There are too many things that can go wrong when re-installing old package versions, so we must instead provide a way for users to not have to do it at all. This is where Docker is going to be helpful. But before that, we need to hit the development bench again. We are actually not quite done with our project; before going to full reproducibility, we should turn our analysis into a package. And as you will see, this is going to be much, much, easier than you might expect. You already did 95% of the job! There are many advantages to turning our analysis into a package, and not only from a reproducibility perspective.

11. Packaging your code

In this chapter, you're going to learn how to create your own package. And let me be clear right from the start: the goal here is not to convert your analysis as a package to then get it published on CRAN. No, that's not it. The goal is to convert your analysis into a package because when your analysis goes into *package development mode*, you can, as the developer, leverage many tools that will help you improve the quality of your analysis. These tools will make it easier for you to:

- document the functions you had to write for your analysis;
- test these functions;
- properly define dependencies;
- use all the code you wrote into a true reproducible pipeline.

Turning the analysis into a package will also make the separation between the software development work you had to write for your analysis (writing functions to clean data for instance) from the analysis itself much clearer. The package itself can be published on Github (if there's nothing particularly sensitive about it) and can also be very easily installed from R itself from Github, or you can store it inside your organisation and then simply install it locally.

By turning your analysis into a package you will essentially end up with two *things*:

• a well-documented, and tested package;

• an analysis that uses this package like any other package.

Making this separation will then make it easier to record dependencies of your analysis using {renv}, as your package will be a package like any other that needs to be recorded. And what's more, we can start with the .Rmd files that we have already written! The {fusen} package (Rochette 2022) will bridge the gap between the .Rmd files and the package: as Sébastien Rochette, the author of {fusen}, says:

If you have written an Rmd file, you have (almost) already written a package.

But you could just as well start directly with an empty **{fusen}** package template, and then start your analysis from there. Package development with **{fusen}** is simply writing RMarkdown code.

11.1. Benefits of packages

Let's first go over the benefits of turning your analysis into a package once again, as this is crucial.

The main point is not to turn the analysis into a package to publish on CRAN (but you can if you want to). The point is that when you analyse data, you have to write a lot of custom code, and very often, you don't expect to write that much custom code when starting. Let's think about our little project: all we wanted was to create some plots from Luxembourguish houses' price data. And yet, we had to scrape Wikipedia on two occasions, clean an Excel file, and write a test... the project is quite modest but the amount of code (and thus opportunities to make mistakes) is quite large. But, that's not something that we could have anticipated, hence why we didn't start the analysis by writing a package but a script (or an .Rmd) instead. But then as this script grows larger and larger, we realise that we might need something else than a simple .Rmd file and this is when we would start writing a package. Without {fusen}, we would almost need to start from scratch.

The other benefit of turning all this code into a package is that we get a clear separation between the code that we wrote purely to get our analysis going (what I called the *software development part* before) from the analysis itself (which would then typically consist in computing descriptive statistics, running regression or machine learning models, and visualisation). This then in turn means that we can more easily maintain and update each part separately. So the pure software development part goes into the package, which then gives us the possibility to use many great tools to ensure that our code is properly documented and tested, and then the analysis can go inside a purely reproducible pipeline. Putting the code into a package also makes it easier to reuse across projects.

11.2. {fusen} quickstart

If you haven't already, install the {fusen} package:

```
install.packages("fusen")
```

{fusen} makes the *documentation first* method proposed by Sébastien Rochette, {fusen}'s author, simple to use. The idea is to start from documentation in the form of an .Rmd file and go from there to a package. Let's dive right into it by starting from a template included in the {fusen} package. Start an R

session from your home (or Documents) directory and run the following:

This will create a directory called fusen.quickstart inside your home (or Documents) directory. Inside that folder, you will find another folder called dev/. Let's see what's inside it (I use the command line to list the files, but you're free to use your file explorer program):

owner@localhost \$ ls dev/ O-dev_history.Rmd flat_minimal.Rmd

dev/ contains two .Rmd files, O-dev_history.Rmd and flat_miminal.Rmd. They're both important, so let me explain what they do:

- flat_minimal.Rmd is only an example, a stand-in for our own .Rmd files. When doing actual work, we will be using the Rmd file(s) that we have written before (analyse_data.Rmd and save_data.Rmd) instead, or if this is a fresh project, we could rename flat_minimal.Rmd and use it as a template for our analysis.
- O-dev_history.Rmd contains lines of code that you typically run when you're developing a package. For example, a line to initialise Git for the project, a line to add some dependencies, etc. The idea is to write down everything that you type in the console in this file. This leaves a trace of what you have been doing and also acts as a checklist so that you can make sure that you didn't forget anything. You can also re-use for any other package development project.

Before describing these files in detail, I want to show you this image taken from {fusen}'s website¹:



Figure 11.1.: fusen takes care of the boring stuff for you!

On the left-hand side of the image, we see the two template .Rmd files from {fusen}. O-dev_history.Rmd contains a chunk called description. This is the main chunk in that file that we need to execute to get started with {fusen}. Running this chunk will create the package's DESCRIPTION file (don't worry if you don't know about this file yet, I will explain). Then, the second file flat_minimal.Rmd (or our very own .Rmd files) contains functions, tests, examples, and everything we need for our analysis. When we *inflate* the Rmd file, {fusen} places every piece from this .Rmd file in the right place: the functions

¹https://is.gd/5pJi2h

get copied into the package's R/ folder, tests go into the tests/ folder, and so on. {fusen} simply takes care of everything for us!

But for {fusen} to be able to work its magic, we do need to prepare our .Rmd files a bit. But don't worry, it is mostly simply giving adequate names to our code chunks. Let's take a look at the flat_minimal.Rmd file that was just generated. If you open it in a text editor, you should see that it is a fairly normal .Rmd file. There is a comment telling you to first run the description chunk in the O-dev_history.Rmd file before changing this one. But let's keep reading flat_minimal.Rmd. What's important comes next:

```
test_that("my_fun works", {
})
```

This is a section titled my_fun. Then comes the definition of my_fun(), inside a chunk titled function-my_fun, then comes an example, inside a chunk titled examples-my_fun and finally a test in a chunk titled tests-my_fun.

This is how we need to rewrite our own .Rmd files to be able to use {fusen}, and what's really nice is that this is essentially what we did before, but with some added structure on it. Using {fusen} just *forces* us to clean up our code and define examples and tests (if we want them) more cleanly and explicitly. Also, you might have noticed that in the chunk with the function definition, there are a bunch of comments that start with **#**'. These are {roxygen2} type comments. As the package's documentation gets built, these comments get automatically turned into the documentation you see when you type help("my_fun") in an R console. So even the comments that you typically write to explain how your code works can be re-used to build documentation that will be much easier to browse than comments in source code!

So, basically, a {fusen}-ready .Rmd file is nothing more than an .Rmd file with some structure imposed on it. Instead of documenting your functions as simple comments, document them using {roxygen2} comments, which then get turned into the package's documentation automatically. Instead of trying your function out on some mock data in your console, write down that example inside the .Rmd file itself. Instead of writing adhoc tests, or worse, instead of testing your functions on your console manually, one by one (and we've all done this), write down the test inside the .Rmd file itself, right next to the function you're testing.

Write it down, write it down, write it down... you're already documenting and testing things (most of the time in the console only), so why not just write it down once and for all, so you don't have to rely on your ageing, mushy brain so much? Don't make yourself remember things, just write them down! {fusen} gives you a perfect framework to do this. The added benefit is that it will improve your package's quality through the tests and examples that are not directly part of the analysis itself but are still required to make sure that the analysis is of high quality, reproducible and maintainable. So that if you start messing with your functions, you have the tests right there to tell you if you introduced breaking changes.

Let's go back to the template and inflate it into a package. Open O-dev_history.Rmd and take a look at the description code chunk:

```
```{r description, eval=FALSE}
Describe your package
fusen::fill description(
 pkg = here::here(),
 fields = list(
 Title = "Build A Package From Rmarkdown
 \rightarrow File",
 Description = "Use Rmarkdown First method to
 build your package.
 \hookrightarrow
 Start your package with
 documentation.
 \hookrightarrow
 Everything can be set from a
 Rmarkdown file
 \hookrightarrow
 in your project.",
```
The fill description() function will create the package's DESCRIPTION file. Here<sup>2</sup> is an example of such a file. This file provides some information on who wrote the package, the purpose of the package, as well as some metadata such as the package's version. While developing your package, you will continuously fill in some important extra parts of this file, such that parts that list dependencies required to be able to use your package: Depends:, Imports: and Suggests:. Depends: is where you list packages (or R versions) that must be installed for your package to work (if they're not installed, they will be installed alongside your package). This is the same with Imports:, and the difference with Depends: is most of the time irrelevant: packages listed under Depends: will not only be loaded when you load your package, but also attached. This means that the functions from these packages will also be available to the end user when loading your package. Most of the time, you do not have to list packages under Depends:. Packages listed under Imports: will only be loaded, meaning

<sup>&</sup>lt;sup>2</sup>https://is.gd/PfvkSZ

that their functions will only be available to your packages' functions, not the end-users themselves. If that's confusing, don't worry too much about it, this will not be consequential for our purposes. Finally, Suggests: are dependencies that are not critical for your package to run, usually these are only necessary if you want to run the code from the package's vignettes or examples. As you can imagine, listing the right packages under the right category can be a daunting task. But don't worry, {fusen} takes care of this automatically for us! Simply focus on writing your .Rmd files.

The last line of this chunk runs usethis::use mit license(). {usethis} is a package that contains many helper functions to help you develop packages. You can choose among many licenses. Note that any open-source work should present a license so that users know how they are allowed to use it. Otherwise, theoretically, without a license, no one is allowed to re-use or share your work. You don't need to think too much about it at the start since you can always change the license later. And if you don't want to publish your package anywhere (not CRAN, nor Github) and keep it completely internal to your organisation, you can just define a proprietary license with usethis::use proprietary\_license("your name"). Mv very personal take on licenses is that you should use copyleft licenses as much as possible (so licenses like the GPL) which ensure that if others take your code and change it, their changes also have to be republished to the public under the GPL – but only if they wish to publish their changes at all. They could always keep their modifications totally private, which means that companies can, and do, use GPL'ed code in their internal products.

It's when that product gets released to the public that the source code must be released as well. This ensures that open code stays

open.

However, licenses like the MIT allow private companies to take open source and freely available code and incorporate it inside their own proprietary tools, without having to give back their modifications to the community. Some people argue that this is the *true* free license because anyone is then also free to use any code and they also have the liberty of not having to give anything back to the community. I think that this is a very idiotic argument, and when proponents of permissive licenses like the MIT (or BSD) get their code taken and not even thanked for it (as per the license, which doesn't even force anyone to cite the software), and their software gets used for nefarious purposes, the levels of cope are through the roof<sup>3</sup> (archived link for posterity). Anyway, I got side-tracked here, let's go back to our package.

Run the code of the two functions inside the description chunk in an R console (don't change anything for now, and make sure that the R session was started on the root of the project, so in the fusen.quickstart/ folder), and see the DESCRIPTION file appear magically in the root of the folder (as well as the LICENSE file, containing the license).

For now, we can ignore the rest of the O-dev\_history.Rmd file: actually, everything that follows the description code chunk is totally optional but still useful. If you look at them, you see that the lines that follow simply help you remember to do useful things, like initialising Git, creating a Readme file, add some usual dependencies, and so on. But let's ignore this for now, and go to the flat\_minimal.Rmd file.

Go at the end of the file, and take a look at the chunk titled development-inflate. This is the chunk that will convert the

 $<sup>^{3}\</sup>mathrm{https://is.gd/PS45xu}$ 

.Rmd file into a fully functioning package. This process is called *inflating* the .Rmd file (because a *fusen* is a type of origami figure that you fold in a certain way, which can then get *literally* inflated into a box). Run the code in that chunk, and see your analysis become a package automagically.

If you look now at the projects' folder, you will see several new sub-folder:

- R/: the folder that contains the functions;
- man/: contains the functions' documentation;
- tests/: contains the tests;
- vignettes/: contains the vignettes.

Every function defined in the flat\_minimal.Rmd file is now inside the R/ folder; all the documentation written as {roxygen2} comments is now neatly inside man/, the tests are in tests/, and flat\_minimal.Rmd has been converted to an actual vignette (without all the development chunks). This is now a package that can be installed immediately using devtools::install(), or that can be shared on Github and installed from there. Right now, without doing anything else. You can even generate a website for your package: got back to the O-dev\_history.Rmd and check the last code chunk, under the title *Share the package*. Start a new, fresh session at the root of your project and run the two following lines from that last chunk:

```
set and try pkgdown documentation website
usethis::use_pkgdown()
pkgdown::build_site()
```

This will build a website for your package using the {pkgdown} website and open your web browser and show you what it looks like. The files for this website are in the newly created docs/

folder in the root of your package folder. This can then be hosted, for free, with a service from Github called Github Pages so people can explore the package's functions and documentation without having to install the package! Later in this chapter, I will show you how to do this.

# 11.3. Turning our Rmds into a package

Ok, so I hope to have convinced you that **{fusen}** is definitely something that you should add to your toolbox. Let's now turn our analysis into a package, but before diving right into it, let's think about it for a moment.

We have two .Rmd files, one for getting and cleaning the data, which we called save\_data.Rmd and another for analysing this data, called analyse\_data.Rmd.

In both .Rmd files, we defined a bunch of functions, but most of the functions were defined in the save\_data.Rmd script. In fact, in the analyse\_data.Rmd file we defined only two functions, get\_laspeyeres(), the function to get the Laspeyeres price index, and make\_plot(), the function to create the plots for our analysis.

We are faced with the following choice here:

- make both these .Rmd files *fusen-ready*, and inflate them both. This would put the functions from both save\_data.Rmd and analyse\_data.Rmd into the inflated package R/ folder;
- put all the functions into save\_data.Rmd and only inflate that file. The other, analyse\_data.Rmd can then be used exclusively for the analysis *stricto sensu*.

This is really up to you, there is no right or wrong answer. You could even go for another option if you wanted. It all depends on how much time you want to invest in this. If you want to get done quickly, the first option, where you simply inflate both files is the fastest. If you have more time, the last option, where you neatly split everything might be better. I propose that we go for the second option. This way, we only have to inflate one file, and in our case here, it won't take much time anyways. It's literally only moving two code chunks from analyse\_data.Rmd to save\_data.Rmd. So before continuing, let's go back to our repository and switch back to the rmd branch that contains the .Rmd files (let's ignore freezing packages with {renv} and thus the renv branch for now):

```
owner@localhost $ git checkout rmd
```

Using the **rmd** branch as a starting point, let's create a new branch called **fusen**:

owner@localhost \$ git checkout -b fusen

Switched to a new branch 'fusen'

We will now be working on this branch. Simply work as usual, but when pushing, make sure to push to the **fusen** branch:

```
owner@localhost $ git add .
owner@localhost $ git commit -m "some changes"
owner@localhost $ git push origin fusen
```

By now, that repository should have four branches:

• master, or main with the simple .R scripts;

- *rmd*, with the .Rmd files
- renv, containing the .Rmd files as well, and the renv.lock file
- *fusen*, the branch we will be using now.

If you've skipped the first part of the book, or didn't diligently create the branches and push, you can fork this repository<sup>4</sup> and then clone it to start from a sane base. Switch to the **rmd** branch, and create a branch called **fusen**.

First order of business: create a {fusen} flat template in a dev/ folder. Start a fresh R session inside the housing/ folder, and run the following:

Because we already have a folder for our project, called housing/ we use "." which essentially means "right here". We need the overwrite = TRUE option because the folder exists already. Running the above command will add the dev/ folder. Move save\_data.Rmd inside dev/; remember, we only want to inflate that one: analyse\_data.Rmd will be a simple .Rmd that will use our package to load the needed functions and data.

Next step, move the functions get\_laspeyeres() and make\_plot() from analyse\_data.Rmd to save\_data.Rmd. Simply cut and paste these functions from one .Rmd to the other. Make sure save\_data.Rmd looks something like this<sup>5</sup>, take a look at the end of the script to find the functions we've

<sup>&</sup>lt;sup>4</sup>https://is.gd/jGZrMF

<sup>&</sup>lt;sup>5</sup>https://is.gd/fusen\_save\_data

moved over. The analyse\_data.Rmd script is exactly the same, minus the functions that we've just moved over.

Ok, so now, we need to make save\_data.Rmd ready to be inflated. Take inspiration from the flat\_minimal.Rmd that fusen::create\_fusen() put in the dev/ folder. This is what the end-result should look like<sup>6</sup> (no worries, I'm going to explain how I got there). For consistency with your future use of {fusen}, you could also rename the save\_data.Rmd to flat\_save\_data.Rmd, although this won't prevent {fusen} from working properly.

Let's start with the first function, get raw data(). If you compare the before<sup>7</sup>, and after<sup>8</sup>, the differences are that we have named the chunk containing the function, function-get raw data and added documentation in the form of {roxygen2} comments. Naming the chunks is essential: this is how **{fusen}** knows that this chunk contains a function that should go into the R/ folder. {roxygen2} comments are strictly speaking not required, but it is highly advised that you add them: this way, your function will get documented and users (including future you) will be able to read the documentation by typing help(get raw data). And you're likely already adding comments explaining what the function does anyway. Another difference is that I have made all the functions referentially transparent. Take a closer look at make plot() in the before and after .Rmd's. You will see that I've added two arguments to make plot(), country level data and commune level data. This is really important, so don't forget to do it!

<sup>&</sup>lt;sup>6</sup>https://is.gd/anRjt4

<sup>&</sup>lt;sup>7</sup>https://is.gd/fusen\_save\_data

 $<sup>^{8}</sup> https://is.gd/inflate\_ready\_save\_data$ 

Remember when I mentioned that the good thing about turning our analysis into a package is that it gives us a framework to develop high-quality code by using nice development tools? {roxygen2} type comments for documentation is the first such tool in this list. By commenting your functions, you explain what the inputs are, what the outputs are going to be, and also how to use the functions with some examples. Using {fusen} (and {roxygen2}), you simply continue doing the same, but with some added structure. This added structure is not costly to impose on yourself, and comes with many added benefits (in this case, free documentation!). I'm repeating myself but I really want to drive this point home: the goal is not to have to *add* code on top of what you already did. The point is to do what you always do, but within a framework.

Let's now look at the functions' {roxygen2}-type comments. The first line:

will create the title of the function's help page. Then come the **@param** lines (in this case we only have one):

```
#' @param url Optional: Persistent url to the {}_{\hookrightarrow} data
```

This lists the parameters of the function. Here you can explain exactly what the inputs should be. What happens if the function you're documenting has several parameters and you forget to document one? If that happens, when you will inflate the file, you will get a warning in the console that will look like this:

Then come the <code>@importFrom</code> statements. This is where you list dependencies:

```
#' @importFrom readxl excel_sheets read_excel
#' @importFrom utils download.file
#' @importFrom dplyr mutate rename select
#' @importFrom stringr str_trim
#' @importFrom janitor clean_names
#' @importFrom purrr map_dfr
```

This is important, because the statements will write the dependencies into the package's NAMESPACE file. This file is important, because any function defined there will be available to your package's functions when you load the package. So if your function uses dplyr::mutate() for example, your package needs to know where to look for mutate(). This is where the NAMESPACE file comes into play. Take the opportunity to list the dependencies of your function to review them: maybe you're using a package for a single dependency that you could easily remove. For example, I'm using stringr::str trim() to remove whitespace around characters. But I could be using the base R function trimws() instead, which would remove this dependency. I'm going to keep it here, because I'm lazy though. It might seem like extra work to add these statements. But you have to see it this way: you are writing the functions here, once, that need to be available to your functions for them to work. The alternative is to have to write:

```
library("readxl")
library("utils")
library("dplyr")
library("stringr")
library("janitor")
library("purrr")
```

on top of each script that uses your functions. This gets old pretty fast and is error-prone. By declaring the dependencies here, you ensure that they get recorded by {renv} and will make using your project much easier.

You will also notice the following importFrom statement:

```
#' @importFrom utils download.file
```

download.file() is included in the {utils} package, itself included with a base installation of R. So you don't really need to specify it; but when inflating the file, you get the following message:

```
Consider adding
importFrom("utils", "download.file")
to your NAMESPACE file.
```

hence why I've added it, to silence this message. Again, not mandatory, but why not do it?

Now comes the **@return** keyword: this simply tells your users what the function returns. If the function doesn't return anything, because it only has a side effect (for example, writing something to disk, or printing something on screen), then you could return NULL. #' @return A data frame

Last but not least, the **@export** keyword:

#' @export

This makes the function available to users that load the package using library(housing). If you don't add this keyword, the function will be only available to the other functions of the package. Another way to see this: functions decorated with the @export keyword are public and functions without it are private. But the concept of private functions doesn't really exist in R. You can always access a "private" function by using ::: (three times the :), as in package:::private\_function().

The other functions are documented in the same manner, so I won't comment them here. Something else you might have noticed: I replaced every %>% by the base pipe |>. You don't have to do it, but the advantage of using the base pipe is that it removes the dependency on the {magrittr} package, needed for %>%. If you want to use %>%, you can keep it, but then should run the line:

usethis::use\_pipe()

in the O-dev\_history.Rmd file, which will take care of adding this dependency correctly for you (by editing the NAMESPACE file).

Next comes the test we wrote. As a reminder, here is how it looked like in our original .Rmd file:

The objects communes and flat\_data have to obviously exist for this test to pass. This was a very simple test that must be monitored interactively. If commune names are returned here, then this means that there are communes left that we need to include in our data. But remember: we are aiming at building a RAP, and don't want to have to look at it as it is running to see if everything is alright. What we need is a test that returns an error if it fails and which should completely halt the pipeline. So for this we use the {testthat} package, and write a so-called *unit test*. We're going to deep-dive into unit testing (and assertive testing) in the next chapter, so for now, let me simply comment the test:

The first thing that you need to know is that tests need to be self-contained. This is why we define former\_communes and current\_communes again. The reason is that {fusen} will take this whole chunk and save it inside a script in the package's tests/ folder. When executed, the test will run in a fresh session where the communes object is not defined. So that's why you need to redefine every variable the test needs to run. For the test itself, we use testthat::expect\_true(). This function expects a piece of code that should evaluate to TRUE: if not, we get an error, and the whole pipeline stops here, forcing us to see what's going on. This is exactly what we want: when our code fails, it needs to fail as early and as spectacularly as possible. If you rely on future you to have to manually check console output or logs and look for errors, you deserve everything that's going to happen to you.

Under the section titled "Functions used for analysis", I copyand-pasted the functions from the analyse\_data.Rmd and documented them as well. What's new is that I've added examples:

But I don't want these examples to run, I just want them to simply appear in the documentation. This is because, just like for tests, examples have to be self-contained. So for this example to run successfully, I would need to redefine commune\_level\_data from scratch. I don't want to do this now, so hence why I wrapped the example around \dontrun and used roxygen-style comments with #'. I did the same with the function to plot the data.

We're almost done; take a look again at the template flat\_minimal.Rmd. I advised you to take inspiration from it to get save\_data.Rmd fusen-ready. At the end of that file, we can see this chunk:

This chunk contains the code that we need to run, manually, to inflate the package. However, I've removed it from my save\_data.Rmd file, and the reason is that I prefer to have it inside the O-dev\_history.Rmd file. I think that it makes more sense to have it there. Take a look at my O-dev\_history.Rmd here<sup>9</sup>. By reading that file, you see all the different developer actions that were taken. Your team-mates, or future you could read this, and immediately understand what happened, and what was done. Under the section title "Inflate save\_data.Rmd", you see that the chunk to inflate the .Rmd file and generate the package is there. I can run this chunk from O-dev\_history.Rmd and have my package successfully generated. Something important to notice as well: my fusen-ready .Rmd file is simply called save\_data.Rmd, while the generated, inflated file, that will be part of the package under the vignettes/ folder is called dev-save\_data.Rmd.

When you inflate a flat file into a package, the R console will be verbose. This lists all files that are created or modified, but there is also a long list of checks that run automatically. This is the output of devtools::check() that is included inside fusen::inflate(). This function verifies that your package, once inflated, follows the rules of package development. This will likely result in some fails, warnings and notes. Your goal is to make it to 0 errors, 0 warnings, 0 notes. This will be a tricky part while developing packages, as you may not understand all outputs the first time. However, if you read the long list carefully, you will see that you are helped in many ways: position of the problems, type of problem,... Fix the problems in the flat file, and inflate again, until the number of errors is 0. I will not get deeper into this topic here, so you may want to search for check() in https://r-pkgs.org<sup>10</sup> to go further.

I suggest that you stop here, and really try to get this working.

<sup>&</sup>lt;sup>9</sup>https://is.gd/JsJJVN

<sup>&</sup>lt;sup>10</sup>https://r-pkgs.org

You can start by simply cloning this repository<sup>11</sup> I linked in the beginning of this chapter, and follow along. After inflating, take a look at the vignette generated from the inflated dev-save data.Rmd, which you can find under the vignettes/ folder. One thing you need to understand is that the save data.Rmd file that you inflate, under dev/, is a working file for *developers*. The generated vignette on the other hand, can be read by stakeholders other than developers as well. In my case, I've added the prefix dev- because this vignette deals with preparing data for including in the package, and there is not much point for a stakeholder other than a developer to read this vignette. You will notice that the generated vignette does not contain the function chunks. This is normal, because after inflating the .Rmd file, the functions get saved under the R/ folder. Really take some time to understand this. Because what follows will assume that you have groked {fusen}.

## 11.4. Including datasets

Another difference between our initial .Rmd and the fusen-ready .Rmd, is that the fusen-ready save\_data.Rmd file does not save the datasets as .csv files anymore. This is because it is much better to include them directly in the package, and make them available to users by running the line:

```
data("commune_level_data")
```

To include data in a package, we need the package to already be built; only once the package exists can we include data sets.

<sup>&</sup>lt;sup>11</sup>https://is.gd/jGZrMF

This is why we need to inflate save\_data.Rmd first. So, how do we include data sets in a package? If you are developing packages in the usual manner (meaning, without {fusen}) then you have to do the following steps:

- write a script that generates the data set (and save this script inside the data-raw/ folder for future reference)
- save the datasets inside the data/ folder.

But we are using {fusen}, so instead, we can use the documentation first approach! And actually, the first step is done already: we have our vignette save\_data.Rmd! Let's not forget that the whole point of save\_data.Rmd file was, initially, to build these datasets and save them. So why not simply re-use this vignette? If you take a look at the inflated dev-save\_data.Rmd, you will see that everything is right there! That's obvious because that was the Rmd file that we used to build the datasets in the first place. So remember, we don't want to have to repeat ourselves. The vignette is right there with the code we need, so we are going to use it.

If you look at O-dev\_history.Rmd, everything is explained under the header "Including datasets". The idea is to run the code inside the vignette, which creates our datasets, and then save these datasets in the right place using usethis::use\_data(), mimicking the steps from "traditional" package development. In my O-dev\_history.Rmd here<sup>12</sup>, I wrapped all the code around the local() function to run all these steps inside a temporary, local environment. This way, any variable that gets made by knitting the vignette gets discarded once we're done saving the datasets. You may need to install your package before, using remotes::install\_local().

<sup>&</sup>lt;sup>12</sup>https://is.gd/JsJJVN

Finally, we need to document the datasets. For this, we use another .Rmd file that we inflate as well. You can find it under dev/data\_doc.Rmd, or by clicking here<sup>13</sup>. Datasets get defined inside chunks, just like functions, using {roxygen2}-type comments.

This basically covers what you need to know to package code. Of course, there are many other topics that we could discuss, but for our purposes, this is enough. We now know how to take advantage of the tools that make package development easy, and have diverted them for our use. If you want to develop a proper package and push it to CRAN, then I highly recommend you read the second edition of R packages<sup>14</sup> by Wickham and Bryan (2023). This book goes into all the nitty-gritty details of full package development. But let me be clear: this does not mean that you cannot develop a full, CRAN-ready, package using **{fusen}**. You absolutely can! It's just that this is outside the scope of the present book.

# 11.5. Installing and sharing the package

To install the package on the same machine that you developed it, you can simply run the line remotes::install\_local() on line 46 of the O-dev\_history.Rmd file (ideally in a fresh R session). But how can you share it with colleagues or future you?

Now that the package is ready, you need to be able to share it. This really depends on whether you can publish the code on Github or not, or whether your company/institution has a self-hosted version control system. In this section, we're going

 $<sup>^{13}\</sup>mathrm{https://is.gd/wjkNAO}$ 

<sup>&</sup>lt;sup>14</sup>https://r-pkgs.org/

to explore the following two scenarios: the package is hosted on Github (or in a private self-hosted version control system), or the package cannot be hosted for whatever reason but you still need to share the package.

## 11.5.1. Code is hosted

So if the code is hosted on Github (or on a self-hosted, private, version control system), users of the package can install it directly from Github. This can be done using the {remotes} package, like this:

```
remotes::install_github(
 "github_username/repository_name"
)
```

It is also possible to install the package from a specific branch:

```
remotes::install_github(
 "github_username/repository_name@branch_name"
)
```

it is even possible to install the package exactly how it was at a specific commit:

```
remotes::install_github(
 "github_username/repository_name@branch_name",
 ref = "commit_hash"
)
```

For example, if you want to install the package we have developed together from my Github account, you could run the following (the commit hash is actually wrong so you don't install this one by mistake):

```
remotes::install_github(
 "rap4all/housing@fusen",
 ref = "ae42601"
)
```

So the package in the **fusen** branch and at commit "ae42601" gets installed. Keep in mind that you can specify the commit hash to install the exact version you need, because this is going to do wonders for reproducibility.

### 11.5.2. Code cannot be hosted

If the code cannot be hosted, then you have to share it *manually*. That's less than ideal, but sometimes there simply is no alternative. In that case, you need to prepare a compressed archive that you can share. This is easily done using devtools::build(). Start a new session in the root directory of you package, and run devtools::build(). This will create a .tar.gz file that you can send to your teammates, or archive for future you. Ideally, before creating this file, you should go to O-dev\_history.Rmd and update the version number in the fusen::fill\_description() function, like so:

```
```{r description, eval=FALSE}
fusen::fill_description(
   pkg = here::here(),
   fields = list(
      Title = "Housing Data For Luxembourg",
```

```
Version = "0.1", # notice that I've added a
\hookrightarrow version number here
    Description = "This package contains
  functions to get,
\hookrightarrow
                      clean and analyse housing
    price data for Luxembourg.",
\hookrightarrow
    Authors@R = c(
      person("Bruno", "Rodrigues", email =
   "bruno@brodrigues.co",
\hookrightarrow
              role = c("aut", "cre"),
               comment = c(ORCID =
   "0000-0002-3211-3689"))
\hookrightarrow
    )
  )
, overwrite = TRUE) # you need to add overwrite
→ = TRUE to overwrite the file
```

You have to be very disciplined here, because you have to make sure that you keep updating this and documenting which version of the package should get used for which project. Also, make sure that you can store generated .tar.gz alongside the project and that you provide clear installation instructions. To install a package from a .tar.gz file, open a new R session and run the following:

```
remotes::install_local(
    "path/to/package/housing_0.0.0.9000.tar.gz"
    )
```

11.5.3. Marketing your work

Once your package is done, whether it is destined for CRAN or not, whether it can only be shared within your organisation or not, it is important to market it and make it discoverable. This is where building a website for the package is important, and thankfully, it takes two lines of code to build a fully functioning site. In the introduction we built the website for the template included with {fusen}, let's now build a website for our housing package.

This website can then be hosted online if you wish, or it can be shared internally to your organisation, offline, as a means of providing documentation.

Take a look at the very last section of the O-dev_history.Rmd file, titled "Share the package". If you execute the lines in that chunk (ideally from a fresh R session), a website will be built automatically. You can find the website's files in the docs/ folder: open the index.html file using a web browser and you can start navigating the documentation!

If your package is on Github, you can also host the website for free on Github pages. For this, you can build the website locally and send it to GitHub, or use GitHub Actions to build and publish it automatically.

For the manual build, first make sure that the .gitignore file in the root of your package does not contain the docs/ folder. If it does, remove it. Then, commit and push. This will upload the docs/ package on Github. Then, go to the repository's settings, and "Pages" and then choose the branch that contains the docs/ folder:

11. Packaging your code

⊙ Actions 🖽 Projects 🖽 Wiki	① Se	curity 🗠 Insights 🚯 Settings
🕸 General		GitHub Pages
Access		
A Collaborators		
D Moderation options	~	Build and deployment
Code and automation		Source
😢 Branches		Deploy from a branch 👻
🛇 Tags		Branch
 Actions 	~	GitHub Pages is currently disabled. Select a sour e below to enable GitHub Pages for this repository. Learn more.
🔏 Webhooks		🐉 fusen ▾) 🖿 /docs ▾) Save
Environments		
🖶 Codespaces		Visibility GITHUB ENTERPRISE
🖽 Pages		With a GitHub Enterprise account, you can restrict access to your GitHub Pages site by publishing it privately. A privately
Security		published site can only be accessed by people with read access to the repository the site is published from. You can use privately published sites to share your internal documentation or knowledge base with members of your enterorise.
Q Code security and analysis		True Citlade Entermaine side fore for 20 dans
Deploy keys		Learn more about the visibility of your GitHub Pages site
Socrete and variables		

| 🞗 Pin || ⊙ |

Figure 11.2.: Choose these options to host your package's website for free!

For the automatic build, first make sure that the .gitignore file in the root of your package does contain the docs/ folder, so that you do not send your local verifications. Then go to your O-dev_history.Rmd to run:

```
usethis::use_github_action("pkgdown")
```

Commit the .github/ directory with its yml files and push. GitHub Action is a service that automatically runs following instructions in the yml file, at each commit. When you commit to the main or master branch, the website will be built. As above, in the GitHub settings, you will need to define the root of the gh-pages branch to be published as GitHub Pages. This is called Continuous Integration and Continuous Deployment. Note that you may want to set the other GitHub Actions listed in the O-dev_history.Rmd to make it check your package on a different computer than yours. There is a chapter about CI/CD later in this book.

As an example of the website, you can visit the website of the package we've built together here¹⁵.

The package's README will be shown, if available, on the starting page of the website. So if you want to add a README to your package, go to the O-dev_history.Rmd file and execute the line usethis::use_readme_rmd(), which adds a template README file in the root of your package. Regardless of whether you want to build a website, adding a README to it is always a good idea! You could explain what the main features of the package are, and how to install it, especially if you want your users or future you to install the package at a certain commit, it is quite useful to write it down clearly in the instructions. Something like:

```
To install this package, run the following lines

of code:

remotes::install_github("rap4all/housing@fusen",

ref = "ae42601")
```

You can also include the link to your website documentation.

11.6. Conclusion

Turning our analysis into a package is useful, because we can divert a lot of tools that are originally intended for package

¹⁵https://rap4all.github.io/housing/

11. Packaging your code

development towards improving our analysis. We can now more easily document the code, define its dependencies, and also share it with teammates, our future selves or the world. What's more, we clearly separate two tasks from each other: the pure software engineering part, which consisted in building the package, from the pure data analysis part, which will eventually become our pipeline.

But turning the analysis into a package *is* optional; this is not something that you absolutely have to do to turn your analysis reproducible. However, the entry cost of package development is really lowered thanks to **{fusen}** and the benefits are really great, so I think that is important to do.

There is one chapter left before we actually build a full-fledged pipeline. In the next chapter, we will learn how to use unit and assertive testing to further improve the code of our package, which will thus also improve the quality of our analysis.

12. Testing your code

Testing code is crucial, and we all do it in some form or another. The problem is that it is not something that we do consistently: usually code gets tested at the beginning of a project, but then, as we start focusing on the analysis more and more and need to respect deadlines, testing gets forgotten.

In this chapter, you are going to learn how to make testing your code consistent and, very importantly, fully automatic. Just like in the previous chapter, the key is to *write everything down*. Don't just do a little test in the console to see if the function you've just written works as expected. Write it down! And don't rely on future you to run tests, because future you is just as unreliable as you are. Tests need to be run each time *any* of the code from a project gets changed. This might seem overkill (why test a function that you didn't even touch for weeks?), but because there are dependencies between your functions, a change in one function can affect another function. Especially if the output of function A is the input of function B: you changed function A and now the output of function A changed in a way that it breaks function B, or also modifies its output in an unexpected way.

There are several types of tests that we can use:

• unit testing: these are written while developing, and executed while developing; • assertive testing: these are executed at runtime. These make sure, for example, that the inputs a function receives are sane.

Let's start with unit testing.

12.1. Unit testing

Unit testing is the testing of units. What's a unit? Functions are units! We actually already encountered one unit test before, in the save_data.Rmd script:

When using {fusen}, a unit test should be a self-contained chunk that can be executed completely independently. This is why in this chunk we re-created the different variables that were needed, communes and flat_data. If you were developing the package without {fusen}, you would need to do the same, so don't think that this is somehow a limitation of {fusen}.

The test above ensures that we find all the former and current communes of Luxembourg in our dataset. Let me explain again why we want to write such a test down in a script and not simply try it out in our console "manually" to check if the code works.

For this test to pass, a lot of moving pieces have to fall together. If anything changes, be it because you changed something in either get_raw_data() or clean_raw_data() or because something changed with the Wikipedia tables you scraped, this test will not pass. And you should be made aware of failures as soon as possible! Also, this test ensures that when the data gets updated, you are certain that if you use the code in save_data.Rmd you will get a new dataset that is likely correct, even if new communes merge. And mergers will happen around 2024 by the way, the communes of Groussbous and Wal will merge, and the communes of Bous and Waldbredimus as well. So you need to make sure that when this happens, your code knows how to handle this, or at least returns an error as early as possible.

Ideally, you need to test every function that you wrote, but sometimes that's not really possible, either due to lack of time, or because the function is quite trivial, so maybe no test is warranted. But be careful what you consider trivial though, I have personally been bitten in the past by "trivially" simple functions! For example, a function like this one:

```
```{r function-make commune level data}
#' make commune level data Makes the final data
\rightarrow at commune level
'
#'
 Oparam flat data Flat data df as returned by
 clean flat data()
\hookrightarrow
#' @importFrom dplyr filter
#' @return A data frame
#' @export
make commune level data <- function(flat data){</pre>
 flat data |>
 filter(!grepl("nationale|offres", locality),
 !is.na(locality))
}
. . .
```

might not need to be unit-tested. An assertion, which we will learn about in the next section, is likely better suited to the above function. However, as functions become more complex, unit tests are highly recommended. This is because it can become very difficult to make sure that changing some part of the function somewhere does not affect some other part. This is where writing several unit tests can be useful. As long as all unit tests keep succeeding (or passing) you are somewhat sure that what you're doing is not breaking stuff. And unit tests are especially useful when collaborating using trunk-based development! As the project leader, you could for example refuse to merge changes that break unit tests.

Before continuing, let's rewrite the test we have already. While it is fully working, I didn't really write it in the canonical form. Inside dev/save\_data.Rmd, change the code of the test to the following:

```
```{r tests-clean flat data}
# We now need to check if we have them all in
 \rightarrow the data.
# The test needs to be self-contained, hence
# why we need to redefine the required
 \leftrightarrow variables:
former communes <- get former communes()</pre>
current communes <- get current communes()</pre>
communes <- get test communes(
  former communes,
  current communes
)
raw data <- get raw data(url =
 → "https://is.gd/1vvBAc")
flat data <- clean raw data(raw data)</pre>
test that("Check if all communes are accounted
 \rightarrow for", {
```

```
expect_true(
    all(communes %in%
    unique(flat_data$locality))
)
})
```

The only difference is that instead of calling expect_true() directly, I wrapped this call inside test_that(). This way, I can add a description to the test. This is useful if the test fails.

Save dev/save_data.Rmd and go back to 0-dev_history.Rmd to inflate save_data.Rmd again. Everything should work without problems.

If the test fails, you get an informative message. To illustrate, I've added a typo in the test and inflated save_data.Rmd. Because tests always run when a fusen-package gets inflated, this test failed and here is the output:

```
Failed tests
Error ('test-get_raw_data.R:18'): Check if all
communes are accounted for
Error in `communs %in% unique(flat_data$locality)`:
object 'communs' not found
Backtrace:
1. testthat::expect_true(all(communs %in%
unique(flat_data$locality)))
at test-get_raw_data.R:18:2
2. testthat::quasi_label(enquo(object), label,
arg = "object")
```

```
    rlang::eval_bare(expr, quo_get_env(quo))
    communs %in% unique(flat_data$locality)
```

[FAIL 1 | WARN 2 | SKIP 0 | PASS 0] Error: Test failures Execution halted

The file test-get_raw_data.R contains our test, generated by inflating save_data.Rmd. You can find it under the tests/testthat/ folder of your inflated package. You can also see the description that we've added, which helps us find the test that failed. In cases like this, you should go back to the function that makes the test fail and correct it, until the test passes. You should also make sure that everything is alright with the test itself. If there really is a typo in the test, you should of course correct the test (in dev/save_data.Rmd, not in tests/testthat/)!

Now, let's add a unit test to another function, get_laspeyeres(). This function seems to me like a good candidate for testing, as it is not that trivial.

Let's try with something simple. get_laspeyeres() expects either commune_level_data or country_level_data. What happens if we provide another dataset? The function very likely returns an error. So let's test for this. Go back to the save_data.Rmd file and add the following, under the function definition of get_laspeyeres():

```
```{r tests-get_laspeyeres}
test_that("Wrong data", {
 expect_error(
 get_laspeyeres(mtcars)
```

) })

Since we expect an error, we used expect\_error(), which succeeds if the code fails! If you're confused, no worries, we've all been there. But let's think about it: what would you want to happen if you provided a wrong data set? Surely, you'd like for the function to scream an error at you, and not somehow do something and return *something*. So testing that functions fail when they should is actually quite important as well. Let's add another, similar, test:

```
```{r tests-get_laspeyeres}
test_that("Wrong data", {
    expect_error(
        get_laspeyeres(mtcars)
    )
})
test_that("Empty data", {
    expect_error(
    # this subsetting results in an empty dataset
        get_laspeyeres(subset(mtcars, am == 2))
    )
})
```

...

This second test checks what happens if we provide an empty dataset. This should not happen, but hey, it's always a good idea to see what could happen. Here we also expect an error, so we use expect_error() as well. Inflating save_data.Rmd runs the tests again, and all of them succeed.

Now, I know what you're thinking. Probably something along the lines of "Bruno, you told me that making my projects reproducible and reliable and robust would not take much more time than what I was already doing before. This certainly doesn't feel like it!", to which I answer that your feelings on the issue are wrong. It may not feel like it, but doing this does two things:

- It ultimately saves you time. You typed the test once, and can now rerun it automatically every time you inflate the .Rmd files. You don't need to remember to test the code, and don't need to remember how to test the code.
- This saves you a lot of headaches. You don't have to live in fear that you might forget to test the code, or forget how to test the code. You wrote the tests down, and now you're free to concentrate on adding features or using the existing code knowing that you can trust its outputs.

Trust the process.

Let's go back to the two tests from before: get_laspeyeres() fails, as expected, when we provide a random dataset to it. But it would be interesting to know why it fails. Simply run get_laspeyeres(mtcars) in the console. This is what we get back:

Error in `mutate()`:

```
! Problem while computing `p0 = ifelse(year ==
"2010",
    average_price_nominal_euros, NA)`.
Caused by error in `ifelse()`:
! object 'year' not found
Run `rlang::last_error()` to see where the error
occurred.
```

So the functions fails but for the wrong reason. It fails because the column year cannot be found in the data. But what if there was a column year in the data? The code would continue, but then likely fail for some other reason. It would be much safer to make it fail as soon as possible, by detecting right from the start if the provided data sets are not one of commune_level_data or country_level_data. But for this, we need assertive programming, which we will discuss in the next section. Why an assertive test and not a unit test? Because unit tests should run during development time, and assertive tests run at run-time (when the function is executed). So in this case, we want the input to get checked at run-time. In the next section, we will be changing the function to fail when the right datasets are not provided, but our unit test will not need to change; the function still fails, but this time it'll be for the right reasons.

This is another advantage of writing tests: it forces you to think about what you're doing. The simple act of thinking and writing tests very often improves your code quite a lot, and not just from a pure algorithmic perspective, but also from a user experience perspective. Writing these tests made us think about the failure of our function when users provide a wrong dataset and made us realise that it would be much better for users if the returned error message is something along the lines of "Wrong dataset, please provide either commune_level_data or country_level_data".
Let's continue with testing get_laspeyeres(). It would be nice to see if the function actually does what it's supposed to do correctly. For this, we need to start from an input, and then create the expected output. It doesn't matter how you create this output, what matters is that you make absolutely sure that it is correct, and then, never touch it ever again. Let's call this output the "truth". Then, you provide get_laspeyeres() with this input and save the output that get_laspeyeres() generates. You then compare the "truth" to this output. If everything matches, congratulations, your function produces the right output.

So let's start. Remember that unit tests should be self-contained, so I'm going to create the input dataset and the expected data set (what I called the "truth") in the test itself. This is the code I'm going to use to create the mock, input dataset:

This creates a data frame with two years, two communes and some mock prices. Now, I need to create the output. I start from the input, and add the columns that get computed by running get_laspeyeres() myself, "by hand". Remember, you need to make sure that these results are correct!

If you look at each line, you see that this is exactly what get_laspeyeres() does. We can inspect the results and maybe even verify the value of each cell using a pocket calculator. It doesn't matter, what's important is that expected_df is correct and saved. This is what the full test looks like:

```
```{r, eval = F}
test_that("get_laspeyeres() produces correct
 results", {
 input_df <- expand.grid(
 list("year" = c(2010, 2011),
 "locality" = c("Bascharage",
 "Luxembourg"))
)</pre>
```

#### 12.1. Unit testing

```
input df$n offers <- c(123, 101, 1230, 1010)
 input_df$average_price_nominal euros <- c(234,</pre>
 → 345, 560, 670)
 input df$average price m2 nominal euros <-</pre>
 \rightarrow c(23, 34, 56, 67)
 expected df <- input df
 # p0 should be always equal to the value in
 → the first year
 expected_df$p0 <- c(234, 234, 560, 560)
 expected df$p0 m2 <- c(23, 23, 56, 56)
 # pl should be equal to the price divided by
 → p0
 expected df$pl <-
 \rightarrow expected df$average price nominal euros /
 \rightarrow expected df$p0 * 100
 expected df$pl m2 <-
 → expected_df$average_price_m2_nominal_euros /
 \rightarrow expected df$p0_m2 * 100
 expect equivalent(
 expected df, get laspeyeres(input df)
)
})
. . .
```

Notice that I've used expect\_equivalent() and not expect\_equal() to check if expected\_df is equal to the output of get\_laspeyeres(input\_df). This is because expected\_df is of class data.frame, while get\_laspeyeres() outputs a tibble. So if you use expect\_equal() the test would not pass, because the classes of both objects are not strictly equal. Sometimes, this level of strictness is required, but not always, as is the case here.

Once again, inflate save\_data.Rmd. This will run the tests, and if everything went well, you should end up, again, with a functioning package. I highly advise that you consult {testthat}'s documentation to learn about all the other functions that you can use for writing unit tests.

If you've managed to write the unit tests and inflate the package successfully, then let's move on to assertive programming.

# 12.2. Assertive programming

Remember in Chapter 6, where I discussed safe functions? As a refresher, here's the nchar() function, providing a correct output when the input is a character:

```
nchar("10000000")
```

#### [1] 9

and here is **nchar()** providing a *surprising* result when the input is a number:

nchar(10000000)

[1] 5

This is because 100000000 gets converted to 1e+08 and then this gets converted into the string "1e+08" which is 5 characters long. So in that section, I suggested defining your own nchar2() that makes sure that the provided input is a character:

This now returns an error if the input is a number, instead of doing all these silent conversions. The technique we have used here is what we call assertive programming. stop() and stopifnot() are functions included with R that can be used for assertive programming. Here is an example using stopifnot():

```
nchar3 <- function(x, result = 0){
 stopifnot("Input x must be a character" =
 isTRUE(is.character(x)))</pre>
```

If we go back to get\_laspeyeres(), we should be using assertive programming to make sure that the provided datasets are one of commune\_level\_data or country\_level\_data. This is how we could rewrite the function:

```
get_laspeyeres <- function(dataset){
 which_dataset <- deparse(substitute(dataset))
 stopifnot("dataset must be one of
 `commune_level_data`
 or `country_level_data`" =
 (which_dataset %in% c(
 "commune_level_data",
 "country_level_data")))
 group_var <- if(grep1("commune",
 which_dataset)){
 quo(locality)
 } else {
 NULL
 }
 }
 }
}
</pre>
```

```
dataset |>
 group by(!!group var) |>
 mutate(
 p0 = ifelse(
 year == "2010",
 average price nominal euros,
 NA)
) |>
 fill(p0, .direction = "down") |>
 mutate(
 p0 m2 = ifelse(
 year == "2010",
 average_price_m2_nominal_euros,
 NA)
) |>
 fill(p0 m2, .direction = "down") |>
 ungroup() |>
 mutate(
 pl = average price nominal euros/p0*100,
 pl m2 =
 \rightarrow average price m2 nominal euros/p0 m2*100)
}
```

We can now also edit the unit test from before, the one where we provide the wrong data. With this new specification of the function, this unit test would still pass (the function returns an error), as expected, but for the wrong reason. We now want to make sure that it fails for the right reason, in other words, that it fails not because no **year** column is found, but because the provided data set is neither **commune\_level\_data** nor **country\_level\_data**, so for this we change the unit tests like this:

```
test_that("Wrong data", {
 expect_error(
 get_laspeyeres(mtcars),
 regexp = "dataset must be one of"
)
})
```

I use the regexp argument of expect\_error to enter a regular expression that matches the error message. So the string "dataset must be one of" will match the message returned by the error, and if they match (remember, the provided string is a regular expression), then I know I get the *correct* error. Here is what happens if I use the wrong message as the regex argument:

So now, not only does our function fail for the right reasons, our test is able to tell us that as well!

Before inflating to run these tests, you should also change the test titled "get\_laspeyeres() provides correct answers". This is because the name of the input dataset used for the test is input\_df. So if you leave it like this, the assertion that we've

included in the function will make this test fail. So change this test by simply saving input\_df as commune\_level\_data:

```
rename data to make assertion pass
commune_level_data <- input_df
expect_equivalent(
 expected_df,
 get_laspeyeres(commune_level_data)
)
```

if you forget to do this, don't worry, the unit test would not fail to remind you!

Go back to O-dev\_history.Rmd and inflate the file again to update it. Everything should work without any issues. If not, take the time to make the unit tests pass and inflate the package successfully!

Something else that is well-suited for assertive programming is checking whether the provided inputs are of the right class:

```
any_function <- function(dataset){
 stopifnot("`dataset` must be a data frame" =
 inherits(dataset, "data.frame"))
 print("No problem")
}</pre>
```

This will succeed:

```
any_function(mtcars)
```

[1] "No problem"

But this will fail:

any\_function("this is not a data frame")

Error in any\_function("this is not a data frame") :
 `dataset` must be a data frame

inherits() checks if an object inherits from a certain class. So for example, a tibble or a data.table that are classes that are defined by inheriting attributes from the data.frame class, will also successfully pass the test above. You can be as strict as you need: for example, do you need any type of number? You could do the following:

inherits(2, "numeric")

#### [1] TRUE

But do you actually need integers, and want to force this? Then you could be stricter in your assertion:

```
inherits(2, "integer")
```

#### [1] FALSE

If you want the above to evaluate to TRUE, an integer must be provided:

```
inherits(2L, "integer")
```

[1] TRUE

Do you want, for some reason, that your functions only accept tibbles and not data.frames? Be as strict as you need. This will succeed:

```
inherits(tibble::as tibble(mtcars), "tbl df")
```

[1] TRUE

This will fail:

```
inherits(mtcars, "tbl_df")
```

#### [1] FALSE

You could also use more complex assertions. For example, suppose that you need to clean data using many functions, with several filters. Something could go wrong in any of these functions for a variety of reasons. So each of these functions could test if all the individuals are still in the data, and that you didn't remove any of them by mistake. A test like this could make sure that each level of the variable **am** are still in the data:

Now, when running summary\_stats(mtcars, "am"), if somehow the level "1" or "0" is missing from mtcars, the function would throw an error. There are several packages for assertive programming that you might want to check out:

- $\{assertthat\}^1$
- $\{chk\}^2$
- $\{checkmate\}^3$

I won't discuss any of them; what's important is for you to know that assertive programming is something that is useful and that you should add to your toolbox.

# 12.3. Test-driven development

Test-driven development, or TDD, is the programming paradigm in which instead of writing a function and then several tests to ensure that the code is working as expected, you start by writing tests, and then the function. Of course, since there is no function to test, these tests will all obviously fail at first. But the goal is to then write a function such that the tests pass.

TDD is interesting in at least two scenarios:

- You want to write a function, but don't know exactly where to start. Maybe it's a very complex function. So writing tests can help you think about it, and already fix certain properties that this function should have.
- You use the tests as a way to write requirements for a code-base. This can be useful when working in a team, and you don't want to "waste" time writing requirements, so instead you write tests that describe how the function

 $<sup>^{1}</sup>$ https://github.com/hadley/assertthat

<sup>&</sup>lt;sup>2</sup>https://poissonconsulting.github.io/chk/

<sup>&</sup>lt;sup>3</sup>https://mllg.github.io/checkmate/

should work, what type of inputs get accepted, how its output looks like... Careful though, because a "smart" programmer could write code that passes the tests but doesn't actually do anything otherwise useful.

I tend to use TDD when I need to write a function but don't quite know where to start. I start by writing the most basic tests and make them ever more complicated. At some point, I start having an idea for the function's implementation and have a go at it.

Some programmers only do TDD; so they start by writing many, many tests, and then only start writing their functions. Personally, I think that this is also not ideal, because you could waste a lot of time writing meaningless tests.

### 12.4. Code coverage

It is useful to have an idea of which functions are tested and which are not, but also *how much* of a function is being tested. For example, suppose that you have an *if...else...* clause somewhere in a function. Did you write a test for each of the outcomes of this clause? Maybe you only wrote a test when this clause evaluates to TRUE, but forgot to write a test for the case it is FALSE.

The packages {covr} allows you to track the test coverage of your package. Install {covr} and run report() in the console to get the results:

```
covr::report()
```

This should open a tab in your web browser with some statistics. You can click on the individual scripts to see the source code of your functions: each line that is highlighted in green represents a line that is being tested, and lines in red are lines that are not being tested:

#### housing coverage - 73.33%

Files		R/get_laspeyeres.R
1		# WARNING - Generated by {fusen} from /dev/save_data.Rmd: do not edit by hand
2		
3		#' Draw some plots
4		#'
5		#' @param dataset The dataset for which the index needs to be computed
6		#' @importFrom dplyr group_by ungroup mutate
7		#' @importFrom rlang quo
8		#' @importFrom tidyr fill
9		#' @return The input dataset with added columns: p0, p0_m2, pl and pl_m2. p0 are prices .
10		#'@export
11		#' @examples
12		#'
13		<pre>#' commune_level_data_laspeyeres &lt;- get_laspeyeres(commune_level_data)</pre>
14		#' }
15		<pre>get_laspeyeres &lt;- function(dataset){</pre>
16		
17	<b>3</b> x	<pre>which_dataset &lt;- deparse(substitute(dataset))</pre>
18		
19	<b>3</b> X	<pre>stopifnot("dataset must be one of `commune_level_data` or `country_level_data`" =</pre>
20	<b>3</b> X	<pre>(which_dataset %in% c("commune_level_data", "country_level_data")))</pre>
21		
22	<b>1</b> x	<pre>group_var &lt;- if(grep1("commune", which_dataset)){</pre>
23	<b>1</b> <i>x</i>	quo(locality)
24		} else {
25	1	NULL
26		}
27	1x	dataset  >
28	<b>1</b> x	<pre>group_by(!!group_var)  &gt;</pre>
29	1v	mutate(n0 - ifelse(year "2010" average price nominal euros NA))

Figure 12.1.: The output of report() inside a web browser.

You could strive to get 100% coverage by painting all the lines green (by writing unit tests that test these lines). But in practice, it is not always so easy to get 100% coverage, so don't fret if you don't achieve perfection.

If you're working on a server (and thus do not have access to a graphical user interface) you can instead use the covr::package\_coverage() function which provides you with the following results (printed in the console):

```
housing Coverage: 73.33%
R/get_laspeyeres.R: 57.14%
R/get_raw_data.R: 80.65%
```

The percentage represents the share of lines of code that are tested by our unit tests. We see that the share of lines being tested in get\_laspeyeres.R is 57%: this is because the script get\_laspeyeres.R contains two functions, get\_laspeyeres() and make\_plot(). We do not test make\_plot() at all, hence why the percentage is so low. We could move make\_plot() to another script by simply putting the function under a level two header in the original .Rmd file and then inflating again. But in any case, this would not improve the overall coverage of the package; we would ideally need to write a test for make\_plot(). This is left as an exercise to the reader.

### 12.5. Conclusion

Testing is crucial and useful. Not just because it gives you peace of mind but also because writing tests forces you to think about your code, by putting yourself in the shoes of your users (which include future you as well). In most cases, it is even something that you've been doing but perhaps not as systematically as you should.

There really is no other way to say this: you need to consider writing tests as an integral part of the project, and need to take the required time it takes to write them into account when planning projects. But keep in mind that writing them makes you gain a lot of time in the long run, so actually, you might even be faster by writing tests! Tests also allow you to immediately see where something went wrong, when something goes wrong. So tests save you time here as well. Without tests, when something goes wrong, you have a hard time finding where the bug comes from, and end up wasting precious time. And worse, sometimes things go wrong and break, but silently. You still get an output that may look ok at first glance, and only realise something is wrong way too late. Testing helps to avoid such situations.

So remember: it might *feel* like packaging your code and writing tests for it takes time, but you're actually already doing it, but non-systematically and manually and it ends up saving you time in the long run instead. Testing also helps with developing complex functions.

The tools I've shown you in this and the previous chapter are probably the fastest, easiest options to go from your analysis to a documented and tested package in a matter of hours. The benefits these provide however are measured in days of work.

# 13. Build automation with targets

We are finally ready to actually build a pipeline. For this, we are going to be using a package called {targets} (Landau 2021) which is a so-called "build automation tool".

If you go back to the reproducibility iceberg, you will see that we are quite low now.

Without a build automation tool, a pipeline is nothing but a series of scripts that get called one after the other, or perhaps the pipeline is only one very long script that does the required operations successfully.

There are several problems with this approach, so let's see how build automation can help us.

# 13.1. Introduction

Script-based workflows are problematic for several reasons. The first is that scripts can, and will, be executed out of order. You can mitigate some of the problems this can create by using pure functions, but you still need to make sure not to run the scripts out of order. But what does that actually mean? Well, suppose that you changed a function, and only want to re-execute the parts of the pipeline that are impacted by that change. But this supposes that you can know, in your head, which part of the script was impacted and which was not. And this can be quite difficult to figure out, especially when the pipeline is huge. So you will run certain parts of the script, and not others, in the hope that you don't need to re-run everything.

Another issue is that pipelines written as scripts are usually quite difficult to read and understand. To mitigate this, what you'd typically do is write a lot of comments. But here again you face the problem of needing to maintain these comments, and once the comments and the code are out of synch... the problems start (or rather, they continue).

Running the different parts of the pipeline in parallel is also very complicated if your pipeline is defined as script. You would need to break the script into independent parts (and make really sure that these parts are independent) and execute them in parallel, perhaps using a separate R session for each script. The good news is that if you followed the advice from this book you have been using functional programming and so your pipeline is a series of pure function calls, which simplifies running the pipeline in parallel.

But by now you should know that software engineers also faced similar problems when they needed to build their software, and you should also suspect that they likely came up with something to alleviate these issues. Enter build automation tools.

When using a build automation tool, what you end up doing is writing down a recipe that defines how the source code should be "cooked" into the software (or in our case, a report, a cleaned dataset or any data product).

The build automation tool then tracks:

- any change in any of the code. Only the outputs that are affected by the changes you did will be re-computed (and their dependencies as well);
- any change in any of the tracked files. For example, if a file gets updated daily, you can track this file and the build automation tool will only execute the parts of the pipeline affected by this update;
- which parts of the pipeline can safely run in parallel (with the option to thus run the pipeline on multiple CPU cores).

Just like many of the other tools that we have encountered in this book, what build automation tools do is allow you to not have to rely on your brain. You *write down* the recipe once, and then you can focus again on just the code of your actual project. You shouldn't have to think about the pipeline itself, nor think about how to best run it. Let your computer figure that out for you, it's much better at such tasks than you.

# 13.2. {targets} quick-start

First thing's first: to know everything about the {targets} package, you should read the excellent {targets} manual<sup>1</sup>. Everything's in there. So what I'm going to do is really just give you a very quick intro to what I think are really the main points you should know about to get started.

Let's start with a "hello-world" type pipeline. Create a new folder called something like targets\_intro/, and start a fresh R session in it. For now, let's ignore {renv}. We will see how {renv} works together with {targets} to provide an (almost

 $<sup>^{1}\</sup>rm https://is.gd/VS6vSs$ 

reproducible) pipeline later. In that fresh session inside the targets\_intro/ run the following line:

```
targets::tar_script()
```

this will create a template \_targets.R file in that directory. This is the file in which we will define our pipeline. Open it in your favourite editor. A \_targets.R pipeline is roughly divided into three parts:

- first is where packages are loaded and helper functions are defined;
- second is where pipeline-specific options are defined;
- third is the pipeline itself, defined as a series of *targets*.

Let's go through all these parts one by one.

#### 13.2.1. \_targets.R's anatomy

The first part of the pipeline is where packages and helper functions get loaded. In the template, the very first line is a library(targets) call followed by a function definition. There are two important things here that you need to understand.

If your pipeline needs, say, the {dplyr} package to run, you could write library(dplyr) right after the library(targets) call. However, it is best to actually do as in the template, and load the packages using tar\_option\_set(packages = "dplyr"). This is because if you execute the pipeline in parallel, you need to make sure that all the packages are available to all the workers (typically, one worker per CPU core). If you load the packages at the top of the \_targets.R script, the packages will be available for the original session that called

library(...), but not to any worker sessions spawned for parallel execution.

So, the idea is that at the very top of your script, you only load the {targets} library and other packages that are required for running the pipeline itself (as we shall see in coming sections). But packages that are required by functions that are running inside the pipeline should ideally be loaded as in the template. Another way of saying this: at the top of the script, think "pipeline infrastructure" packages ({targets} and some others), but inside tar\_option\_set() think "functions that run inside the pipeline" packages.

Part two is where you set some global options for the pipeline. As discussed previously, this is where you should load packages that are required by the functions that are called inside the pipeline. I won't list all the options here, because I would simply be repeating what's in the documentation<sup>2</sup>. This second part is also where you can define some functions that you might need for running the pipeline. For example, you might need to define a function to load and clean some data: this is where you would do so. We have developed a package, so we do not need such a function, we will simply load the data from the package directly. But sometimes your analysis doesn't require you to write any custom functions, or maybe just a few, and perhaps you don't see the benefit of building a package just for one or two functions. So instead, you have two other options: you either define them directly inside the targets.R script, like in the template, or you create a functions/ folder next to the targets.R script, and put your functions there. It's up to you, but I prefer this second option. In the example script, the following function is defined:

 $<sup>^{2}</sup>$ https://is.gd/lm4QoO

```
summarize_data <- function(dataset) {
 colMeans(dataset)
}</pre>
```

Finally, comes the pipeline itself. Let's take a closer look at it:

The pipeline is nothing but a list (told you lists were a very important object) of *targets*. A target is defined using the tar\_target() function and has at least two inputs: the first is the name of the target (without quotes) and the second is the function that generates the target. So a target defined as  $tar_target(y, f(x))$  can be understood as y <- f(x). The next target can use the output of the previous target as an input, so you could have something like  $tar_target(z, f(y))$  (just like in the template).

# 13.3. A pipeline is a composition of pure functions

You can run this pipeline by typing tar\_make() in a console:

```
targets::tar_make()

• start target data
• built target data [0.82 seconds]
• start target data_summary
• built target data_summary [0.02 seconds]
• end pipeline [1.71 seconds]
```

The pipeline is done running! So, now what? This pipeline simply built some summary statistics, but where are they? Typing data\_summary in the console to try to inspect this output results in the following:

data\_summary
Error: object 'data\_summary' not found

What is going on?

First, you need to remember our chapter on functional programming. We want our pipeline to be a sequence of pure functions. This means that our pipeline running successfully should not depend on anything in the global environment (apart from loading the packages in the first part of the script, and the options set with tar\_option\_set() for the others) and it should not change anything outside of its scope. This means that the pipeline should not change anything in the global environment either. This is exactly how a {targets} pipeline operates. A pipeline defined using {targets} will be pure and so the output of the pipeline will not be saved in the global environment. Now, strictly speaking, the pipeline is not exactly pure. Check the folder that contains the \_targets.R script. There should now be a \_targets/ folder in there as well. If you go inside that folder, and then open the objects/ folder, you should see two objects, data and data\_summary. These are the outputs of our pipeline.

So each target that is defined inside the pipeline gets saved there in the .rds format. This is an R-specific format that you can use to save *any* type of object. It doesn't matter what it is: a simple data frame, a fitted model, a ggplot, whatever, you can write any R object to disk in this format using the **saveRDS()** function, and then read it back into another R session using **readRDS()**. {targets} makes use of these two functions to save every target computed by your pipeline, and simply retrieves them from the \_targets/ folder instead of recomputing them. Keep this in mind if you use Git to version the code of your pipeline (which you are doing of course), and add the \_targets/ folder to the .gitignore (unless you really want to also version it, but it shouldn't be necessary).

So because the pipeline is pure, and none of its outputs get saved into the global environment, calling data\_summary results in the error above. So to retrieve the outputs you should use tar\_read() or tar\_load(). The difference is that tar\_read() simply reads the output and shows it in the console but tar\_load() reads and saves the object into the global environment. So to retrieve our data\_summary object let's use tar\_load(data\_summary):

```
tar_load(data_summary)
```

Now, typing data\_summary shows the computed output:

data\_summary

x y 50.5 50.5

It is possible to load all the outputs using tar\_load\_everything() so that you don't need to load each output one by one.

Before continuing with more {targets} features, I want to really stress the fact that the pipeline is the composition of pure functions. So functions that only have a side-effect will be difficult to handle. Examples of such functions are functions that read data, or that print something to the screen. For example, plotting in base R consists of a series of calls to functions with side-effects. If you open an R console and type plot(mtcars), you will see a plot. But the function plot() does not create any output. It just prints a picture on your screen, which is a side-effect. To convince yourself that plot() does not create any output and only has a side-effect, try to save the output of plot() in a variable:

```
a <- plot(mtcars)</pre>
```

doing this will show the plot, but if you then call **a**, the plot will not appear, and instead you will get NULL:

a

NULL

This is also why saving plots in R is awkward, it's because there's no object to actually save!

So because plot() is not a pure function, if you try to use it in a {targets} pipeline, you will get NULL as well when loading

the target that should be holding the plot. To see this, change the list of targets like this:

I've simply added a new target using tar\_target() at the end, to generate a plot. Run the pipeline again using tar\_make() and then type tar\_load(data\_plot) to load the data\_plot target. But typing data\_plot only shows NULL and not the plot!

There are several workarounds for this. The first is to use ggplot() instead. This is because the output of ggplot() is an object of type ggplot. You can do something like a <-ggplot() + etc... and then type a to see the plot. Doing str(a) also shows the underlying list holding the structure of the plot, as a list.

The second workaround is to save the plot to disk. For this, you need to write a new function, for example:

```
save_plot <- function(filename, ...){
 png(filename = filename)
 plot(...)
 dev.off()
}</pre>
```

If you put this in the \_targets.R script, before defining the list of tar\_target objects, you could use this instead of plot() in the last target:

```
summarize data <- function(dataset) {</pre>
 colMeans(dataset)
}
save plot <- function(filename, ...){</pre>
 png(filename = filename)
 plot(...)
 dev.off()
 filename
}
Set target-specific options such as packages.
tar option set(packages = "dplyr")
End this file with a list of target objects.
list(
 tar target(data,
 data.frame(x = sample.int(100),
 y = sample.int(100))),
```

After running this pipeline you should see a file called my\_plot.png in the folder of your pipeline. If you type tar\_load(data\_plot), and then data\_plot you will see that this target returns the filename argument of save\_plot(). This is because a target needs to return something, and in the case of functions that save a file to disk returning the path where the file gets saved is recommended. This is because if I then need to use this file in another target, I could do tar\_target(x, f(data\_plot)). Because the data\_plot target returns a path, I can write f() in such a way that it knows how to handle this path. If instead I write tar\_target(x, f("path/to/my\_plot.png")), then {targets} would have no way of knowing that the target x depends on the target data\_plot. The dependency between these two targets would break. Hence why the first option is preferable.

Finally, you will have noticed that the last target also has the option format = "file". This will be topic of the next section.

It is worth noting that the {ggplot2} package includes a func-

tion to save ggplot objects to disk called ggplot2::ggsave(). So you could define two targets, one to compute the ggplot object itself, and another to generate a .png image of that ggplot object.

#### 13.4. Handling files

In this section, we will learn how {targets} handles files. First, run the following lines in the folder that contains the \_targets.R script that we've been using up until now:

```
data(mtcars)
write.csv(mtcars,
 "mtcars.csv",
 row.names = F)
```

This will create the file "mtcars.csv" in that folder. We are going to use this in our pipeline.

Write the pipeline like this:

```
list(
 tar_target(
 data_mtcars,
 read.csv("mtcars.csv")
),
 tar_target(
 summary_mtcars,
 summary(data_mtcars)
```

```
),
tar_target(
 plot_mtcars,
 save_plot(
 filename = "mtcars_plot.png",
 data_mtcars),
 format = "file")
)
```

You can now run the pipeline and will get a plot at the end. The problem however, is that the input file "mtcars.csv" is not being tracked for changes. Try to change the file, for example by running this line in the console:

If you try to run the pipeline again, our changes to the data are ignored:

```
skip target data_mtcars
skip target plot_mtcars
skip target summary_mtcars
skip pipeline [0.1 seconds]
```

As you can see, because {targets} is not tracking the changes in the mtcars.csv file, from its point of view nothing changed. And thus the pipeline gets skipped because according to {targets}, it is up-to-date.

Let's change the csv back:

```
write.csv(mtcars, "mtcars.csv", row.names = F)
```

and change the first target such that the file gets tracked. Remember that targets need to be pure functions and return something. So we are going to change the first target to simply return the path to the file, and use the format = "file" option in tar\_target():

```
path data <- function(path){</pre>
 path
}
list(
 tar target(
 path_data_mtcars,
 path data("mtcars.csv"),
 format = "file"
),
 tar_target(
 data_mtcars,
 read.csv(path data mtcars)
),
 tar target(
 summary mtcars,
 summary(data mtcars)
),
 tar target(
 plot mtcars,
 save plot(filename = "mtcars plot.png",
 data mtcars),
 format = "file")
)
```

To drive the point home, I use a function called path\_data() which takes a path as an input and simply returns it. This is totally superfluous, and you could define the target like this instead:

```
tar_target(
 path_data_mtcars,
 "mtcars.csv",
 format = "file"
)
```

This would have exactly the same effect as using the path\_data() function.

So now we got a target called path\_data\_mtcars that returns nothing but the path to the data. But because we've used the format = "file" option, {targets} now knows that this is a file that must be tracked. So any change on this file will be correctly recognised and any target that depends on this input file will be marked as being out-of-date. The other targets are exactly the same.

Run the pipeline now using tar\_make(). Now, change the input file again:

Now, run the pipeline again using tar\_make(): this time you should see that {targets} correctly identified the change and runs the pipeline again accordingly!

# 13.5. The dependency graph

As you've seen in the previous section (and as I told you in the introduction) {targets} keeps track of changes in files, but also in the functions that you use. Any change to the code of any of these functions will result in {targets} identifying which targets are now out-of-date and which should be re-computed (alongside any other target that depends on them). It is possible to visualise this using tar\_visnetwork(). This opens an interactive network graph in your web browser that looks like this:



Figure 13.1.: This image opens in your web-browser.

In the image above, each target has been computed, so they are all up-to-date. If you now change the input data, here is what you will see instead:



Figure 13.2.: Because the input data was changed, we need to run the pipeline again.

Because all the targets depend on the input data, we need to re-run everything. Let's run the pipeline again to update all the targets using tar\_make() before continuing.

Now let's add another target to our pipeline, one that does not depend on the input data. Then, we will modify the input data again, and call tar\_visnetwork() again. Change the pipeline like so:

```
list(
 tar_target(
 path_data_mtcars,
 "mtcars.csv",
```

```
format = "file"
),
 tar target(
 data iris,
 data("iris")
),
 tar target(
 summary iris,
 summary(data_iris)
),
 tar_target(
 data mtcars,
 read.csv(path_data_mtcars)
),
 tar target(
 summary mtcars,
 summary(data mtcars)
),
 tar target(
 plot mtcars,
 save_plot(
 filename = "mtcars plot.png",
 data_mtcars),
 format = "file")
)
```

Before running the pipeline, we can call tar\_visnetwork() again to see the entire workflow:



Figure 13.3.: We clearly see that the pipeline has two completely independent parts.

We can see that there are now two independent parts, as well as two unused functions, path\_data() and summ() which we could remove.

Running the pipeline using tar\_make() builds everything successfully. Let's add the following target, just before the very last one:

```
tar_target(
 list_summaries,
 list(
 "summary_iris" = summary_iris,
 "summary_mtcars" = summary_mtcars
)
```
),

This target creates a list with the two summaries that we compute. Call tar\_visnetwork() again:



Figure 13.4.: The two separate workflows end up in one output.

Finally, run the pipeline one last time to compute the final output.

### 13.6. Running the pipeline in parallel

{targets} makes it easy to run independent parts of our pipeline in parallel. In the example from before, it was quite obvious to know which parts were independent, but when the pipeline grows in complexity, it can be very difficult to see which parts are independent.

Let's now run the example from before in parallel. But first, we need to create a function that takes some time to run. summary() is so quick that running both of its calls in parallel is not worth it (and would actually even run slower, I'll explain why at the end). Let's define a new function called slow\_summary():

```
slow_summary <- function(...){
 Sys.sleep(30)
 summary(...)
}</pre>
```

and replace every call to summary() with slow\_summary() in the pipeline:

```
list(
 tar target(
 path data mtcars,
 "mtcars.csv",
 format = "file"
),
 tar target(
 data iris,
 data("iris")
).
 tar_target(
 summary iris,
 slow_summary(data iris)
),
 tar target(
 data mtcars,
 read.csv(path data mtcars)
),
```

```
tar target(
 summary mtcars,
 slow summary(data mtcars)
),
 tar target(
 list summaries,
 list(
 "summary_iris" = summary_iris,
 "summary_mtcars" = summary_mtcars
)
),
 tar target(
 plot_mtcars,
 save_plot(filename = "mtcars_plot.png",
 data mtcars),
 format = "file")
)
```

here's what the pipeline looks like before running:



Figure 13.5.: slow\_summary() is used instead of summary().

(You will also notice that I've removed the unneeded functions, path\_data() and summ()).

Running this pipeline sequentially will take about a minute, because each call to slow\_summary() takes 30 seconds. To re-run the pipeline completely from scratch, call tar\_destroy(). This will make all the targets outdated. Then, run the pipeline from scratch with tar\_make():

```
targets::tar_make()

• start target path_data_mtcars
• built target path_data_mtcars [0.18 seconds]
• start target data_iris
• built target data_iris [0 seconds]
• start target data_mtcars
```

```
built target data_mtcars [0 seconds]
start target summary_iris
built target summary_iris [30.26 seconds]
start target plot_mtcars
built target plot_mtcars [0.16 seconds]
start target summary_mtcars
built target summary_mtcars [30.29 seconds]
start target list_summaries
built target list_summaries [0 seconds]
end pipeline [1.019 minutes]
```

Since computing summary\_iris is completely independent of summary\_mtcars, these two computations could be running at the same time on two separate CPU cores. To do this, we need to first load two additional packages, {future} and {future.callr} at the top of the script. Then, we also need to call plan(callr) before defining our pipeline. Here is what the complete \_targets.R looks like:

```
library(targets)
library(future)
library(future.callr)
plan(callr)
Sometimes you gotta take your time
slow_summary <- function(...) {
 Sys.sleep(30)
 summary(...)
}
Save plot to disk
save_plot <- function(filename, ...){</pre>
```

```
png(filename = filename)
 plot(...)
 dev.off()
 filename
}
Set target-specific options such as packages.
tar_option_set(packages = "dplyr")
list(
 tar target(
 path_data_mtcars,
 "mtcars.csv",
 format = "file"
),
 tar_target(
 data iris,
 data("iris")
),
 tar_target(
 summary iris,
 slow_summary(data_iris)
),
 tar_target(
 data mtcars,
 read.csv(path_data_mtcars)
),
 tar_target(
 summary_mtcars,
 slow summary(data mtcars)
),
 tar target(
```

```
list_summaries,
list(
 "summary_iris" = summary_iris,
 "summary_mtcars" = summary_mtcars
)
),
tar_target(
 plot_mtcars,
 save_plot(
 filename = "mtcars_plot.png",
 data_mtcars),
 format = "file")
)
```

You can now run this pipeline in parallel using tar\_make\_future() (and sequentially as well, just as usual with tar\_make()). To run the pipeline from scratch to test this, call tar\_destroy() and then tar\_make() will build the entire pipeline from scratch:

```
Set workers = 2 to use 2 cpu cores
targets::tar make future(workers = 2)

 start target path data mtcars

 start target data iris

• built target path data mtcars [0.2 seconds]

 start target data mtcars

• built target data iris [0.22 seconds]
• start target summary iris
• built target data mtcars [0.2 seconds]

 start target plot mtcars

• built target plot mtcars [0.35 seconds]

 start target summary mtcars

• built target summary iris [30.5 seconds]
• built target summary mtcars [30.52 seconds]

 start target list_summaries

• built target list summaries [0.21 seconds]
```

• end pipeline [38.72 seconds] As you can see, this was faster but not quite twice as fast, but almost. The reason this isn't exactly twice as fast is because there is some overhead to run code in parallel. New R sessions have to be spawned by {targets}, data needs to be transferred and packages must be loaded in these new sessions. This is why it's only worth parallelizing code that takes some time to run. If you decrease the number of sleep seconds in **slow** summary(...) (for example to 10), running the code in parallel might be slower than running the code sequentially, because of that overhead. But if you have several long-running computations, it's really worth the very small price that you pay for the initial setup. Let me re-iterate again that in order to run your pipeline in parallel, the extra worker sessions that get spawned by {targets} need

to know which packages they need to load, which is way you should load the packages your pipeline needs using:

```
tar_option_set(packages = "dplyr")
```

# 13.7. {targets} and RMarkdown (or Quarto)

It is also possible to compile documents using RMardown (or Quarto) with {targets}. The way this works is by setting up a pipeline that produces the outputs you need in the document, and then defining the document as a target to be computed as well. For example, if you're showing a table in the document, create a target in the pipeline that builds the underlying data. Do the same for a plot, or a statistical model. Then, in the .Rmd (or .Qmd) source file, use targets::tar\_read() to load the different objects you need.

Consider the following \_targets.R file:

```
library(targets)
tar_option_set(packages = c("dplyr", "ggplot2"))
list(
 tar_target(
 path_data_mtcars,
 "mtcars.csv",
 format = "file"
),
```

```
tar target(
 data mtcars,
 read.csv(path data mtcars)
),
 tar target(
 summary mtcars,
 summary(data mtcars)
).
 tar target(
 clean mtcars,
 mutate(data mtcars,
 am = as.character(am))
).
 tar target(
 plot mtcars,
 {ggplot(clean mtcars) +
 geom point(aes(y = mpg,
 x = hp,
 shape = am))}
)
)
```

This pipeline loads the .csv file from before and creates a summary of the data as well as plot. But we don't simply want these objects to be saved as .rds files by the pipeline, we want to be able to use them to write a document (either in the .Rmd or .Qmd format). For this, we need another package, called {tarchetypes}. This package comes with many functions that allow you to define new types of targets (these functions are called *target factories* in {targets} jargon). The new target factory that we need is tarchetypes::tar\_render(). As you can probably guess from the name, this function renders an .Rmd file. Write the following lines in an .Rmd file and save it next to the pipeline:

```

title: "mtcars is the best data set"
author: "mtcars enjoyer"
date: today

Load the summary
```{r}
tar_read(summary_mtcars)
````
```

Here is the \_targets.R file again, where I now load {tarchetypes} at the top and add a new target at the bottom:

```
library(targets)
library(tarchetypes)
tar_option_set(packages = c("dplyr", "ggplot2"))
list(
 tar_target(
 path_data_mtcars,
 "mtcars.csv",
 format = "file"
),
 tar_target(
 data_mtcars,
 read.csv(path_data_mtcars)
),
```

```
tar target(
 summary mtcars,
 summary(data mtcars)
),
 tar target(
 clean mtcars,
 mutate(data mtcars,
 am = as.character(am))
).
 tar target(
 plot mtcars,
 {ggplot(clean mtcars) +
 geom point(aes(y = mpg,
 x = hp,
 shape = am))}
),
 tar render(
 my doc,
 "my document.Rmd"
)
)
```

Running this pipeline with tar\_make() will now compile the source .Rmd file into an .html file that you can open in your web-browser. Even if you want to compile the document into another format, I advise you to develop using the .html format. This is because you can open the .html file in the web-browser, and keep working on the source. Each time you run the pipeline after you made some changes to the file, you simply need to refresh the web-browser to see your changes. If instead you compile a Word document, you will need to always close the file, and then re-open it to see your changes, which is quite annoying. A good second reason to have output in the .html format is that HTML is a text-only format, and thus can be tracked with version control systems covered in Chapter 5. The MS Word format is binary, and tracking it in Git is always an undecipherable mess. Keep in mind though that .html files can get large, in which case you may want to not track them, but only track the source .Rmd instead.

If you open the output file, you should be seeing something quite plain looking:

#### mtcars is the best data set

<sup>mtcars enjoyer</sup> today Load the summary

tar\_read(summary\_mtcars)

|                                  |                                                                        |                                                         |                                                           | 1                                                             |                                                            |                                                                |                                                           |                                                          |
|----------------------------------|------------------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------|----------------------------------------------------------|
| ##                               | mbR                                                                    |                                                         | cy                                                        | 1                                                             | u1                                                         | .sp                                                            | n                                                         | P                                                        |
| ##                               | Min. ::                                                                | 10.40                                                   | Min.                                                      | :4.000                                                        | Min.                                                       | : 71.1                                                         | Min.                                                      | : 52.0                                                   |
| ##                               | 1st Qu.::                                                              | 15.43                                                   | 1st Qu.                                                   | :4.000                                                        | 1st Qu.                                                    | :120.8                                                         | 1st Qu.                                                   | : 96.5                                                   |
| ##                               | Median ::                                                              | 19.20                                                   | Median                                                    | :6.000                                                        | Median                                                     | :196.3                                                         | Median                                                    | :123.0                                                   |
| ##                               | Mean :                                                                 | 20.09                                                   | Mean                                                      | :6.188                                                        | Mean                                                       | :230.7                                                         | Mean                                                      | :146.7                                                   |
| ##                               | 3rd Qu.::                                                              | 22.80                                                   | 3rd Qu.                                                   | :8.000                                                        | 3rd Qu.                                                    | :326.0                                                         | 3rd Qu.                                                   | :180.0                                                   |
| ##                               | Max. :                                                                 | 33.90                                                   | Max.                                                      | :8.000                                                        | Max.                                                       | :472.0                                                         | Max.                                                      | :335.0                                                   |
|                                  |                                                                        |                                                         |                                                           |                                                               |                                                            |                                                                |                                                           |                                                          |
| ##                               | drat                                                                   | t                                                       | W                                                         | t                                                             | qs                                                         | ec                                                             | v                                                         | s                                                        |
| ##<br>##                         | drat<br>Min. ::                                                        | t<br>2.760                                              | W<br>Min.                                                 | t<br>:1.513                                                   | qs<br>Min.                                                 | ec<br>:14.50                                                   | v<br>Min.                                                 | s<br>:0.0000                                             |
| ##<br>##<br>##                   | drat<br>Min. ::<br>1st Qu.::                                           | t<br>2.760<br>3.080                                     | W<br>Min.<br>1st Qu.                                      | t<br>:1.513<br>:2.581                                         | qs<br>Min.<br>1st Qu.                                      | ec<br>:14.50<br>:16.89                                         | v<br>Min.<br>1st Qu.                                      | s<br>:0.0000<br>:0.0000                                  |
| ##<br>##<br>##<br>##             | drat<br>Min. ::<br>1st Qu.::<br>Median ::                              | t<br>2.760<br>3.080<br>3.695                            | W<br>Min.<br>1st Qu.<br>Median                            | t<br>:1.513<br>:2.581<br>:3.325                               | qs<br>Min.<br>1st Qu.<br>Median                            | ec<br>:14.50<br>:16.89<br>:17.71                               | v<br>Min.<br>1st Qu.<br>Median                            | s<br>:0.0000<br>:0.0000<br>:0.0000                       |
| ##<br>##<br>##<br>##             | drat<br>Min. ::<br>1st Qu.::<br>Median ::<br>Mean ::                   | t<br>2.760<br>3.080<br>3.695<br>3.597                   | W<br>Min.<br>1st Qu.<br>Median<br>Mean                    | t<br>:1.513<br>:2.581<br>:3.325<br>:3.217                     | qs<br>Min.<br>1st Qu.<br>Median<br>Mean                    | ec<br>:14.50<br>:16.89<br>:17.71<br>:17.85                     | v<br>Min.<br>1st Qu.<br>Median<br>Mean                    | s<br>:0.0000<br>:0.0000<br>:0.0000<br>:0.4375            |
| ##<br>##<br>##<br>##<br>##       | drat<br>Min. :<br>1st Qu.:<br>Median :<br>Mean :<br>3rd Qu.:           | t<br>2.760<br>3.080<br>3.695<br>3.597<br>3.920          | W<br>Min.<br>1st Qu.<br>Median<br>Mean<br>3rd Qu.         | t<br>:1.513<br>:2.581<br>:3.325<br>:3.217<br>:3.610           | qs<br>Min.<br>1st Qu.<br>Median<br>Mean<br>3rd Qu.         | ec<br>:14.50<br>:16.89<br>:17.71<br>:17.85<br>:18.90           | V<br>Min.<br>1st Qu.<br>Median<br>Mean<br>3rd Qu.         | s<br>:0.0000<br>:0.0000<br>:0.0000<br>:0.4375<br>:1.0000 |
| ##<br>##<br>##<br>##<br>##<br>## | drat<br>Min. :<br>1st Qu.:<br>Median :<br>Mean :<br>3rd Qu.:<br>Max. : | t<br>2.760<br>3.080<br>3.695<br>3.597<br>3.920<br>4.930 | W<br>Min.<br>1st Qu.<br>Median<br>Mean<br>3rd Qu.<br>Max. | t<br>:1.513<br>:2.581<br>:3.325<br>:3.217<br>:3.610<br>:5.424 | qs<br>Min.<br>1st Qu.<br>Median<br>Mean<br>3rd Qu.<br>Max. | ec<br>:14.50<br>:16.89<br>:17.71<br>:17.85<br>:18.90<br>:22.90 | v<br>Min.<br>1st Qu.<br>Median<br>Mean<br>3rd Qu.<br>Max. | s<br>:0.0000<br>:0.0000<br>:0.4375<br>:1.0000<br>:1.0000 |

Figure 13.6.: The output of our pipeline. Our first data product!

Don't worry, we will make it look nice, but right at the end. Don't waste time making things look good too early on. Ideally, try to get the pipeline to run on a simple example, and then keep adding features. Also, try to get *as much feedback* as possible on the *content* as *early* as possible from your colleagues. No point in wasting time to make something look good if what you're writing is not at all what was expected. Let's now get the **ggplot** of the data to show in the document as well.

For this, simply add:

```
```{r}
tar_read(plot_mtcars)
```
```

at the bottom of the .Rmd file. Running the pipeline again will now add the plot to the document. Before continuing, let me just remind you, again, of the usefulness of {targets} by changing the underlying data. Run the following:

and run the pipeline again. Because the data changed and every target depends on the data, the document gets entirely rebuilt. I hope that you see why this is really great: in case you need to build weekly, daily, heck, even hourly reports, by using {targets} the updated report can now get built automatically, and the targets that are not impacted by these recurrent updates will not need to be recomputed. Restore the data by running:

```
write.csv(mtcars,
 "mtcars.csv",
 row.names = F)
```

and rebuild the document by running the pipeline.

Now that the pipeline runs well, we can work a little on the document itself, by transforming the output into a nice looking table using {flextable}. But there is an issue however: the output of summary() on a data.frame object is not a data.frame, but a table and flextable::flextable() expects a data.frame. So if you call flextable::flextable()

on the output of summary(), you'll get an error message. Instead, we need a replacement for summary() that outputs a data.frame. This replacement is skimr::skim(); let's go back to our pipeline and change the call to summary() to skim() (after adding the {skimr} to the list of loaded packages, as well as {flextable}):

```
library(targets)
library(tarchetypes)
tar option set(packages = c(
 "dplyr",
 "flextable",
 "ggplot2",
 "skimr"
)
)
list(
 tar target(
 path_data_mtcars,
 "mtcars.csv",
 format = "file"
),
 tar target(
 data_mtcars,
 read.csv(path data mtcars)
),
 tar target(
 summary mtcars,
 skim(data mtcars)
),
 tar_target(
```

```
clean mtcars,
 mutate(data mtcars,
 am = as.character(am))
),
 tar target(
 plot mtcars,
 {ggplot(clean mtcars) +
 geom point(aes(y = mpg,
 x = hp,
 shape = am))}
),
 tar render(
 my_doc,
 "my document.Rmd"
)
)
```

In the .Rmd file, we can now pass the output of tar\_read( summary\_mtcars) to flextable():

```
Load the summary
```{r}
tar_read(summary_mtcars) %>%
flextable()
```
```

If you run the pipeline and look at the output now, you'll see a nice table with a lot of summary statistics. Since the output of skim() is a data.frame, you can only keep the stats you want by dplyr::select()ing the columns you need:

```
Load the summary
```{r}
tar_read(summary_mtcars) %>%
select(Variable = skim_variable,
            Mean = numeric.mean,
            SD = numeric.sd,
            Histogram = numeric.hist) %>%
flextable()
````
```

If you want to hide all the R code in the output document, simply use knitr::opts\_chunk\$set(echo = F) in the source .Rmd file, or if you want to hide the code from individual chunks use echo = FALSE in the chunks header. Here is what the final source code of the .Rmd could look like:

```

title: "mtcars is the best data set"
author: "mtcars enjoyer"
date: today

```{r, include = FALSE}
# Hides all source code
knitr::opts_chunk$set(echo = F)
```
```

```
Load the summary statistics
```

```
I really like to see the distribution of the
variables as a cell of a table:
```{r}
tar read(summary mtcars) %>%
  select(Variable = skim variable,
         Mean = numeric.mean,
         SD = numeric.sd,
         Histogram = numeric.hist) %>%
  flextable() %>%
 set caption("Summary statistics for mtcars")
## Graphics
The plot below is really nice, just look at it:
```{r, fig.cap = "Scatterplot of `mpg` and `hp`
→ by type of transmission"}
tar read(plot mtcars) +
 theme minimal() +
 theme(legend.position = "bottom")
. . .
```

As you can see, once I've used tar\_read(), I get back the object just as if I had generated it from within the .Rmd source file, and can simply add stuff to it (like changing the theme of the ggplot). Once you're happy with the contents, you can add output: word\_document to the header of the document

13.8. Rewriting our project as a pipeline and {renv} redux

(just below date: today for example) to generate a Word document.

Let me reiterate the advantages of using {targets} to compile RMarkdown documents: because the computation of all the objects is handled by {targets}, compiling the document itself is very quick. All that needs to happen is loading pre-computed targets. This also means that you benefit from all the other advantages of using {targets}: only the outdated targets get recomputed, and the computation of the targets can happen in parallel. Without {targets}, compiling the RMarkdown document would always recompute all the objects, and all the objects' recomputation would happen sequentially.

## 13.8. Rewriting our project as a pipeline and {renv} redux

It is now time to return our little project into a full-fledged reproducible pipeline. For this, we're going back to our project's folder and specifically to the fusen branch. This is the branch where we used {fusen} to turn our .Rmd into a package. This package contains the functions that we need to update the data. But remember, we wrote the analysis in another .Rmd file that we did not inflate, analyse\_data.Rmd. We are now going to write a {targets} pipeline that will make use of the inflated package and compute all the targets required for the analysis. The first step is to create a new branch, but you could also create an entirely new repository if you want. It's up to you. If you create a new branch, start from the rmd branch, since this will provide a nice starting point.

If you start with a fresh repository, you can grab the <code>analyse\_data.Rmd</code> from here<sup>3</sup>.

First order of business, let's delete **save\_data.Rmd** (unless you started with an empty repo). We don't need that file anymore, since everything is now available in the package we developed:

```
owner@localhost $ rm save_data.Rmd
```

Let's now start an R session in that folder and install our {housing} package. Whether you followed along and developed the package, or skipped the previous parts and didn't develop the package by following along, install it from my Github repository. This ensures that you have exactly the same version as me. Run the following line:

This will install the package from my Github repository, and very specifically the version from the fusen branch at commit 1c86095 (you may need to install the {remotes} package first). Now that the package is installed, we can start building the pipeline. In the same R session, call tar\_script() which will give us a nice template \_targets.R file:

<sup>&</sup>lt;sup>3</sup>https://is.gd/L2GICG

```
targets::tar_script()
```

You should at most have three files: README.md, \_targets.R and analyse\_data.Rmd (unless you started with an empty repo, in which case you don't have the README.md file). We will now change analyse\_data.Rmd, to load pre-computed targets, instead of computing them inside the analyse\_data.Rmd at compilation time.

First, we need to load the data. The two datasets we use are now part of the package, so we can simply load them using data(commune\_level\_data) and data(country\_level\_data). But remember, {targets} only loves pure functions, and data() is not pure! Let's see what happens when you call data(mtcars). If you're using RStudio, this is really visible: in a fresh session, calling data(mtcars) shows the following in the Environment pane:

Console	Termina	I × Bacl	Background Jobs							
😱 R 4.2.2 · ~/ 🗇										
<pre>&gt; data("mtcars") &gt; </pre>										
Environm	ent File	es Plots	Packages	He						
🚰 🔒 🖙 🗸 🌗 193 MiB 🗸 🍯										
R 🔹 🛑 Global Environment 🔹 🔍										
Values										
mtcar	e>									

Figure 13.7.: What's described as 'mtcars' is not a 'data.frame', yet.

At this stage, mtcars is only a promise. It's only if you need to interact with mtcars that the promise becomes a data.frame. So data() returns a promise, does this mean that we can save that into a variable? If you try the following:

```
x <- data(mtcars)</pre>
```

And check out x, you will see that x contains the string "mtcars" and is of class character! So data() returns a promise by saving it directly to the global environment (this is a side-effect) but it returns a string. Because {targets} needs pure functions, if we write:

```
tar_target(
 target_mtcars,
 data(mtcars)
)
```

the target\_mtcars target will be equal to the "mtcars" character string. This might be confusing, but just remember: a target must return something, and functions with side-effects don't always return something, or not the thing we want. Also remember the example on plotting with plot(), which does not return an object. It's actually the same issue here.

So to solve this, we need a pure function that returns the data.frame. This means that it first needs to load the data, which results in a promise (which gets loaded into the environment directly), and then evaluate that promise. The function to achieve this is as follows:

```
read_data <- function(data_name, package_name){</pre>
```

This function takes data\_name and package\_name as arguments, both strings.

Then, I used data() but with two arguments: list = and package =. list = is needed because we pass data name as a string. If we did something like data(data name) instead, hoping that data name would get replaced by its bound value ("commune level data") it would result in an error. This is because data() would be looking for a data set literally called data name instead of replacing data name by its bound value. The second argument, package = simply states that we're looking for that dataset in the {housing} package and uses the bound value of package name. Now comes the envir = argument. This argument tells data() where to load the data set. By default, data() loads the data in the global environment. But remember, we want our function to be pure, meaning, it should only return the data object and not load anything into the global environment! So that's where the temporary environment created in the first line of the body of the function comes into play. What happens is that the function loads the data object into this temporary environment, which is different from the global environment. Once we're done, we can simply discard this environment, and so our global environment stays clean.

The final step is using get(). Remember that once the line

data(list = data\_name...) has run, all we have is a promise. So if we stop there, the target would simply hold the character "commune\_level\_data". In order to turn that promise into the data frame, we use get(). We've already encountered this function in Chapter 7. get() searches an object by name, and returns it. So in the line get(data\_name), data\_name gets first replaced by its bound value, so get("commune\_level\_data") and hence we get the dataset back. Also, get() looks for that name in the temporary environment that was set up. This way, there is literally no interaction with the global environment, so that function is pure: it always returns the same output for the same input, and does not pollute, in any way, the global environment. After that function is done running, the temporary environment is discarded.

This seems overly complicated, but it's all a consequence of {targets} needing pure functions that actually return something to work well. Unfortunately some of R's default functions are not pure, so we need this kind of workaround. However, all of this work is not in vain! By forcing us to use pure functions, {targets} contributes to the general quality and safety of our pipeline. Once our pipeline is done running, the global environment will stay clean. Having stuff pollute the global environment can cause interactions with subsequent runs of the pipeline.

Let's continue the pipeline: here is what it will ultimately look like:

```
library(targets)
library(tarchetypes)
tar_option_set(packages = "housing")
```

```
source("functions/read data.R")
list(
 tar target(
 commune level data,
 read_data("commune_level data",
 "housing")
),
 tar_target(
 country level data,
 read_data("country_level_data",
 "housing")
),
 tar_target(
 commune data,
 get laspeyeres(commune level data)
),
 tar target(
 country_data,
 get laspeyeres(country level data)
),
 tar_target(
 communes,
 c("Luxembourg",
 "Esch-sur-Alzette",
 "Mamer",
 "Schengen",
 "Wincrange")
```

```
),
tar_render(
 analyse_data,
 "analyse_data.Rmd"
)
)
```

And here is what analyse\_data.Rmd now looks like:

```

title: "Nominal house prices data in Luxembourg"
author: "Bruno Rodrigues"
date: "`r Sys.Date()`"

Let's load the datasets (the Laspeyeres price
 → index is already computed):
```{r}
tar_load(commune_data)
tar load(country data)
- - -
We are going to create a plot for 5 communes and
\rightarrow compare the
price evolution in the communes to the national
\rightarrow price evolution.
Let's first load the communes:
```{r}
```

```
tar_load(communes)
```{r, results = "asis"}
res <- lapply(communes, function(x){</pre>
  knitr::knit child(text = c(
    '\n',
    '## Plot for commune: `r x`',
    '\n',
    '^{} (r, echo = F)',
    'print(make_plot(country_data, commune_data,
 → x))',
    15551
     ),
     envir = environment(),
     quiet = TRUE)
})
cat(unlist(res), sep = "\n")
. . .
```

As you can see, the data gets loaded by using tar_load() which loads the two pre-computed data sets. The end portion of the document looks fairly similar to what we had before turning our analysis into a package and then a pipeline. We use a child document to generate as many sections as required automatically (remember, *Don't Repeat Yourself!*). Try to change something in the pipeline, for example remove some communes from the communes object, and rerun the whole pipeline using tar_make().

We are now done with this introduction to {targets}: we have turned our analysis into a pipeline, and now we need to ensure that the outputs it produces are reproducible. So the first step is to use {renv}; but as already discussed, this will not be enough, but it is essential that you do it! So let's initialize {renv}:

```
renv::init()
```

This will create an **renv.lock** file with all the dependencies of the pipeline listed. Very importantly, our Github package also gets listed:

```
"housing": {
 "Package": "housing",
 "Version": "0.1",
 "Source": "GitHub",
 "RemoteType": "github",
 "RemoteHost": "api.github.com",
 "RemoteRepo": "housing",
 "RemoteUsername": "rap4all",
  "RemoteRef": "fusen",
  "RemoteSha":
   \hookrightarrow
      "1c860959310b80e67c41f7bbdc3e84cef00df18e",
  "Hash": "859672476501daeea9b719b9218165f1",
  "Requirements": [
    "dplyr",
    "ggplot2",
    "janitor",
    "purrr",
    "readxl",
```

```
"rlang",
"rvest",
"stringr",
"tidyr"
]
},
```

If you look at the fields titled RemoteSha and RemoteRef you should recognize the commit hash and repository that were used to install the package:

This means that if someone wants to re-run our project, by running renv::restore() the correct version of the package will get installed! To finish things, we should edit the Readme.md file and add instructions on how to re-run the project. This is what the Readme.md file could look like:

```
# How to run
- Clone the repository: `git clone
  git@github.com:rap4all/housing.git`
- Switch to the `pipeline` branch: `git checkout
  pipeline`
- Start an R session in the folder and run
  `renv::restore()`
  to install the project's dependencies.
- Run the pipeline with `targets::tar_make()`.
- Checkout `analyse_data.html` for the output.
```

If you followed along, don't forget to change the url of the repository to your own in the first bullet point of the Readme.

13.9. Some little tips before concluding

In this section I'll be showing you some other useful functions included in the {targets} package that I think you should know!

13.9.1. Load every target at once

It is possible to load every target included in the cache at once using tar_load_everything(). But be careful, if your pipeline builds many targets, this can take some time!

13.9.2. Get metadata information on your pipeline

tar_meta() will return a data frame with some information about the pipeline. I find it quite useful after running the pipeline, and it turns out that some warnings or errors were raised. This is how this data frame looks like:

```
1 analyse_d... stem c251... 995812... 3233e... [...]
2 commune_d... stem 024d... 85c2ab... ec7f2... [...]
3 commune_l... stem fb07... f48470... ce0d8... [...]
4 commune_l... stem fb07... 2549df... 15e48... [...]
5 communes stem b097... be3c56... a3dad... [...]
6 country d... stem ae21... 9dc7a6... 1d321... [...]
```

There are more columns than those I'm showing, of great interest are the columns warnings and error. In the example below, I have changed the code to read_data(), and now it raises a warning:

```
targets::tar make()
```

```
• start target commune level data
• built target commune level data [0.61 seconds]
• start target country level data
• built target country level data [0.02 seconds]
 skip target communes
 skip target commune data
 skip target country data
 skip target analyse data
• end pipeline [0.75 seconds]
Warning messages:
1: this is a warning
2: this is a warning
3: 2 targets produced warnings. Run
 \rightarrow tar meta(fields = warnings,
  complete_only = TRUE) for the messages.
>
```

Because warnings were raised, the pipeline raises another warning telling you to run tar_meta(fields = warnings, complete_only = TRUE) so let's do it:

This code returns a data frame with the name of the targets that produced the warning, alongside the warning.

```
# A tibble: 2 × 2
name warnings
<chr> < chr>
1 commune_level_data this is a warning
2 country_level_data this is a warning
```

So now you can better see what is going on.

13.9.3. Make a target (or the whole pipeline) outdated

With tar_invalidate() you can make a target outdated, so that when you rerun the pipeline, it gets re-computed (alongside every target that depends on it). This can sometimes be useful to make sure that everything is running correctly. Try running tar_invalidate("communes") and see what happens. It is also possible to complete nuke the whole pipeline and rerun it from scratch using tar_destroy(). You'll get asked to confirm if that's what you want to do, and if yes, reruning the pipeline after that will start from scratch.

13.9.4. Customize the network's visualisation

By calling visNetwork::visNetworkEditor(tar_visnetwork()), a Shiny app gets started that lets you customize the look of your pipeline's network. You can play around with the options and see the effect they have on the look of the network. It is also possible to generate R code that you can then paste into a script to consistently generate the same look.

13.9.5. Use targets from one pipeline in another project

If you need to load some targets inside another project (for example, because you need to reference an older study), you can do so easily with {withr}:

```
withr::with_dir(
   "path/to/root/of/project",
   targets::tar_load(target_name))
```

13.9.6. Understanding this cryptic error message

Sometimes, when you try to run the pipeline, you get the following error message:

```
Error:
! Error running targets::tar_make()
Target errors: targets::tar_meta(fields =
        error, complete_only = TRUE)
```

Tips: https://books.ropensci.org/targets/ → debugging.html Last error: argument 9 is empty

The last line is what interests us here: "Last error: argument 9 is empty". It is not clear which target is raising this error: that's because it's not a target that is raising this error, but the pipeline itself! Remember that the pipeline is nothing but a list of targets. If your last target ends with a , character, list() is expecting another element. But because there's none, this error gets raised. Type list(1,2,) in the console and you will get the same error message. Simply check your last target, there is a , in there that you should remove!

13.10. Conclusion

I hope to have convinced you that you need to add build automation tools to your toolbox. {targets} is a fantastic package, because it takes care of something incredibly tedious for you. By using {targets} you don't have to remember which objects you need to recompute when you need to change code. You don't need to rewrite your code to make it run in parallel. And by using {renv}, other users can run your pipeline in a couple of lines and reproduce the results.

In the next chapter, we will be going deeper in the iceberg of reproducibility still.

14. Reproducible analytical pipelines with Docker

If the book ended at the end of the previous chapter, it would have been titled "Building analytical pipelines with R", because we have not ensured that the pipeline we built is reproducible. We did our best though:

- we used functional and literate programming;
- we documented, tested and versioned the code;
- we used {renv} to record the dependencies of the project;
- the project was rewritten as a {targets} pipeline and rerunning it is as easy as it can possibly get.

But there are still many variables that we need to consider. If we go back to the reproducibility iceberg, you will notice that we can still go deeper. As the code stands now, we did our best using programming paradigms and libraries, but now we need to consider other aspects.

As already mentioned in the introduction and Chapter 10, {renv} only restores package versions. The R version used for the analysis only gets recorded. So to make sure that the pipeline reproduces the same results, you'd need to install the same R version that was used to build the pipeline originally. But installing the right R version can be difficult sometimes; it depends on the operating system you want to install it on,

and how old a version we're talking about. Installing R 4.0 on Windows should be quite easy, but I wouldn't be very keen on trying to install R 2.15.0 (released on March 2012) on a current Linux distribution (and it might be problematic even on Windows as well).

Next comes the operating system on which the pipeline was developed. In practice, this rarely matters, but there have been cases where the same code produced different results on different operating systems, sometimes even on different versions of the same operating system! For example, Bhandari Neupane et al. (2019) discuss their attempt at reproducing a paper from 2014. The original scripts and data were available, and yet they were not able to reproduce the results, even though they made sure to use the same version of Python that the original authors from 2014 were using. The reason was the operating system: they were conducting their replication exercise on a different operating system, and this was causing the results to be different. What was going on? The original script relied on how the operating system ordered the files for analysis. If the files were ordered in a different way, the results would be different. And file ordering is operating system dependent! The table below, from Bhandari Neupane et al. (2019), shows how the results vary depending on which operating system the script runs:
no.	LINUX (Ubuntu16)	Windows (ver. 10)	Mac (Mavericks)	Mac (Mojave)
1	172.4	173.2	173.2	172.7
2	36.0	37.7	37.7	39.3
3	68.3	68.4	68.4	69.0
4	70.6	70.5	70.5	71.2
5	79.0	78.4	78.4	79.0
6	15.5	13.3	13.3	13.3
7	162.4	162.5	162.5	161.8
8	110.4	109.8	109.8	110.3
9	155.0	156.5	156.5	155.5
10	116.2	115.5	115.5	116.0
11	131.6	131.6	131.6	131.7
12	127.1	126.6	126.6	127.0
13	126.7	125.6	125.6	126.3

Table 2. Variability in Calculated Carbon Chemical Shifts of 1b

Figure 14.1.: Different operating system yield different results.

and this table shows how Windows and Ubuntu (Linux) sort files:

	LINUX	Windows	Mac (Magazialar)	Mac
no.	(Ubuntu16)	(ver. 10)	(Mavericks)	(Mojave)
1	172.4	173.2	173.2	172.7
2	36.0	37.7	37.7	39.3
3	68.3	68.4	68.4	69.0
4	70.6	70.5	70.5	71.2
5	79.0	78.4	78.4	79.0
6	15.5	13.3	13.3	13.3
7	162.4	162.5	162.5	161.8
8	110.4	109.8	109.8	110.3
9	155.0	156.5	156.5	155.5
10	116.2	115.5	115.5	116.0
11	131.6	131.6	131.6	131.7
12	127.1	126.6	126.6	127.0
13	126.7	125.6	125.6	126.3

Table 2. Variability in Calculated Carbon Chemical Shifts of 1b

Figure 14.2.: Different OS order files differently!

So the operating system can have an impact, and often an un-

expected impact, on our pipeline!

And finally, I believe that we are in a transition period when it comes to hardware architecture. Apple will very likely completely switch over to an ARM architecture with their Apple silicon CPUs (as of writing, the Mac Pro is the only computer manufactured by Apple that doesn't use an Apple silicon CPU and only because it was released in 2019) and it wouldn't surprise me if other manufacturers follow suit and develop their own ARM cpus. This means that projects written today may not run anymore in the future, because of these architecture changes. Libraries compiled for current architectures would need to be recompiled for ARM, and that may be difficult.

So, as I explained in the previous chapter, we want our pipeline to be the composition of pure functions. Nothing in the global environment (apart from {target}-specific options) should influence the runs of the pipeline. But, what about the environment R is running in? The R engine is itself running in some kind of environment. This is what I've explained above: operating system (and all the math libraries that are included in the OS that R relies on to run code) and hardware are variables that need to be recorded and/or frozen as much as possible.

Think about it this way: when you running a pure function f() of one argument you think you do this:

f(1)

but actually what you're doing is:

```
f(1, "windows 10 - build 22H2 - patch
10.0.19045.2075",
   "intel x86_64 cpu i9-13900F",
   "R version 4.2.2")
```

and so on. f() is only pure as far as the R version currently running f() is concerned. But everything else should also be taken into account! Remember, in technical terms, this means that our function is not referentially transparent. This is exactly what happened in the paper from Bhandari Neupane et al. (2019) that I described before. The authors relied on a *hidden* state (the order of the files) to program their script; in other words, their pipeline was not referentially transparent.

To deal with this, I will now teach you how to use Docker. Docker will essentially allow you to turn your pipeline referentially transparent, by freezing R's and the operating system's versions (and the CPU architecture as well).

Before continuing, let me warn you: if you're using an Apple computer with an Apple Silicon CPU (M1 or M2), then you may have issues following along. I don't own such a machine so I cannot test if the code below works flawlessly. What I can say is that I've read some users of these computers have had trouble using Docker in the past. These issues might have been solved in the meantime. It seems that enabling the option "use Rosetta for x86/amd64 emulation on Apple Silicon" in Docker Desktop (I will discuss Docker Desktop briefly in the following sections) may solve the issue.

14.1. What is Docker?

Let me first explain in very simple terms what Docker is.

In very simple (and technically wrong) terms, Docker makes it easy to run a Linux virtual machine (VM) on your computer. A VM is a computer within a computer: the idea is that you turn on your computer, start Windows (the operating system you use every day), but then start Ubuntu (a very popular Linux distribution) as if it were any other app installed on your computer and use it (almost) as you would normally. This is what a classic VM solution like *Virtualbox* offers you. You can start and use Ubuntu interactively from within Windows. This can be quite useful for testing purposes for example.

The way Docker differs from Virtualbox (or VMware) is that it strips down the VM to its bare essentials. There's no graphical user interface for example, and you will not (typically) use a Docker VM interactively. What you will do instead is write down in a text file the specifications of the VM you want. Let's call this text file a *Dockerfile*. For example, you want the VM to be based on Ubuntu. So that would be the first line in the Dockerfile. You then want it to have R installed. So that would be the second line. Then you need to install R packages, so you add those lines as well. Maybe you need to add some system dependencies? Add them. Finally, you add the code of the pipeline that you want to make reproducible as well.

Once you're done, you have this text file, the Dockerfile, with a complete recipe to generate a Docker VM. That VM is called an *image* (as I said previously it's technically not a true VM, but let's not discuss this). So you have a text file, and this file helps you define and generate an image. Here, you should already see a first advantage of using Docker over a more traditional VM solution like Virtualbox: you can very easily write these Dockerfiles and version them. You can easily start off from another Dockerfile from another project and adapt it to your current pipeline. And most importantly, because everything is written down, it's reproducible (but more on that at the end of this chapter...).

Ok, so you have this image. This image will be based on some Linux distribution, very often Ubuntu. It comes with a specific

version of Ubuntu, and you can add to it a specific version of R. You can also download a specific version of all the packages required for your pipeline. You end up with an environment that is tailor-made for your pipeline. You can then run the pipeline with this Docker image, and *always get exactly the same results, ever*. This is because, regardless of how, where or when you will run this *dockerized* pipeline, the same version of R, with the same version of R packages, on the same Linux distribution will be used to reproduce the results of your pipeline. By the way, when you run a Docker image, as in, you're executing your pipeline using that image definition, this now is referred to as a Docker container.

So: a Dockerfile defines a Docker image, from which you can then run containers. I hope that the pictures below will help. The first picture shows what happens when you run the same pipeline on two different R versions and two different operating systems:



Figure 14.3.: Running a pipeline without Docker results (potentially) in different outputs.

Take a close look at the output, you will notice it's different!

Now, you run the same pipeline, which is now *dockerized*:



Figure 14.4.: Running a pipeline with Docker results in the same outputs.

Another way of looking at a Docker image: it's an immutable sandbox, where the rules of the game are always the same. It doesn't matter where or when you run this sandbox, the pipeline will always be executed in this same, well-defined space. Because the pipeline runs on the same versions of R (and packages) and on the same operating system defined within the Docker image, our pipeline is now truly reproducible.

But why Linux though; why isn't it possible to create Docker

images based on Windows or macOS? Remember in the introduction, where I explained what reproducibility is? I wrote:

Open source is a hard requirement for reproducibility.

Open source is not just a requirement for the programming language used for building the pipeline but extends to the operating system that the pipeline runs on as well. So the reason Docker uses Linux is because you can use Linux distributions like Ubuntu for free and without restrictions. There aren't any licenses that you need to buy or activate, and Linux distributions can be customized for any use case imaginable. Thus Linux distributions are the only option available to Docker for this task.

14.2. A primer on Linux

Up until this point, you could have followed along using any operating system. Most of the code shown in this book is R code, so it doesn't matter on what operating system you're running it. But there was some code that I ran in the Linux console (for example, I've used 1s to list files). These commands should also work on macOS, but on Windows, I told you to run them in the Git Bash terminal instead. This is because 1s (and other such commands) don't work in the default Windows command prompt (but should work in Powershell though). Instead of using the terminal (or Git Bash) to navigate your computer's file system, you could have followed along using the user interface of your operating system as well. For example, in Chapter 11, I list the contents of the dev/ directory using the following command:

owner@localhost \$ ls dev/

but you could have just opened the dev/ folder in the file explorer of your operating system of choice. But to use Docker, you will need to get to know Linux and the Linux ecosystem and concepts a little bit. No worries, it's not as difficult as it sounds, and I think that you likely aren't afraid of difficult things, or else you would have stopped reading this book much earlier.

Linux is not the name of any one specific operating system, but of an operating system kernel. A kernel is an important component of an operating system. Linux is free and open-source, and among the most successful free and open source projects ever. Because it's license allows (and encourages) re-use, anyone can take that kernel, and add all the other components needed to build a complete operating system and release the finished product. This is why there are many *Linux distributions*: a Linux distribution is a complete operating system that uses Linux as its kernel. The most popular Linux distribution is called Ubuntu, and if one time you googled something along the lines of "easy linux os for beginners" the answer that came out on top was likely Ubuntu, or one of the other variants of Ubuntu (yes, because Ubuntu itself is also open-source and free software, it is possible to build a variant using Ubuntu as a basis, like Linux Mint).

To define our Docker images, we will be using Ubuntu as a base. The Ubuntu operating system has two releases a year, one in April and one in October. On even years, the April release is a long-term support (LTS) release. LTS releases get security updates for 5 years, and Docker images generally use an LTS release as a base. As of writing (May 2023), the current LTS is Ubuntu 22.04 *Jammy Jellyfish* (Ubuntu releases are named with a number of the form YY.MM and then a code name based on

some animal).

If you want, you can install Ubuntu on your computer. But there's no need for this, since you can use Docker to ship your projects!

A major difference between Ubuntu (and other Linux distributions) and macOS and Windows is how you install software. In short, software for Linux distributions is distributed as packages. If you want to install, say, the Emacs text editor, you can run the following command in the terminal:

```
sudo apt-get install emacs-gtk
```

Let's break this down: **sudo** makes the next commands run as root. *root* is Linux jargon for the administrator account. So if I type sudo xyz, the command xyz will run with administrator privileges. Then comes apt-get install. apt-get is Ubuntu's package manager, and install is the command that installs emacs-gtk. emacs-gtk is the name of the Emacs package. Because you're an R user, this should be somewhat familiar: after all, extensions for R are also installed using a package manager and a command: install.packages("package name"). Just like in R, where the packages get downloaded from CRAN, Ubuntu downloads packages from a repository which you can browse here¹. Of course, because using the command line is intimidating for beginners, it is also possible to install packages using a software store, just like on macOS or Windows. But remember, Docker only uses what it absolutely needs to function, so there's no interactive user interface. This is not because Docker's developers don't like user interfaces, but because the point of Docker is not to use Docker images interactively, so

¹https://packages.ubuntu.com/jammy/

there's no need for the user interface. So you need to know how to install Ubuntu packages with the command line.

Just like for R, it is possible to install software from different sources. It is possible to add different repositories, and install software from there. We are not going to use this here, but just as an aside, if you are using Ubuntu on your computer as your daily driver operating system, you really should check out $r2u^2$, an Ubuntu repository that comes with pre-compiled R packages that can get installed, very, very quickly. Even though we will not be using this here (and I'll explain why later in this chapter), you should definitely consider **r2u** to provide binary R packages if you use Ubuntu as your daily operating system.

Let's suppose that you are using Ubuntu on your machine, and are using R. If you want to install the {dplyr} R package, something interesting happens when you type:

install.packages("dplyr")

On Windows and macOS, a compiled binary gets downloaded from CRAN and installed on your computer. A "binary" is the compiled source code of the package. Many R packages come with C++ or Fortran code, and this code cannot be used as is by R. So these bits of C++ and Fortran code need to be compiled to be used. Think of it this way: if the source code is the ingredients of a recipe, the compiled binary is the cooked meal. Now imagine that each time you want to eat Bouillabaisse, you have to cook it yourself... or you could get it delivered to your home. You'd probably go for the delivery (especially if it would be free) instead of cooking it each time. But this supposes that there are people out there cooking Bouillabaisse for you.

 $^{^{2}}$ https://github.com/eddelbuettel/r2u

14. Reproducible analytical pipelines with Docker

CRAN essentially cooks the package source codes into binaries for Windows and macOS, as shown below:

Downloads:

Package source:	tidyverse_2.0.0.tar.gz
Windows binaries:	r-devel: <u>tidyverse_2.0.0.zip</u> , r-release: <u>tidyverse_2.0.0.zip</u> , :
macOS binaries:	r-release (arm64): tidyverse_2.0.0.tgz, r-oldrel (arm64): tid
Old sources:	tidyverse archive

Figure 14.5.: Download links to pre-compiled tidyverse binaries.

In the image above, you can see links to compiled binaries of the {tidyverse} package for Windows and macOS, but none for any Linux distribution. This is because, as stated in the introduction, there are many, many, many Linux distributions. So at best, CRAN could offer binaries for Ubuntu, but Ubuntu is not the only Linux distribution, and Ubuntu has two releases a year, which means that every CRAN package (that needs compilation) would need to get compiled twice a year. This is a huge undertaking unless CRAN decided to only offer binaries for LTS releases. But that would still be every two years.

So instead, what happens, is that the burden of compilation is pushed to the user. Every time you type install.packages("package_name"), and if that package requires compilation, that package gets compiled on your machine which not only takes some time, but can also fail. This is because very often, R packages that require compilation need some additional system-level dependencies that need to be installed. For example, here are the Ubuntu dependencies that need to be installed for the installation of the {tidyverse} package to succeed:

```
libicu-dev
zlib1g-dev
make
libcurl4-openssl-dev
libfontconfig1-dev
libfreetype6-dev
libfribidi-dev
libharfbuzz-dev
libjpeg-dev
libpng-dev
libtiff-dev
pandoc
libxml2-dev
```

This is why r2u is so useful: by adding this repository, what you're essentially doing is telling R to not fetch the packages from CRAN, but from the r2u repository. And this repository contains compiled R packages for Ubuntu. So the required system-level dependencies get installed automatically and the R package doesn't need compilation. So installation of the {tidyverse} package takes less than half a minute on a modern machine.

But if r2u is so nice, why did I say above that we would not be using it? Unfortunately, this is because r2u does not archive compiled binaries of older packages, and this is exactly what we need for reproducibility. So when you're building a Docker image to make a project reproducible, because that image will be based on Ubuntu, we will need to make sure that our Docker image contains the right system-level dependencies so that compilation of the R packages doesn't fail. Thankfully, you're reading the right book.

14.3. First steps with Docker

Let's start by creating a "Hello World" Docker image. As I explained in the beginning, to define a Docker image, we need to create a Dockerfile with some instructions. But first, you need of course to install Docker. To install Docker on any operating system (Windows, macOS or Ubuntu or other Linuxes), you can install Docker Desktop³. If you're running Ubuntu (or another Linux distribution) and don't want the GUI, you could install the Docker engine⁴ and then follow the post-installation steps for Linux⁵ instead.

In any case, whatever operating system you're using, we will be using the command line to interact with Docker. Once you're done with installing Docker, create a folder somewhere on your computer, and create inside of this folder an empty text file with the name "Dockerfile". This can be tricky on Windows, because you have to remove the .txt extension that gets added by default. You might need to turn on the option "File name extensions" in the View pane of the Windows file explorer to make this process easier. Then, open this file with your favourite text editor, and add the following lines:

FROM ubuntu:jammy

RUN uname -a

This very simple Dockerfile does two things: it starts by stating that it's based on the Ubuntu Jammy (so version 22.04) operat-

³https://docs.docker.com/desktop/

 $^{{}^{4}} https://docs.docker.com/engine/install/ubuntu/\#install-using-the-repository}$

 $^{^{5}} https://docs.docker.com/engine/install/linux-postinstall/\#manage-docker-as-a-non-root-user$

ing system, and then runs the uname -a command. This command, which gets run inside the Ubunu command line, prints the Linux kernel version from that particular Ubuntu release. FROM and RUN are Docker commands; there are a couple of others that we will discover a bit later. Now, what do you do with this Dockerfile? Remember, a Dockerfile defines an image. So now, we need to build this image to run a container. Open a terminal/command prompt in the folder where the Dockerfile is and type the following:

```
owner@localhost $ docker build -t raps_hello .
```

The docker build command builds an image from the Dockerfile that is in the path . (a single . means "this current working directory"). The -t option tags that image with the name raps_hello. If everything goes well, you should see this output:

Look at Step 2/2: you should see the output of the uname -a

command:

```
Linux 697194b9a519 6.2.6-1-default #1 SMP

→ PREEMPT_DYNAMIC

Mon Mar 13 18:57:27 UTC 2023 (fa1a4c6)

→ x86_64 x86_64 x86_64 GNU/Linux
```

Every RUN statement in the Dockerfile gets executed at build time: so this is what we will use to install R and needed packages. This way, once the image is built, we end up with an image that contains all the software we need.

Now, we would like to be able to use this image. Using a built image, we can start one or several containers that we can use for whatever we want. Let's now create a more realistic example. Let's build a Docker image that comes with R pre-installed. But for this, we need to go back to our Dockerfile and change it a bit:

```
FROM ubuntu:jammy
ENV TZ=Europe/Luxembourg
RUN ln -snf /usr/share/zoneinfo/$TZ /etc/localtime
&& echo $TZ > /etc/timezone
RUN apt-get update && apt-get install -y r-base
CMD ["R"]
```

First we define a variable using ENV, called TZ and we set that to the Europe/Luxembourg time zone (you can change this to your own time zone). We then run a rather complex looking command that sets the defined time zone system-wide. We had to do all this, because when we will later install R, a systemlevel dependency called tzdata gets installed alongside it. This tool then asks the user to enter his or her time zone interactively. But we cannot interact with the image interactively as it's being built, so the build process gets stuck at this prompt. By using these two commands, we can set the correct time zone and once tzdata gets installed, that tool doesn't ask for the time zone anymore, so the build process can continue. This is a rather known issue when building Docker images based on Ubuntu, so the fix is easily found with a Google search (but I'm giving it to you, dear reader, for free).

Then come RUN statements. The first one uses Ubuntu's package manager to first refresh the repositories (this ensures that our local Ubuntu installation repositories are in sync with the latest software updates that were pushed to the central Ubuntu repos). Then we use Ubuntu's package manager to install **r**-base. **r**-base is the package that installs R. We then finish this Dockerfile by running CMD ["R"]. This is the command that will be executed when we run the container. Remember: RUN commands get executed at build-time, CMD commands at run-time. This distinction will be important later on.

Let's build the image (this will take some time, because a lot of software gets installed):

```
owner@localhost $ docker build -t raps_ubuntu_r \hfill \rightarrow .
```

This builds an image called raps_ubuntu_r. This image is based on Ubuntu 22.04 Jammy Jellyfish and comes with R preinstalled. But the version of R that gets installed is the one made available through the Ubuntu repositories, and as of writing that is version 4.1.2, while the latest version available is R version 4.2.3. So the version available through the Ubuntu repositories lags behind the actual release. But no matter, we will deal with that later.

We can now start a container with the following command:

```
owner@localhost $ docker run raps_ubuntu_r
```

And this is the output we get:

```
Fatal error: you must specify '--save', \Box '--no-save' or '--vanilla'
```

What is going on here? When you run a container, the command specified by CMD gets executed, and then the container quits. So here, the container ran the command R, which started the R interpreter, but then quit immediately. When quitting R, users should specify if they want to save or not save the workspace. This is what the message above is telling us. So, how can we use this? Is there a way to use this R version interactively?

Yes, there is a way to use this R version boxed inside our Docker image interactively, even though that's not really what we want to achieve. What we want instead is that our pipeline gets executed when we run the container. We don't want to mess with the container interactively. But let me show you how we can interact with this dockerized R version. First, you need to let the container run in the background. You can achieve this by running the following command:

```
owner@localhost $ docker run -d -it --name

→ ubuntu_r_1 raps_ubuntu_r
```

This runs the container that we name "ubuntu_r_1" from the image "raps_ubuntu_r" (remember that we can run many containers from one single image definition). Thanks to the option -d, the container runs in the background, and the option -it states that we want an interactive shell to be waiting for us. So the container runs in the background, with an interactive shell waiting for us, instead of launching (and then immediately stopping) the R command. You can now "connect" to the interactive shell and start R in it using:

```
owner@localhost $ docker exec -it ubuntu_r_1 R
```

You should now see the familiar R prompt:

```
R version 4.1.2 (2021-11-01) -- "Bird Hippie"
Copyright (C) 2021 The R Foundation for
  Statistical Computing
Platform: x86_64-pc-linux-gnu (64-bit)
R is free software and comes with ABSOLUTELY NO
  WARRANTY.
You are welcome to redistribute it under certain
  conditions.
Type 'license()' or 'licence()' for distribution
  details.
R is a collaborative project with many
  contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in
  publications.
```

```
Type 'demo()' for some demos, 'help()' for

→ on-line help, or

'help.start()' for an HTML browser interface to

→ help.

Type 'q()' to quit R.
```

Welcome to a dockerized version of R. Now, all of this might have felt overly complicated to you. And of course if this is the first time that you have played around with Docker, it is tricky indeed. However, you shouldn't worry too much about it, for several reasons:

- we are not going to use Docker containers interactively, that's not really the point, but it can be useful to log in into the running container to check if things are working as expected;
- we will build our images on top of pre-built images from the Rocker project⁶ and these images come with a lot of software pre-installed and configuration taken care of.

What you should take away from this section is that you need to write a Dockerfile which then allows you to build an image. This image can then be used to run one (or several) containers. These containers, at run-time, will execute our pipeline in an environment that is frozen, such that the output of this run will stay constant, forever.

⁶https://rocker-project.org/

14.4. The Rocker project

The Rocker project offers a very large collection of "R-ready" Docker images that you can use as starting points for building your own Docker images. Before using these images though, I still need to explain one very important Docker concept. Let's go back to our "Hello World" Docker image:

FROM ubuntu: jammy

RUN uname -a

The very first line, FROM ubuntu: jammy downloads an Ubuntu Jammy image, but from where? All these images get downloaded from *Docker Hub*, which you can browse here⁷. If you create an account you can even push your own images on there. For example, we could push the image we built before, which we called raps_ubuntu_r, on Docker Hub. Then, if we wanted to create a new Docker image that builds upon raps_ubuntu_r we could simply type FROM username:raps_ubuntu_r (or something similar).

It's also possible to not use Docker Hub at all, and share the image you built as a file. I'll explain how later.

The Rocker project offers many different images, which are described here⁸. We are going to be using the *versioned* images. These are images that ship specific versions of R. This way, it doesn't matter when the image gets built, the same version of R will be installed by getting built from source. Let me explain why building R from source is important. When we build the image from the Dockerfile we wrote before, R gets installed from the

⁷https://hub.docker.com/

⁸https://rocker-project.org/images/

Ubuntu repositories. For this we use Ubuntu's package manager and the following command: apt-get install -y r-base. As of writing, the version of R that gets installed is version 4.1.3. There's two problems with installing R from Ubuntu's repositories. First, we have to use whatever gets installed, which can be a problem with reproducibility. If we ran our analysis using R version 4.2.1, then we would like to dockerize that version of R. The second problem is that when we build the image today we get version 4.1.3. But it is not impossible that if we build the image in 6 months, we get R version 4.2.0, because it is likely that the version that ships in Ubuntu's repositories will get updated at some point.

This means that depending on *when* we build the Docker image, we might get a different version of R. There are only two ways of avoiding this problem: either we build the image once and archive it and make sure to always keep a copy and ship that copy forever (or for as long as we want to make sure that pipeline is reproducible) just as you would ship data, code and any documentation required to make the pipeline reproducible. Or we write the Dockerfile in such a way that it always produces the same image, regardless of *when* it gets built. I very strongly advise you to go for the second option, but to also archive the image. But of course, this also depends on how critical your project is. Maybe you don't need to start archiving images, or maybe you don't even need to make sure that the Dockerfile always produces the same image. But I would still highly recommend that you write your Dockerfiles in such a way that they always output the same image. It is safer, and it doesn't really mean extra work, thanks to the Rocker project.

So, let's go back to the Rocker project, and specifically their *versioned* images which you can find here⁹. When you use one

 $^{^{9} \}rm https://rocker-project.org/images/versioned/r-ver.html$

of the versioned images as a base for your project, you get the following guarantees:

- a fixed version of R that gets built from source. It doesn't matter *when* you build the image, it will always ship with the same version of R;
- the operating system will be the LTS release that was current when that specific version of R was current;
- the R repositories are set to the Posit Public Package Manager (PPPM) at a specific date. This ensures that R packages don't need to be compiled as PPPM serves binary packages for the amd64 architecture (which is the architecture that virtually all non-Apple computers use these days).

This last point requires some more explanations. You should know that versioned Rocker images use the PPPM set at a specific date. This is a very neat feature of the PPPM. For example, the versioned Rocker image that comes with R 4.2.2 has the repos set at the 14th of March 2023, as you can see for yourself here¹⁰. This means that if you use install.packages("dplyr") inside a container running from that image, then the version of {dplyr} that will get installed is the one that was available on the 14th of March.

This can be convenient in certain situations, and you may want, depending on your needs, to use the PPPM set a specific date to define Docker images, as the Rocker project does. You could even set the PPPM at a specific date for your main development machine (just follow the instructions here¹¹). But keep in mind that you will not be getting any updates to packages, so

¹⁰https://is.gd/fdrq4p

¹¹https://is.gd/jbdTKC

if you want to install a fresh version of a package that may introduce some nice new features, you'll need to change the repos again. This is why I highly advise you to stay with your default repositories (or use r2u if you are on Ubuntu) and manage your projects' package libraries using {renv}. This way, you don't have to mess with anything, and have the flexibility to have a separate package library per project. The other added benefit is that you can then use the project's renv.lock file to install the exact same package library inside the Docker image.

As a quick introduction to using Rocker images, let's grab our pipeline's renv.lock file which you can download from here¹². This is the latest renv.lock file that we generated for our pipeline, it contains all the needed packages to run our pipeline, including the right versions of the {targets} package and the {housing} package that we developed. An important remark: it doesn't matter if the renv.lock file contains packages that were released after the 14th of March. Even if the repositories inside the Rocker image that we will be using are set to that date, the lock file also specifies the URL of the right repository to download the packages from. So that URL will be used instead of the one defined for the Rocker image.

Another useful aspect of the renv.lock file is that it also records the R version that was used to originally develop the pipeline, in this case, R version 4.2.2. So that's the version we will be using in our Dockerfile. Next, we need to check the version of {renv} that we used to build the renv.lock file. You don't necessarily need to install the same version, but I recommend you do. For example, as I'm writing these lines, {renv} version 0.17.1 is available, but the renv.lock file was written by {renv} version 0.16.0. So to avoid any compatibility issues, we will also install the exact same version. Thankfully, that is quite easy to

¹²https://is.gd/5UcuxW

do (to check the version of {renv} that was used to write the lock file simply look for the word "renv" in the lock file).

While {renv} takes care of installing the right R packages, it doesn't take care of installing the right system-level dependencies. So that's why we need to install these system-level dependencies ourselves. I will give you a list of system-level dependencies that you can install to avoid any issues below, and I will also explain to you how I was able to come up with this list. It is quite easy thanks to Posit and their PPPM. For example, here¹³ is the summary page for the {tidyverse} package. If you select "Ubuntu 22.04 (Jammy)" on the top right, and then scroll down, you will see a list of dependencies that you can simply copy and paste into your Dockerfile:

```
INSTALL SYSTEM PREREQUISITES ON UBUNTU 22.04 (JAMMY) (i Copy
apt-get install -y libicu-dev
apt-get install -y zlibig-dev
apt-get install -y make
apt-get install -y libcurl4-openssl-dev
apt-get install -y libssl-dev
```

Figure 14.6.: System-level dependencies for the {tidyverse} package on Ubuntu.

We will use this list to install the required dependencies for our pipeline.

Create a new folder and call it whatever you want and save the **renv.lock** file linked above inside of it. Then, create an empty text file and call it Dockerfile. Add the following lines:

FROM rocker/r-ver:4.2.2

 $^{^{13} \}rm https://is.gd/ZaXHwa$

```
RUN apt-get update && apt-get install -y \
    libglpk-dev \
    libxml2-dev \
    libcairo2-dev \
    libgit2-dev ∖
    default-libmysqlclient-dev \
    libpg-dev \
    libsasl2-dev \
    libsqlite3-dev \
    libssh2-1-dev \setminus
    libxtst6 \
    libcurl4-openssl-dev \
    libharfbuzz-dev \
    libfribidi-dev \
    libfreetype6-dev \
    libpng-dev \
    libtiff5-dev ∖
    libjpeg-dev ∖
    libxt-dev \
    unixodbc-dev \
    wget \
    pandoc
RUN R -e "install.packages('remotes')"
RUN R -e
"remotes::install_github('rstudio/renv@0.16.0')"
RUN mkdir /home/housing
COPY renv.lock /home/housing/renv.lock
```

RUN R -e "setwd('/home/housing');renv::init();renv::restore()"

The first line states that we will be basing our image on the image from the Rocker project that ships with R version 4.2.2, which is the right version that we need. Then, we install the required system-level dependencies using Ubuntu's package manager, as previously explained. Then comes the {remotes} package. This will allow us to download a specific version from **{renv}** from Github, which is what we do in the next line. I want to stress again that I do this simply because the original renv.lock file was generated using {renv} version 0.16.0 and so to avoid any potential compatibility issues, I also use this one to restore the required packages for the pipeline. But it is very likely that I could have installed the current version of {renv} to restore the packages, and that it would have worked without problems. (Note that for later versions of {renv}, you may need to insert a 'v' before the version number: renv@v1.0.2 for example.) But just to be on the safe side, I install the right version of {renv}. By the way, I knew how to do this because I read this vignette¹⁴ that explains all these steps (but I've only kept the absolute essential lines of code to make it work). Next comes the line RUN mkdir /home/housing, which creates a folder (mkdir stands for make directory), inside the Docker image, in /home/housing. On Linux distributions, /home/ is the directory that users use to store their files, so I create the /home/ folder and inside of it, I create a new folder, housing which will contain the files for my project. It doesn't really matter if you keep that structure or not, you could skip the /home/ folder if you wanted. What matters is that you put the files where you can find them.

Next comes COPY renv.lock /home/housing/renv.lock.

 $^{^{14} \}rm https://rstudio.github.io/renv/articles/docker.html$

This copies the renv.lock file from our computer (remember, I told you to save this file next to the Dockerfile) to /home/housing/renv.lock. By doing this, we include the renv.lock file inside of the Docker image which will be crucial for the next and final step: RUN R -e "setwd('/home/housing');renv::init();renv::restore()".

This runs the R program from the Linux command line with the option -e. This option allows you to pass an R expression to the command line, which needs to be written between "". Using R -e will quickly become a habit, because this is how you can run R non-interactively, from the command line. The expression we pass sets the working directory to /home/housing, and then we use renv::init() and renv::restore() to restore the packages from the renv.lock file that we copied before. Using this Dockerfile, we can now build an image that will come with R version 4.2.2 pre-installed as well as all the same packages that we used to develop the housing pipeline.

Build the image using docker build -t housing_image . (don't forget the . at the end).

The build process will take some time, so I would advise you to go get a hot beverage in the meantime. Now, we did half the work: we have an environment that contains the required software for our pipeline, but the pipeline files themselves are missing. But before adding the pipeline itself, let's see if the Docker image we built is working. For this, log in to a command line inside a running Docker container started from this image with this single command:

```
owner@localhost $ docker run --rm -it --name

→ housing_container housing_image bash
```

This starts bash (Ubuntu's command line) inside the housing_container that gets started from the housing_image image. We add the --rm flag to docker run, this way the Docker container gets stopped when we log out (if not, then the Docker container will continue running in the background). Once logged in, we can move to the folder's project using:

```
user@docker $ cd home/housing
```

and then start the R interpreter:

```
user@docker $ R
```

if everything goes well, you should see the familiar R prompt with a message from {renv} at the end:

```
\hookrightarrow English locale
```

```
R is a collaborative project with many

↔ contributors.

Type 'contributors()' for more information and

'citation()' on how to cite R or R packages in

↔ publications.

Type 'demo()' for some demos, 'help()' for

↔ on-line help, or

'help.start()' for an HTML browser interface to

↔ help.

Type 'q()' to quit R.

* Project '/home/housing' loaded. [renv 0.16.0]
```

Try to load the {housing} package with library("housing"). This should work flawlessly!

14.5. Dockerizing projects

So we now have a Docker image that has the right environment for our project. We can now dockerize the project itself. There are two ways to do this: we either simply add the required lines to our Dockerfile, meaning copying the _targets.R script to the Docker image at build time and then use targets::tar_make() to run the pipeline, or we now create a new Dockerfile that will build upon this image and add the required lines there. In this section, we will use the first approach, and in the next section, we will use the second. The advantage of the first approach is that we have a single Dockerfile, and everything we need is right there. Also, each Docker image is completely tailor-made for each project. The issue is that building takes some time, so if for every project we restart from scratch it can be tedious to have to wait for the build process to be done (especially if you use continuous integration, as we shall see in the next chapter).

The advantage of the second approach is that we have a base that we can keep using for as long as we want. You will only need to wait once for R and the required packages to get installed. Then, you can use this base for any project that requires the same version of R and packages. This is especially useful if you don't update your development environment very often, and develop a lot of projects with it.

In summary, the first approach is "dockerize pipelines", and the second approach is "dockerize the dev environment and use it for many pipelines". It all depends on how you work: in research, you might want to go for the first approach, as each project likely depends on bleeding-edge versions of R and packages. But in industry, where people tend to put the old adage "if ain't broke don't fix it" into practice, dev environments are usually frozen for some time and only get updated when really necessary (or according to a fixed schedule).

To dockerize the pipeline, we first need to understand something important with Docker, which I've already mentioned in passing: a Docker image is an immutable sandbox. This means that we cannot change it at run-time, only at build-time. So if we log in to a running Docker container (as we did before), and install an R package using install.packages("package_name"), that package will disappear if we stop that container. The same is true for any files that get created at run-time: they will also disappear once the container is stopped. So how are we supposed to get the outputs that our pipeline generates from the Docker container? For this, we need to create a volume. A volume is nothing more than a shared folder between the Docker container and the host machine that starts the container. We simply need to specify the path for this shared folder when running the container, and that's it.

Let's first write a Dockerfile that contains all the necessary files. We simply need to add the _targets.R script from our pipeline, the analyse_data.Rmd markdown file and all the functions from the functions/ folder (you can find all the required files here¹⁵):

```
FROM rocker/r-ver:4.2.2
RUN apt-get update && apt-get install -y \
    libglpk-dev \
    libxml2-dev \
    libcairo2-dev ∖
    libgit2-dev ∖
    default-libmysqlclient-dev \
    libpg-dev \
    libsasl2-dev \
    libsqlite3-dev \
    libssh2-1-dev \
    libxtst6 \
    libcurl4-openssl-dev \
    libharfbuzz-dev \
    libfribidi-dev \
    libfreetype6-dev \setminus
    libpng-dev \
    libtiff5-dev \
    libjpeg-dev \
    libxt-dev \
    unixodbc-dev \
    wget \
    pandoc
```

 $^{^{15} \}rm https://github.com/rap4all/housing/tree/pipeline$

```
RUN R -e "install.packages('remotes')"
```

RUN R -e

```
"remotes::install_github('rstudio/renv@0.16.0')"
```

RUN mkdir /home/housing

RUN mkdir /home/housing/pipeline_output

RUN mkdir /home/housing/shared_folder

COPY renv.lock /home/housing/renv.lock

COPY functions /home/housing/functions

COPY analyse_data.Rmd /home/housing/analyse_data.Rmd

COPY _targets.R /home/housing/_targets.R

```
RUN R -e
"setwd('/home/housing');renv::init();renv::restore()"
RUN cd /home/housing && R -e "targets::tar_make()"
CMD mv /home/housing/pipeline_output/*
/home/housing/shared folder/
```

I've added some COPY statements to copy the files from our computer to the Docker image, and also created some new directories: the pipeline_output and the shared_folder directories. pipeline_output is the folder that will contain all the outputs from the pipeline, and shared_folder (you guessed it) will be the folder that we will use to save the outputs of the pipeline to our computer.

I then use targets::tar make() to run the pipeline, but I first need to use cd /home/housing to change directories to the project's folder. This is because in order to use the library that {renv} installed, we need to start the R session in the right directory. So we move to the right directory, then we run the pipeline using R -e "targets::tar make()". Notice that we do both operations within a RUN statement. This means that the pipeline will run at build-time (remember, RUN statements run at build-time, CMD statements at run-time). In other words, the image will contain the outputs. This way, if the build process and the pipeline take a long time to run, you can simply leave them running overnight for example. In the morning, while sipping on your coffee, you can then simply run the container to instantly get the outputs. This is because we move the outputs of the pipeline from the folder pipeline output to the shared folder folder using a CMD statament. Thus, when we run the container, the outputs get moved into the shared folder, and we can retrieve them.

One last thing I had to do: I needed to change the last target in the _targets.R script. Before dockerizing it, it was like this:

```
tar_render(
    analyse_data,
    "analyse_data.Rmd"
)
```

but I had to change it to this:

```
tar_render(
    analyse_data,
```

```
"analyse_data.Rmd",
    output_dir = "/home/housing/pipeline_output"
)
```

The argument to output_dir gets passed to knitr::knit() and simply states that the output files should be saved in that folder. I can now build the image using docker build -t housing_image .. Once the build process is done, we can log in to the container to see if our files are there. But let me repeat again, that you are not really supposed to do so. You could simply run the container now and get your files. But let's just take a quick look. You can log in to a bash session using:

If you then move to /home/housing/pipeline_output and run ls in that folder, you should see analyse_data.html. That's our output! So how do we get it out?

You need to run the container with the -v flag which allows you to specify the path to the shared folder on your computer, and the shared folder inside the Docker container. The code below shows how to do it (I've used the $\$ to break this long command over two lines):

/host/path/to/shared_folder is the path to the shared folder

on my computer. /home/housing/shared_folder is the path to the shared folder inside the Docker container. When these lines run, the very last CMD statement from the Dockerfile runs, moving the contents from inside the Docker container to our computer. If you check the contents of the shared_folder on your computer, you will see analyse_data.html in there.

That's it, we have now a complete reproducible analytical pipeline. We managed to tick every one of the following boxes when running our pipeline:

- Same version of R that was used for development;
- Same versions of all the packages that were used for development;
- The whole stack runs on a "frozen" environment;
- We can reproduce this environment (but more on that later...).

We now need to share all this with the world. One simple solution is to share the Dockerfile on Github. For example, this is the repository¹⁶ with all the required code to build the Docker image and run the pipeline. But we could also share the built image so that users only need to run the pipeline to instantly get the results. In the next section, we will learn about dockerizing development environments, and then see how we can share images that have already been built.

 $^{^{16} \}rm https://github.com/rap4all/housing/tree/docker$
14.6. Dockerizing development environments

14.6.1. Creating a base image for development

In the previous section, I mentioned that you could either "dockerize pipelines" or "dockerize the dev environment and use it for many pipelines". What we learned up until now was how to dockerize one single pipeline. In this section, we will learn how to build and dockerize an environment, and then build pipelines that use this environment as starting points.

Let me first explain, again, why (or when) you might want to use this approach instead of the "dockerizing pipelines" approach.

Depending on what or where you work, it is sometimes necessary to have a stable development environment that only gets rarely updated (following a strict schedule). In my own experience, when I was doing research I was almost always using the latest R version and packages. When I joined the private sector, we worked on an environment that we developers could not update ourselves. That environment was updated according to a fixed schedule and now that I'm back in the public sector (but not doing research), I work in a similar manner, on a "frozen" environment. Working on frozen environments like this minimizes the unexpected issues that frequent updates can bring. So how can we use Docker to use such an approach?

The idea is to split up the Dockerfile we used in the previous section into two parts. The first part would consist in setting up everything that is "OS-related". So installing R, packages, and system-level dependencies. The second Dockerfile would use the image defined thanks to the first Dockerfile as a base and then add the required lines to obtain the results from the pipeline. The first image, that focuses on the operating system, can be archived and re-used for as long as required to keep building pipelines. Once we update our environment, we can then regenerate a new Docker image that reflects this update.

Let's do this now. The first image would simply consist of these lines:

```
FROM rocker/r-ver:4.2.2
RUN apt-get update && apt-get install -y \
    libglpk-dev \
    libxml2-dev \
    libcairo2-dev \
    libgit2-dev ∖
    default-libmysqlclient-dev \
    libpg-dev \
    libsasl2-dev \
    libsqlite3-dev \
    libssh2-1-dev \
    libxtst6 \
    libcurl4-openssl-dev \
    libharfbuzz-dev \
    libfribidi-dev \
    libfreetype6-dev \
    libpng-dev \
    libtiff5-dev \
    libjpeg-dev \
    libxt-dev \
    unixodbc-dev \
    wget \
    pandoc
```

RUN R -e "install.packages('remotes')"

RUN R -e
"remotes::install_github('rstudio/renv@0.16.0')"

This image can then be built using docker build -t dev env r. (if you followed along, the cache will be used and this image should get built instantly). This simply installs all the packages and system-level dependencies that are common and needed for all pipelines. Then, each specific package libraries that are required for each pipeline will get installed using the pipeline-specific renv.lock file. This will be done with a second Dockerfile. But first, we need to make the dev env r image available to others, such that it becomes possible to build new images upon dev env r. There are two ways to make images available to anyone: either online through Docker Hub¹⁷ (in case there's nothing preventing you from sharing the development environment through Docker Hub) or locally, by compressing the images and sharing them internally (in case you don't want to share your images with the world, because they contain proprietary software that you've developed within your company for example). I want to stress that making the image available through Docker Hub is different from sharing the Dockerfile through Github. You could just share the Dockerfiles through Github, and then tell users to first build the dev environment, and then build the pipeline image by building the second, pipeline-specific Dockerfile. But by sharing a built image from Docker Hub, users (including future you) will only need to build the pipeline-specific image and this is much faster. Just like we used FROM ubuntu: jammy in our Dockerfiles before, we will now use something like FROM my repo/my image:version number from now on.

In the next section I will discuss sharing images on Docker Hub, but before that, let me first address the elephant in the room:

¹⁷https://hub.docker.com/

the development environment that you are using may not be the one you are dockerizing. For example, if you are using Windows or macOS on your computer, then the environment that you are dockerizing will be different since it will be based on Ubuntu. There are only four solutions to this conundrum:

- You don't care, and maybe that's fine. As I stated multiple times, the same pipeline outputting different results due to different operating systems is in practice rare (but it can happen);
- You prefer being safe than sorry, and install Ubuntu on your pc as well. This is very often not an acceptable solution, however.
- You develop on your host environment, but after you're done you compare the results obtained from the Docker container to those obtained on your development environment.
- You use the Docker image not only to ship RAPs, but also for development.

The last option implies that you use Docker interactively, which is not ideal, but it is possible. For example, you could install RStudio server and run a Dockerized version of RStudio from a running Docker container. This is actually what happens if you follow the instructions on the Rocker project's homepage. You can get a dockerized RStudio instance by running:

```
owner@localhost $ docker run --rm -ti -e

→ PASSWORD=yourpassword -p 8787:8787

→ rocker/rstudio
```

and then going to http://localhost:8787 on your webbrowser. You can then log in with the username "rstudio" and the password "yourpassword". But you would also need to mount a volume (I called it "shared folder" previously) to keep the files you edit on your computer (remember, Docker container are immutable, so any files created within a Docker container will be lost when it's stopped). Overall, I think that this is too cumbersome, especially because the risks of getting different results only because of your operating system are very, very, very low. I would simply advise the following:

- Use the same version of R on your computer and on Docker;
- Use the same package library on your computer and on Docker by using the same renv.lock file.

By following these two rules, you should keep any issues to a minimum. When or if you need to update R and/or the package library on your machine, simply create a new Docker image that reflects these changes.

However, if you work in a field where operating system versions matter, then yes, you should find a way to either use the dockerized environment for development, or you should install Ubuntu on your computer (the same version as in Docker of course).

Let's now discuss sharing images.

14.6.2. Sharing images through Docker Hub

If you want to share Docker images through Docker Hub, you first need to create a free account. A free account gives you unlimited public repositories. If you want to make your images private, you need a paid account. For our purposes though, a free account is more than enough. Again, in the next section, we will discuss how you can build new images upon other images without using Docker Hub. If you want to follow along, make sure that you have also written a Dockerfile and built an image that you can upload on Docker Hub. I will be uploading the image dev_env_r to Docker Hub, so if you want, you could use it for your own projects.

If you built an image to upload, now is the right moment to talk about the docker images command. This will list all the images available on your computer. You should see something like this:

REPOSITORY	TAG	IMAGE ID	
\hookrightarrow CREATED	SIZE		
rver_intro	latest	d3764d067534	2
⊶ days ago	1.61GB		
dev_env_r	latest	92fcf973ba42	2
→ days ago	1.42GB		
raps_ubuntu_r	latest	7dabadf3c7ee	4
⊶ days ago	1.04GB		
rocker/tidyverse	e 4.2.2	545e4538a28a	3
$_{ m ea}$ weeks ago	2.19GB		
rocker/r-ver	4.2.2	08942f81ec9c	3
\hookrightarrow weeks ago	824MB		

Take note of the image id of the dev_env_r image (second line), we will use it to push our image to Docker Hub. Also, don't be alarmed by the size of the images, because this is a bit misleading. Different images that use the same base (so here Ubuntu Jammy), will reuse "layers" such that they don't actually take up the size that is printed by docker images. So if images A and B both use Ubuntu Jammy as a base, but image A has RStudio installed and B also RStudio but Python as well, most of the space that A and B take up will be shared. The only difference will be that B will need a little bit more space for Python. You can also list the running containers with docker container 1s (or docker ps). If a container is running you should see something like this:

```
CONTAINER ID IMAGE COMMAND

→ CREATED

545e4538a28a rocker/tidyverse "/init" 3

→ minutes ago

STATUS PORTS

→ NAMES

Up 3 minutes 0.0.0.0:8787->8787/tcp,

→ :::8787->8787/tcp elastic_morse
```

You can stop the container by running docker stop CONTAINER ID. So, list the images again using docker images. Take note of the image id of the image you want to push to Docker Hub.

Now, log in to Docker Hub using docker login (yes, from your terminal). You will be asked for your credentials, and if log in is successful, you see a message Log In Succeeded in your terminal (of course, you need first to have an account on Docker Hub).

Now, you need to tag the image (this gives it a version number). So you would write something like:

so in my case, it would be:

owner@localhost \$ docker tag 92fcf973ba42 \rightarrow rap4all/dev_env_r:4.2.2

Next, I need to push it using docker push:

```
owner@localhost $ docker push rap4all/dev_env_r:4.2.2
```

You can go check your profile and your repositories, you should see your image there. In my case, you can find the image here¹⁸.

This image can now be used as a stable base for developing our pipelines. Here's how I can now use this base image for my housing pipeline:

FROM rap4all/dev_env_r:4.2.2

RUN mkdir /home/housing

RUN mkdir /home/housing/pipeline_output

RUN mkdir /home/housing/shared_folder

COPY renv.lock /home/housing/renv.lock

COPY functions /home/housing/functions

COPY analyse_data.Rmd /home/housing/analyse_data.Rmd

COPY _targets.R /home/housing/_targets.R

¹⁸https://is.gd/7eiz5L

```
RUN R -e
"setwd('/home/housing');renv::init();renv::restore()"
RUN cd /home/housing && R -e "targets::tar_make()"
CMD mv /home/housing/pipeline_output/*
/home/housing/shared_folder/
```

Take a look at this Dockerfile's first line:

```
FROM rap4all/dev_env_r:4.2.2`
```

This is different from before, where I pulled from ubuntu: jammy. Now I'm re-using the image that defines the development environment, and I can do so for as many projects as necessary. In time, I could update to a newer version of R, if required. But R and (Ubuntu) being quite stable, as long as I can install the packages required for my projects, I can keep using it for years (and LTS versions of Ubuntu like Jammy get supported for 5 years).

If you want to test this, you could delete all images and containers from your system. This way, when you build the image using the above Dockerfile, it will have to pull from Docker Hub. To delete all containers, start by using docker system prune. You can then delete all images using docker rmi \$(docker images -a -q). This should remove everything. Now, let's build the image using the above Dockerfile using docker build -t housing_image . (don't forget to add the necessary files for the build process to succeed, renv.lock, _targets.R, analyse_data.Rmd and the functions folder). You should see the image getting pulled from Docker Hub and then the build process resuming and the pipeline running. In the next section, I'll explain to you how you can re-use base images like we just did, but without using Docker Hub, in case you cannot, or do not want, to rely on it.

14.6.3. Sharing a compressed archive of your image

If you can't upload the image on Docker Hub, you can still "save it" into a file and share that file instead (internally to your institution/company).

Run docker save to save the image into a file:

This will create a .tar file of the image. You can then compress this file with an archiving tool if you want. If you're on Linux, you could do so in one go (this will take some time):

If you want to load this image, use docker load:

owner@localhost \$ docker load < dev_env_r.tar</pre>

you should see an output like this:

```
202fe64c3ce3: Loading layer

→ [==============>] 80.33MB/80.33MB
```

```
e7484d5519b7: Loading layer
   [===========>]
                            6.144kB/6.144kB
 4
a0f5608ee4a8: Loading layer
   [==============>]
                            645.4MB/645.4MB
 4
475d1d69813f: Loading layer
   [=====>]
                            102.9kB/102.9kB
d7963749937d: Loading layer
   [===========>]
                            108.9MB/108.9MB
 \hookrightarrow
224a0042a76f: Loading layer
   [======>]
                              600MB/600MB
\hookrightarrow
a75e978c1654: Loading layer
   [=====>]
                            605.7kB/605.7kB
7efc10233531: Loading layer
   [======>]
                            1.474MB/1.474MB
Loaded image: dev_env_r:latest
```

or if you compressed the file on Linux, you can also use:

owner@localhost \$ docker load -i dev_env_r.tgz

to load the archive.

You can then use dev_env_r for a pipeline by using this FROM statement in your Dockerfile:

FROM dev_env_r

Since the image is available locally, it'll get used instead of pulling it from Docker Hub. So in case you cannot use Docker Hub, you could build the base images, compress them, and share them on your corporate network. Then, people can simply download them and load them and build new images on top of them. So in summary, here's how you can share images with the world, your colleagues, or future you:

- Only share the Dockerfiles. Users need to build the images.
- Share images on Docker Hub. It's up to you if you want to share a base image with the required development environment, and then separate, smaller images for the pipelines, or if you want to share a single image which contains everything.
- Share images but only within your workplace.

Whatever option you go for, I hope that I've convinced you that Docker is really convenient. It may look complicated at first, but it saves a lot of headaches in the long run. Let me finish this section by stating something plainly: up until now, I tried to sell to you the idea that reproducibility did not require any extra effort, if you simply used the tools and techniques discussed in this book right from the start, with the added benefit of improving the quality of the code of your pipeline. I truly believe this to be the case with everything that I've shown up until now, but Docker. Using Docker for reproducibility does require some extra effort. However, if your projects require reproducibility, and you really want to play it safe, I think that Docker is unavoidable. It takes time to set up, but once it's done, you do not have to think about the infrastructure anymore and can focus on developing. Also, if you need to maintain your pipeline and keep running it against newer and newer versions of R, you simply need to change one line (the FROM statement, for example, from Ubuntu Jammy to Ubuntu 24.04, the next LTS) in the Dockerfile to update everything to the latest version of R.

But, there is still a "little" issue, that I'm discussing in the next section.

14.7. Some issues of relying on Docker

14.7.1. The problems of relying so much on Docker

So we now know how to build truly reproducible analytical pipelines, but let's be blunt, relying entirely on one single tool, Docker, is a bit of an issue... it's a single point of failure. But the problem is not Docker itself, but the infrastructure.

Let me explain: Docker is based on many different open-source parts, and that's great. This means that even if the company behind Docker ruins it by taking some weird decisions, we have alternatives that build upon the open-source parts of Docker. There's Podman, which is a drop-in replacement (when combined with other tools) made by Red Hat, which is completely open-source as well. So the risk does not come from there, because even if for some reason Docker would disappear, or get abandoned or whatever, we could still work with Podman, and it would also be technically possible to create a fork from Docker.

But the issue is the infrastructure. For now, using Docker and more importantly hosting images is free for personal use, education, open-source communities and small businesses. So this means that a project like Rocker likely pays nothing for hosting all the images they produce (but who knows, I may be wrong on this). But in early 2023, Docker announced that they would abandon their *Docker Free Team subscription* plans that some open-source organisations use, meaning that these organisations had 30 days to switch to a paid subscription. Docker finally did not do this, but it is not unreasonable to think that they might change their minds once more and this time really go through with this plan. Don't get me wrong, I'm not saying that Docker is not allowed to make money. But it is something that you need to keep in mind in case you cannot afford a subscription (and who knows how much it's going to cost). This is definitely a risk that needs mitigation, and thus a plan B. This plan B could be to host the images yourself, by saving them using **docker save**. Or you could even self-host an image registry (or lobby your employer/institution/etc to host a registry for its developers/data scientists/researchers). In any case, it's good to have options and know what potential risks using this technology entail.

14.7.2. Is Docker enough?

I would say that for 99% of applications, yes, Docker is enough for building RAPs. But strictly speaking, using a Dockerfile which installs a specific version of R and uses {renv} to install specific versions of packages and use an LTS release of Ubuntu. we could end up with two different images. This is because Ubuntu gets updated, so if you build an image in the beginning of 2022 and then once again in 2023, the system-level libraries will be different. So strictly speaking, you end up with two different images, and it's not absolutely impossible that this may impact your pipeline. So ideally, we would also need a way to always install the same system-level dependencies, regardless of when we build the image. There is a package manager called Nix that makes this possible, but this is outside the scope of this book. The reason is that, again, in practice if you use an LTS release you should be fine. But if you really require *bitwise* reproducibility (i.e., two runs of the same pipeline will yield the same result to the last bit), then yes, you should definitely look into Nix (and who knows, I might write a book just about that titled Building bitwise reproducible analytical pipelines (braps) using Nix).

Another issue with Docker is that images can be quite opaque,

especially if you define images that pull from images that pull themselves from other images... Just look at our pipeline: it pulls from dev_env_r, which pulls from rocker:4.2.2 which pulls itself from the official Ubuntu Jammy image. So to be fully transparent, we would need to link to all the Dockerfiles, or rewrite one big Dockerfile that pulls from Ubuntu Jammy only.

14.8. Conclusion

This book could stop here. We have learned the following things:

- version control;
- functional programming;
- literate programming;
- package development;
- testing;
- build automation;
- "basic" reproducibility using {renv};
- "total" reproducibility using Docker.

It is now up to you to select the tools that are most relevant for your projects. You might not need to package code for example. Or maybe literate programming is irrelevant to your needs. But it is difficult to argue against Docker. If you need to keep re-running a pipeline for some years, Docker is (almost) the only option available (unless you dedicate an entire physical machine to running that pipeline and never, ever, again touch that machine).

In the next and final chapter, we will learn some basics about continuous integration with Github Actions, which will allow us

14. Reproducible analytical pipelines with Docker

to automate even the building of Docker images and running pipelines.

15. Continuous integration and continuous deployment

As I wrote in the conclusion of the previous chapter, the book could have stopped there. So consider this chapter as a bonus. What I'm going to show here is not the most important aspect of reproducibility, and you could even make the case that it is not needed at all. However, I still think that it is worth showing you how to use CI/CD, even if only superficially, and then you decide whether this is a tool that you should add to your toolbox.

The CI/CD (*C*ontinuous *I*ntegration and *C*ontinuous *D*eployment or *D*elivery) platform I'll be discussing here is GitHub Actions, which should not surprise you since we've been using GitHub for version control. But maybe you're wondering what a "CI/CD platform" even is, so let me start there.

Let's go back to the first idea of this book: Don't Repeat Yourself. We have written functions and used tools such as {renv} to avoid having to repeat ourselves. And yet, when it comes to using Docker, we need to keep building and running containers, running docker build and docker run over and over again. It would be great if instead, we didn't need to do it. This is what a CI/CD platform essentially allows you to do. The idea is that building, running and, if applicable, deploying are also tasks that can be automated, so why not automate them and only take care of writing code? And as the size of your team grows, the need to automate these tasks grows as well. Using CI/CD is an essential part of the DevOps methodology for software engineering.

This chapter can be seen as a small introduction to DevOps for data science.

According to Atlassian¹:

DevOps is a set of practices, tools, and a cultural philosophy that automate and integrate the processes between software development and IT teams. It emphasizes team empowerment, cross-team communication and collaboration, and technology automation.

Most of the tools and practices described in this book would make adopting DevOps in your day-to-day a breeze. Strictly speaking though, we will be using "GitOps", because our GitHub repository will be the centre stage of our project. The GitHub repository will not only contain the code of our project but also the definition of the infrastructure the code will run on. This way, our GitHub repository will be a single source of truth.

Concretely this means that each time we will push code (or merge a pull request, or perform any other Git-related event) to our GitHub repository, we can define a certain set of arbitrary actions to get executed, like building a Docker image. This image can then be pushed to Docker Hub, or a container can be executed. This container in turn can run a pipeline and the output can then be downloaded from GitHub. All of this

¹https://www.atlassian.com/devops

happens in the cloud; all you need to do is push code changes to GitHub. As stated in the chapter on Git, GitHub offers 2,000 minutes of computation time a month for CI/CD, which should be really sufficient for a lot of purposes (but of course, if your RAP takes hours to complete, you might want to run it locally instead).

GitHub Actions is very flexible, and you could use it to perform many tasks, not just building Docker images or running containers. For example, this book gets built and published online automatically each time I push an update to the repository² holding the book's source code. If you're developing a package, you could run R CMD check each time you push code to the repository. R CMD check runs many tests, including the package's unit tests (when using {fusen}, R CMD check is run each time a flat file gets inflated.) and using GitHub Actions, it's possible to run R CMD check on Ubuntu (Linux), Windows and even macOS (see this documentation page³ if you're interested).

In this chapter, I'm going to show you how to use GitHub Actions to:

- run some simple arbitrary code;
- run a {targets} pipeline without Docker;
- build a Docker image containing a development environment (dev env) and push it to Docker Hub when pushing changes to its Dockerfile on GitHub;
- run a Docker container that runs a RAP and builds some output that we can then download from GitHub.

Finally, what does *integration* and *deployment* or *delivery* even mean? Continuous integration means that changes get merged

²https://github.com/b-rodrigues/rap4all ³https://is.gd/F9AOZI

to the master or main branch continuously. Remember Trunkbased development? In TBD, the goal is achieving continuous integration, and GitOps is one efficient way of doing so. Now, what's the difference between deployment and delivery? Both obviously mean that we're shipping a product. The difference is only in how the project is managed. If the code gets pushed immediately to production, then we speak of deployment. If instead the code gets pushed to a test server, and final deployment to production needs to be approved by a manager, then it's delivery. For our purposes, this distinction doesn't really matter. Think of delivery or deployment simply as "shipping".

15.1. CI/CD quickstart for R programmers (and others)

Before defining a "Hello World" pipeline that gets executed in the cloud, I need to define some terms. A workflow that runs on GitHub Actions is defined as a Yaml file, and this file contains a succession of "actions", and each action performs a specific task. Here is the simplest GitHub Actions workflow file that you could write (source: link⁴):

```
name: hello-world
on: push
jobs:
   my-job:
    runs-on: ubuntu-latest
    steps:
        - name: my-step
        run: echo "Hello World!"
```

```
<sup>4</sup>https://is.gd/9mDykY
```

This needs to be saved in a hello_world.yml file, and placed inside the .github/workflows/ directories in the GitHub repository you want this action to run each time something gets pushed to the repo.

Each time code gets pushed to the repository containing this workflow file, a *runner* runs the code echo "Hello World!" on the latest version of Ubuntu. A workflow file is thus defined as a series of steps, that can either run code, or an action (more on actions later) that get executed on a so-called runner (in essence, a container). This workflow gets executed when a specific event occurs, in the example above that event is pushing to the repo. To see the output of the workflow, click on "Actions" on your GitHub repository:



Figure 15.1.: Click on 'Actions' to monitor your workflows.

You should see a list of workflow runs, each corresponding to a commit. Click on the latest one and then click on the job named my-job. If your workflow has multiple jobs, they'll all be listed here. Once you click on the job, you should see a list of steps. The step that interested us here is my-step which should simply print "Hello World!". Click on it to see the output:

15. Continuous integration and continuous deployment

🛱 b-rodrigues / ga_demo 🤇	Public 🛇 Pin 💿 Unw	atch 1 - 😌 Fork 0	▼ ☆ Star 0	-
<> Code 💿 Issues 🖏 Pull re	quests 🕞 Actions 🖽 Projects	🕮 Wiki 🕕 Security	└─′ Insights	
 ← hello-world ✓ Create README.md #3 			Re-run all jobs]
G Summary Jobs	my-job succeeded 5 minutes ago in 1s	Q Search logs	٥	ŝ
Run details	 Set up job my-step 			0s 1s
ð Usage 聋 Workflow file	1 ► Run echo "Hello World 4 Hello World! > ② Complete job			0s

Figure 15.2.: Congrats, that's your first GA workflow.

To help you define complex workflows, you can use pre-defined actions that you can choose from to perform a series of common tasks. You can find them in the GitHub Actions Market-place⁵.

We are not going to use any actions from the GitHub Actions Marketplace just yet though, but instead, we will be looking at a repository containing actions specifically made for R users (if you're using another programming language, it is quite likely that you might find a repository of actions for that programming language).

This repository⁶ contains many actions for R users. For example, let's say that you want to install R and run some code using GitHub Actions. Simply take a look at the setup- r^7 and see how it's used. Let me edit my hello_world.yml from before, and

 $^{^{5}}$ https://github.com/marketplace

⁶https://github.com/r-lib/actions

⁷https://github.com/r-lib/actions/tree/v2/setup-r

add one step that downloads R and prints "Hello from R!" using R:

```
name: hello-from-R
on: push
jobs:
  my-job:
    runs-on: ubuntu-latest
    steps:
      - name: hello-from-bash
        run: echo "Hello from Bash!"
      - name: checkout-repo
        uses: actions/checkout@v3
      - name: install-r
        uses: r-lib/actions/setup-r@v2
        with:
          r-version: '3.5.3'
      - name: hello-r
        run: Rscript -e 'print("Hello from R!")'
```

So now my job performs two tasks, one that prints "Hello from Bash!" and another that prints "Hello from R!". There are several steps involved: the second step, called checkout-repo runs the action actions/checkout@v3, and the third step, called install-r, uses the action r-lib/actions/setup-r@v2. The first action, actions/checkout@v3, is an action that you will see on almost any GitHub Actions workflow file, even though it is likely superfluous in this case. You can read about it here⁸ and it essentially makes the files inside the repository available to the runner. Sometimes I think that it would have

⁸https://github.com/actions/checkout

made more sense to call this action clone, like the git clone command. But I'm sure there's a very good reason that this is not the case. The next action is setup-r@v2 which downloads and installs, in our example here, R version 3.5.3. The final step then runs the command Rscript -e 'print("Hello from R!")'. If you check out the "Actions" tab on GitHub, you should now see this:

🖵 b-rodrigues / ga_demo 🤇	Public 🛇 Pin 🖉 Unwatch 1 👻 🥵 Fork 0	▼ ☆ Star 0	-
<> Code 💿 Issues 🖏 Pull re	quests 🕑 Actions 🖽 Projects 🖽 Wiki 🕚 Security	└── Insights	
 ← hello-world ✓ Update hello.yml #8 		Re-run all jobs	
G Summary Jobs	my-job succeeded 3 minutes ago in 1m 13s	0	ŝ
💿 my-job	> 🔮 Set up job		13s
Run details	> 🥝 hello-from-bash		θs
⊘ Usage >	> 🥝 checkout-repo		1s
	> 🥝 install-r		57s
	✓ 🔮 hello-r		Θs
	1 ▶ Run Rscript -e 'print("Hello from R!")' 9 [1] "Hello from R!"		

Figure 15.3.: This time it's R that's waving hello.

We could have installed any other version of R by the way. We can keep adding steps, for example, let's add one to install {renv} and install packages from an renv.lock file (the file needs to be in our repository, and becomes available to the work-flow thanks to actions/checkout@v3):

```
name: my-pipeline
on: push
jobs:
```

```
my-job:
runs-on: ubuntu-22.04
steps:
        - name: checkout-repo
        uses: actions/checkout@v3
        - name: install-r
        uses: r-lib/actions/setup-r@v2
        with:
            r-version: '4.2.2'
        - name: install-renv
        uses: r-lib/actions/setup-renv@v2
```

I think you're starting to see where this is going. This workflow runs on Ubuntu 22.04, installs R version 4.2.2 and installs all the packages defined in the renv.lock file stored in our repository (and if you don't have an renv.lock file, only {renv} will get installed). So to have our RAP running in the cloud, we would simply need to add the other required files and finish writing the workflow. One note of warning though: if you're running pipelines defined like the above, each time you push, every step will run from scratch (apart from package installation using r-lib/actions/setup-renv@v2 because packages will be cached for future runs of the workflow), and this may take some time to run.

15.2. Running a RAP using GitHub Actions

Because running {targets} pipelines on GitHub Actions is a common task, there is of course a way to do it very easily, without the need to write our own workflow file. Simply go to the folder that contains your pipeline (which, I hope, is versioned using Git, right?), open an R session and run targets::tar github actions(). This will automatically create a folder called .github/ in the root of your pipeline's folder, with inside a workflows/ folder, and inside a targets.yaml workflow file. This file is ready to use, but you may adapt it to your needs. For example, this workflow file runs on ubuntu-latest and installs the latest version of R. You may want to change the version of Ubuntu to ubuntu-22.04 (this way, Ubuntu 22.04 will keep getting used even when the next LTS, 24.04, will be released) and install R version 4.2.2 (or whichever version you used for your pipeline). Also, don't forget to install the Ubuntu dependencies under the "Install Linux System dependencies" step. There's already some dependencies there, but you should add the others that we've listed in the Dockerfile (the syntax is slightly different from the Dockerfile, so pay attention to it). This workflow file also runs some other useful actions, like caching packages, so they don't need to get re-downloaded each time you push a change to the repository!

You can see the repository with the workflow file here⁹. The workflow file is inside the .github/workflows/ folder here¹⁰. As I explained before, pay attention to line 29 (where I stated that the action should trigger when a change gets pushed to the branch gitops-pipeline), to line 35 where I changed the

 $^{^{9} \}rm https://github.com/rap4all/housing/tree/gitops-pipeline$ $^{10} \rm https://is.gd/iIJwuG$

runner from ubuntu-latest to ubuntu-22.04, line 43 where I install R version 4.2.2 and finally lines 53 to 74 where I install the required Ubuntu dependencies (the same as for the Dockerfile). Don't hesitate to use this repository as a template for your projects! The rendered HTML file is in the newly created targets-runs branch of the repository. This branch gets created automatically by the workflow and the output gets saved in there automatically.

So it turns out that running a RAP on GitHub Actions is quite easy, you only need to use targets::tar_github_actions(), and adapt the targets.yaml file a little bit to install the right version of R and run it on the right version of Ubuntu (or Windows or macOS, but careful, you only have 2,000 free minutes and Windows and macOS are more expensive than Ubuntu, 1 minute of CPU time on Ubuntu is equal to 2 minutes of run-time on macOS). By using {renv} and the generated renv.lock file, the pipeline dependencies get installed seamlessly as well. You can now focus on coding: each time you push to this branch, you will see the output get generated (and because caching is being used, runs will be executed rather quickly).

But, and yes there is a but, you should think about the following, potential, issues:

- You are limited to 2,000 minutes of free run time. If your pipeline takes several hours to run, you might need to upgrade to a paid account, or run it locally (but this is mitigated thanks to caching on GitHub and by using {targets} that caches results as well);
- GitHub Actions does not keep old versions of operating systems for too long. For example, as of writing, only versions 20.04 and 22.04 of Ubuntu are available. Ubuntu 18.04 was removed in August 2022. If your RAP absolutely needs a specific version of Ubuntu for a very long time, GitHub

Actions might not be the right solution. The same is true for Windows or macOS as well. However, what you might want to do instead is migrate the pipeline to newer versions of Ubuntu when these become available. Generally speaking, this should not be a very painful process.

So you need to think about what it is you really need. Does your pipeline run relatively quickly, and you don't need to keep it running forever on the same operating system? Then GitHub Actions is for you. Or perhaps you are writing a book using Rmarkdown, or Quarto, and don't want to bother building it and deploying it manually? Then GitHub Actions is for you as well (and take a look at this book's workflow file here¹¹ for an example of exactly this). But if you are working on a pipeline that may take several hours to run, and you want it to stay reproducible for a very long time, then using Docker might be a better option. Thankfully, you can also use GitHub Actions to build Docker images and upload them to Docker Hub. You can even then run a Docker container that runs your RAP (but here again, if your pipeline takes several hours to run, you may not want to do that).

15.3. Craft a dockerized dev env with GA

This section and the next are going to mirror the sections on dockerizing projects and dockerizing dev envs (development environments) from the previous chapter. The only difference is that all the heavy lifting will happen on GitHub Actions, instead of our own computer.

 $^{^{11}\}rm https::/is.gd/6nhYaf$

I'm going to describe the following repository¹². This repository contains a Dockerfile, and a .github/workflows/ folder with a GitHub Actions workflow file. Each time I push any change to any file from this repository, a new Docker image gets built automatically and pushed to Docker Hub. The image that gets built defines a dev env that we will then use for our RAPs.

As stated before, the advantage of using Docker images for your RAPs instead of simply running them directly inside GitHub Actions (as in the previous section), is that you don't rely on GitHub to have the base image (in our example, ubuntu-22.04), forever available, which they won't.

The idea is the same as before: work on the code of your project, define a Dockerfile and get an updated image each time you push your changes to the repository.

Let's start with the GitHub Actions workflow file that we need. Here it is:

```
name: build_docker
on:
    push:
        branches:
        - master
        - main
jobs:
    docker:
        runs-on: ubuntu-latest
        env:
            IMAGE_NAME: r_4.2.2
        steps:
```

 $^{^{12} \}rm https://github.com/b-rodrigues/ga_demo/tree/main$

```
- name: Setup
uses: docker/setup-buildx-action@v2
- name: Login to Docker Hub
uses: docker/login-action@v2
with:
    username: ${{ secrets.DOCKERHUB_USERNAME
    }}
    password: ${{ secrets.DOCKERHUB_TOKEN }}
- name: Build image and push to Docker Hub
uses: docker/build-push-action@v4
with:
    tags: ${{ secrets.DOCKERHUB_USERNAME
    }}/${{ env.IMAGE_NAME }}:
    ${{ github.ref_name }}-${{ github.sha }}
    push: true
```

Just one remark: I had to split the tags: line into two lines. When copying this line into the yaml file, put the two lines back into one line. Click here¹³ for the actual file.

I believe that this file is the simplest one you could have for this. Let's study it in detail.

The start of the file is pretty standard: we give the workflow a name, and state that it should run on ubuntu-latest whenever anything gets pushed to either main or master. We define an environment variable called $r_4.2.2$. This is the name of the image that we are going to build. We will build an image that comes with R 4.2.2 pre-installed as well as many required Ubuntu packages; it's the same image as we built in the previous chapter on top of which we will then build RAPs. This image is based on the one from the Rocker project. We

 $^{^{13}}$ https://is.gd/0xqH22

will take a look at the Dockerfile afterwards. Then, the action docker/setup-buildx-action@v2 simply sets up everything for buildx to run smoothly (buildx will build the Docker image using the docker buildx command an alternative to docker build). Honestly, I don't even know exactly what it sets up. I guess it may at least check out the repository to make the files available to the next actions and maybe set some other variables for docker buildx.

Then we use the docker/login-action@v2 to login from GitHub Actions to Docker Hub. Essentially, we need to be able to tell our GitHub Actions runner how to login to Docker Hub, and of course we want to do so in a secure manner (and it must run non-interactively). To login to Docker Hub from GitHub Actions, you need first to create an access token from your Docker Hub account. Login to your Docker Hub account, go to your account settings and then to the "Security" tab:

15. Continuous integration and continuous deployment



Figure 15.4.: Create your access token.

Name it github_actions for example, and set its permissions to "Read, Write, Delete". On the next window that pops up, make sure to save your access token:

Copy Access Token

When logging in from your Docker CLI client, use this token as a password. Learn more
ACCESS TOKEN DESCRIPTION github_action
ACCESS PERMISSIONS Read, Write, Delete
To use the access token from your Docker CLI client:
1.Run docker login -u brodriguesco
2. At the password prompt, enter the personal access token.
WARNING: This access token will only be displayed once. It will not be stored and cannot be retrieved. Please be sure to save it now.
Copy and Close

Figure 15.5.: Make sure to write it down!

You then need to go to the settings area of the repository. Under "Security", "Secrets and variables" and finally "Actions", you can create a repository secret (as opposed to an environment secret) called DOCKERHUB_TOKEN and copy the value of the token in the free text area:



Figure 15.6.: Copy the token in your repo's secrets.

Create a second secret with your Docker Hub username called DOCKERHUB_USERNAME. These can now be used in the workflow file using so-called *contexts*. Your Docker Hub username will get replaced wherever you write \${{ secrets.DOCKERHUB_USERNAME }} in the workflow file, same for your Docker Hub token with \${{ secrets.DOCKERHUB_TOKEN }}.

Finally, we build and push the image to Docker Hub. This is done using the action called docker/build-push-action@v4. We use the tags option to tag our image. The tag needs to start with your username, followed by a /, then the image name, and then a version, so something like bob/r_4.2.2:latest where latest would be the latest version of the image that is available. Getting bob/r_4.2.2 is quite easy: simply use your Docker Hub

username that you defined as a secret, then literally type / and then use the image name that you've defined in the beginning of the workflow file. Careful though: bob/r 4.2.2 needs to exist on Docker Hub as well. bob is easy, that's your Docker Hub username as already stated, but r 4.2.2 is a repository that you need to create on Docker Hub. So both your image name and the repository name on Docker Hub will be r 4.2.2. If you don't create a repository on Docker Hub that is exactly named like that, your image will not get pushed, because GitHub Actions will not know where to push the image. So if this is not already the case, go back to Docker Hub and create a repository named r 4.2.2. For the version, you can do whatever you want, but I suggest to use the context github.ref name and github.sha. github.ref name gives the name of the branch that starts the workflow, and github.sha returns the hash number of the commit that starts the workflow. This way, your image will be named something like bob/r 4.2.2:master-65ai9besta65948. This allows you to see which commit generated which image, which is really useful. We then also set **push** to **true**, so that the image gets pushed.

With this workflow file in hand, I can now build a Docker image and push it to Docker Hub simply by pushing code to my repository. Here are two commits that generated two images:

🐉 main 🗝	
-o- Commits on Apr 22, 2023	
fixed typo in dockerfile 4.2.1 → 4.2.2	Verified L b1958d5
Update build-renv.yml	(Verified) (C) 6b7bba1 (

Figure 15.7.: Two successful runs of GitHub Actions.

and here are the two corresponding images on Docker Hub:

15. Continuous integration and continuous deployment



Figure 15.8.: The corresponding images on Docker Hub.

I noticed a typo in my Dockerfile: originally, I was basing my image on R version 4.2.1. So I changed this and pushed. This is the commit that starts with b1950. The image then got built, tagged, and pushed to Docker Hub without any manual intervention on my part. You can see that the tag is of the form repo-hash, in this case, main-b1950d. Clicking on this tag on Docker Hub shows you some useful information:
bro	driguesco	Repositories	r_4.2.2 n	nain-b1950	d55c	cbd8009de4ee2006a097c3e7e	f1c529		
		USERNAME_dock brodrigu DIGEST: sha28 Delete Tag OS/ARCH linux/amd64	er_hub/repo. esco/r_4.2 6:3645125bb34	2.2:mair 4618656e35 ESSED SIZE @	ker_ 1-b1 73369	hub:branch_name_github-cor 1950d55ccbd8009de4 06 fabef859f555aa59b1fd2f88d12 LAST PUSHED a day ago by brockiguesco	mit_hash_github ee2006a097c3e7ef1c52 60092616c96 TYPE mage	9	
Im	age Layers	Vulnerabilitie	s						
IMAGE LAYERS ①									
1	ARG RELEASE			0 B		Command			
2	ARG LAUNCHP	AD_BUILD_ARCH		0 в		ARG RELEASE			
3	LABEL org.o	pencontainers.;	mage.ref.na.	0 B					
4	LABEL org.o	pencontainers.i	mage.versio	0 В					
5	ADD file	. in /	28.1	17 MB					
6	CMD ["/bin/	bash"]		0 В					
7	LABEL org.o	pencontainers.	.mage.licens	0 B					
8	ENV R_VERSI	ON=4.2.2		0 B					

Figure 15.9.: This is the image with the correct R version.

15. Continuous integration and continuous deployment

(When running GitHub Actions, you may encounter an error complaining about permission being denied to "githubactions[bot]" and therefore being unable to access your repository. To address this problem, you may need to change the access settings of your repository to give write permission to the workflow. Under the settings area of the repository, select "Actions" then "General", and then scroll to the bottom to the "Workflow permissions" section. Select "Read and write permissions" and then click the "Save" button. Then try running the workflow again.)

15.4. Run a RAP using a dockerized dev env on GA

Now that we have a dockerized dev env that gets built by pushing changes to a GitHub repo, it is now time to use it for our RAPs. As I wrote in the beginning, this will mirror the section on running a RAP that uses a dockerized environment, so we can start from that repository. This¹⁴ was the repository that we used at the time. You can create a new repository with the same content (but you can remove the .gitignore file, it won't be needed here). This is what my repository¹⁵ looks like. The only difference with the first repository is the Dockerfile and the GitHub Actions workflow file that is inside .github/workflows. Let's take a look at the Dockerfile first:

FROM brodriguesco/r_4.2.2:main-b1950d55ccbd8009de4ee 2006a097c3e7ef1c529

 $^{^{14} \}rm https://github.com/rap4all/housing/tree/docker$

 $^{^{15} \}rm https://github.com/b-rodrigues/ga_demo_rap$

```
RUN mkdir /home/housing
```

```
RUN mkdir /home/housing/pipeline_output
```

RUN mkdir /home/housing/shared_folder

COPY renv.lock /home/housing/renv.lock

COPY functions /home/housing/functions

COPY analyse_data.Rmd /home/housing/analyse_data.Rmd

COPY _targets.R /home/housing/_targets.R

```
RUN R -e
"setwd('/home/housing');renv::init();renv::restore()"
```

```
RUN cd /home/housing && R -e "targets::tar_make()"
```

```
CMD mv /home/housing/pipeline_output/* /home/housing/shared folder/
```

It is almost exactly the same as the one from the dockerized pipeline from the previous chapter. The only difference is the very first statement, where we pull the base image. Now I'm using the image from the dockerized environment that I built in the previous section. Apart from that, everything's the same.

The magic happens with the workflow file. Here it is:

```
name: Reproducible pipeline
on:
    push:
        branches:
```

```
- main
      - master
jobs:
  build:
    runs-on: ubuntu-latest
    steps:
    - name: Checkout repository
      uses: actions/checkout@v3
    - name: Build the Docker image
      run: docker build -t housing image .
    - name: Docker Run Action
      run: >
        docker run --rm --name housing container -v
        /github/workspace/shared folder:
        /home/housing/shared folder:rw
        housing image
    - uses: actions/upload-artifact@v3
      with:
        name: housing output ${{ github.sha }}
        path: /github/workspace/shared folder/
```

By now, you should certainly understand this workflow file without much trouble. First we checkout the contents of the repository to make the files available to the other steps. Then we build the Docker image. For this, I'm doing this the "old-school" way by using the actual command that we would use on our local machine. Then we run the container. Once again I use the command that I would use locally. But you'll notice that I use /github/workspace/shared_folder as the path to the shared folder. You likely guessed it, /github/workspace/ is the "local" path inside the GitHub Actions runner. This is equivalent to the /home/ directory on a Linux machine. The command is also on multiple lines (to write a command over multiple lines on github actions, you need to start by > and then use as many lines as you need).

The final action, actions/upload-artifact@v3 is used to upload the contents of the shared folder and name them housing_output_\${{ github.sha }}, where \${{ github.sha }} will get replaced by the hash from the commit that triggered the action. This will be a zip file that you can then download. But download from where?

Simply click on the "Actions" tab on the GitHub repository, and then click on the run that you want the artifact from (pipeline outputs are called artifacts):



Figure 15.10.: Artifacts (pipeline outputs) can be found by going into a run's details.

And that's it! You could tweak the workflow file to instead push the files to a new branch in the repository, like the workflow file that targets::tar_github_actions() generates. But I think that this solution is easier to use, and also, if you need to download the artifact from a previous run, it's all right there. Simply select a previous run and download the artifact. If instead, you push the outputs to a new branch, you'd need to revert to that commit to get past outputs.

15.5. Conclusion

At the start of this chapter, I stated that this chapter was optional, because it is not necessary to use a CI/CD service to ensure that your projects are reproducible. However, I believe that setting up your project to make it run on GitHub Actions (or any other CI/CD service) truly forces you to master all the topics presented in this book. In the conclusion of part 1 of the book, I wrote that it seemed as if functional programming was only about putting restrictions on our code, for very little gain. In some ways, forcing yourself to use a CI/CD service can feel similar. But here's the thing: if your project builds successfully on a CI/CD service, and if the results remain stable over time, then your project is reproducible. Someone else could then run it locally by simply following the same steps as in the workflow file, which would consist of the very same basic steps: clone the repository, build a Docker image and run a container (or set up the required R package library using {renv} and then run the pipeline with {targets} if you're not using Docker).

If you work in research, but cannot push the data to GitHub, you could always work on the code and the infrastructure using

synthetic data for instance. The repository alongside the synthetic data could then be a nice complement to the paper (but again, only in case the data cannot be published).

16. Conclusion of part 2

Congratulations, we are done going down the reproducibility iceberg. Our project should now be entirely reproducible. I showed you how to reuse the same R version and the same package library as the one that was used to develop the pipeline originally. If in addition you've used the software engineering best practices from part 1, your project is also well tested and documented.

This part of the book focused on the operating system your pipeline runs on. It's a bit trickier to "freeze" an operating system, like we froze the R version and the packages library. Strictly speaking, we should develop and deploy our pipeline on the same operating system. If you're using Ubuntu as your daily driver, that is not an issue, but if you're a Windows or a macOS user, then this *could* potentially be a problem. After all, Docker images are based on Ubuntu (or other Linux distributions), so the best we can do is either start developing with the end in mind from the beginning; which means that we develop our project from inside a Docker environment, or we must ensure that running the pipeline inside Docker returns the same results as on your operating system of choice. This should most of the time not be an issue, but as already mentioned in this book, running the same code on Linux or Windows does sometimes return different results (this is rarer, at least in my experience, when comparing Linux to macOS).

But there is yet another, potential, issue. Let's assume the best

case scenario: the pipeline returns the same result inside Docker as on your development machine (which should be the case most of the time anyways). Is using Docker truly the best we can do? Is the pipeline truly reproducible? Well, *strictly* speaking, not quite. Indeed, the base operating system inside Docker also gets updated. So if you build an image based on Ubuntu 22.04 today, and then again in 6 months, the operating system is not the same anymore, because the software it ships got updated. So even if the R package library and R version remain fixed, the operating system does not. Now, I realize that this is really pushing it, but I want to be as thorough as possible. So there are two ways around this, if you really, absolutely, need also Ubuntu to remain frozen.

The first solution is the simplest and is explained in the reproducibility page¹ of the Rocker project. The idea is to use a digest, which is the equivalent of a commit hash on Github but for Docker images instead. As the example in the linked page above shows, instead of this:

FROM rocker/r-ver:4.2.0

which would base your Docker image on the latest Ubuntu 22.04 shipping R version 4.2.0, you would use this:

FROM rocker/r-ver@sha256:b343df137d83b0701e0...

which is the digest of the latest rebuild of that image. You can find digests on the Docker Hub page:

¹https://is.gd/YKL0T4

Explore rocker/r-ver	4.2.0							
rocker/r-ver:4.2.0								
DIGEST: sha256:b343df137d83b0701e0c9f5abfb24286394cb2fdfd39afcf241ad4d6948acf3d								
OS/ARCH								
linux/amd64	•							

Figure 16.1.: You can find Docker image digests on Docker Hub.

If you use a digest instead of a tag, it doesn't matter when the image gets built, you'll be using the exact same Ubuntu version under the hood that was current *at that time*.

The second way around this is to use a functional package manager like Guix or Nix. As I stated in the reproducibility iceberg, this is outside the scope of this book, but the idea of these package managers is that they allow users to reproduce the entirety of a project (so including the operating system libraries) to the exact same byte. If you want to know more, take a look at Vallet, Michonneau, and Tournier (2022) (open access article²) which shows how Guix works by reproducing the results from another paper.

 $^{^{2} \}rm https://www.nature.com/articles/s41597-022-01720-9\#Abs1$

17. The end

Congratulations, you're done with the book and I hope you learned a thing or two.

Part 1 focused on teaching you best practices, tools and techniques to make your code as clean as possible. In part 2, I taught you how to turn your project into a pipeline, and then how to make this pipeline reproducible using {renv} and Docker. To summarise, here are all the things that we need to think about to write a RAP:

- Write code that is as clean as possible: keep it DRY, document and test it well;
- Record package dependencies of the project;
- Record the R version that you use;
- Use a tool that builds the project for you;
- Record the computational environment.

If you tick all these boxes, you, or anyone else, should not have any problems reproducing the results of your project. While it may seem that ticking these boxes takes up valuable time from other tasks, if you use the techniques and tools that I've showed you in part 1, this should not be the case, and you might end up even gaining time. The only exception to this will be preparing a Docker image, but if you supply at the very least an **renv.lock** file, creating a Docker image to run a project could even be done much later, and only if it's really needed (and maybe even by someone else).

"So what?"

If you've reached this conclusion and are still thinking "meh, yeah, reproducibility is nice and all, but... so what?" I hope that this last attempt of mine to convince you that RAPs are important will be successful.

So, why bother building RAPs? Firstly, there are purely technical considerations. It is not impossible that in quite a near future, we will work on ever thinner clients while the heavyduty computations will run on the cloud. Should this be the case, being comfortable with the topics discussed in this book will be valuable. Also, in this very near future, large language models will be able to set up most, if not all, of the required boilerplate code to set up a RAP. This means that you will be able to focus on analysis, but you still need to understand what are the different pieces of a RAP, and how they fit together, in order to understand the code that the large language model prepared for you, but also to revise it if needed. And it is not a stretch to imagine that simple analyses could be taken over by large language models as well. So you might very soon find vourself in a position where you will not be the one doing an analysis and setting up a RAP, but instead check, verify and adjust an analysis and a RAP built by an AI. Being familiar with the concepts laid out in this book will help you successfully perform these tasks in a world where every data scientist will have AI assistants.

But more importantly, the following factors are inherently part of data analysis:

- transparency;
- sustainability;
- scalability.

It doesn't matter if you're working in research, for a public institution or a private sector company: the three points above are incredibly important and it's impossible to perform data analysis without taking these into consideration, regardless of whether AIs take over some, or most, of the tasks you perform today. In the case of research, the *publish* or *perish* model has distorted incentives so much that unfortunately a lot of researchers are focused on getting published as quickly as possible, and see the three factors listed above as hurdles to getting published quickly. Herculean efforts have to be made to reproduce studies that are not reproducible, and more often than not, people that try to reproduce the results are unsuccessful. Thankfully, things are changing and there are more and more efforts being made to make research reproducible by design, and not as an afterthought. In the private sector, tight deadlines lead to the same problem: analysts think that making the project reproducible is an hindrance to being able to deliver on time. But here as well, taking the time to make the project reproducible will help with making sure that what is delivered is of high quality, and it will also help with making reusing existing code for future projects much easier, even further accelerating development.

Data analysis, at whatever level and for whatever field, is not just about getting to a result, the way to get to the result is part of it! This is true for science, this is true for industry, this is true everywhere. You get to decide where on the iceberg of reproducibility you want to settle, but the lower, the better. So why build RAPs? Well, because there's no alternative if you want to perform your work seriously.

References

- Arel-Bundock, Vincent. 2022. "modelsummary: Data and Model Summaries in R." Journal of Statistical Software 103 (1): 1–23.
- Bhandari Neupane, Jayanti, Ram P. Neupane, Yuheng Luo, Wesley Y. Yoshida, Rui Sun, and Philip G. Williams. 2019.
 "Characterization of Leptazolines a–d, Polar Oxazolines from the Cyanobacterium Leptolyngbya Sp., Reveals a Glitch with the 'Willoughby–Hoye' Scripts for Calculating NMR Chemical Shifts." Organic Letters 21 (20): 8449–53.
- Chambers, John M. 2014. "Object-Oriented Programming, Functional Programming and R." *Statistical Science* 29 (2): 167–80.
- Chan, Chung-hong, and David Schoch. 2023. "RANG: Reconstructing Reproducible r Computational Environments." arXiv.
- Firke, Sam. 2023. Janitor: Simple Tools for Examining and Cleaning Dirty Data.
- Gohel, David, and Panagiotis Skintzos. 2023. Flextable: Functions for Tabular Reporting.
- Hammant, Paul. 2020. Trunk-Based Development and Branch by Abstraction. Leanpub.
- Landau, William Michael. 2021. "The Targets r Package: A Dynamic Make-Like Function-Oriented Pipeline Toolkit for Reproducibility and High-Performance Computing." Journal of Open Source Software 6 (57): 2959.
- Leisch, Friedrich. 2002. "Sweave: Dynamic Generation of Sta-

tistical Reports Using Literate Data Analysis." In *Compstat*, edited by Wolfgang Härdle and Bernd Rönz, 575–80. Physica-Verlag HD.

- Peng, Roger D. 2011. "Reproducible Research in Computational Science." *Science* 334 (6060): 1226–27.
- Rochette, Sebastien. 2022. Fusen: Build a Package from Rmarkdown Files.
- Trisovic, Ana, Matthew K Lau, Thomas Pasquier, and Mercè Crosas. 2022. "A Large-Scale Study on Research Code Quality and Execution." *Scientific Data* 9 (1): 60.
- Vallet, Nicolas, David Michonneau, and Simon Tournier. 2022. "Toward Practical Transparent Verifiable and Long-Term Reproducible Research Using Guix." Scientific Data 9 (1): 597.
- Wickham, Hadley. 2019. Advanced r. CRC press. https://adv-r.hadley.nz/.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686.
- Wickham, Hadley, and Jenny Bryan. 2023. *R Packages (2e)*. https://r-pkgs.org/.
- Xie, Yihui. 2014. "Knitr: A Comprehensive Tool for Reproducible Research in R." In *Implementing Reproducible Computational Research*, edited by Victoria Stodden, Friedrich Leisch, and Roger D. Peng. Chapman; Hall/CRC.
- Xie, Yihui, Christophe Dervieux, and Emily Riederer. 2020. *R* Markdown Cookbook. Chapman; Hall/CRC.